

# 510(k) SUMMARY

**DENTSPLY**

NAME & ADDRESS:

**DENTSPLY International**  
570 West College Avenue  
P.O. Box 872  
York, PA 17405-0872  
(717) 845-7511  
~~Fax (717) 849-4762~~  
www.dentsply.com

SEP 30 2003

P. J. Lehn Telefax (717) 849-4343

CONTACT: P. Jeffery Lehn

DATE PREPARED: July 25, 2003

K032321

TRADE OR PROPRIETARY NAME: CERA F ALLOY

CLASSIFICATION NAME: Gold based alloy for clinical use (872.3060)

PREDICATE DEVICES: Stabilor NF IV alloy K951780

DEVICE DESCRIPTION: CERA F ALLOY is a gold-based dental alloy for prosthodontic devices.

INTENDED USE: CERA F ALLOY is indicated as a dental alloy for fabricating inlays, crowns, bridges, precision milling bars and attachments, and crowns and bridges for porcelain fused to metal technique.

TECHNOLOGICAL CHARACTERISTICS: All of the components found in CERA F ALLOY have been used in legally marketed devices.

CERA F ALLOY is very similar in formulation to legally marketed dental alloys. This alloy has been on the European market since 2001 with over 250,000 units placed. Therefore, it was determined that no biocompatibility testing was necessary.

We believe that the prior use of the components of CERA F ALLOY in legally marketed devices, the performance data provided, and the historical use of the device in Europe support the safety and effectiveness of CERA F ALLOY for the indicated uses.



SEP 3 0 2003

Food and Drug Administration  
9200 Corporate Boulevard  
Rockville MD 20850

Mr. P Jeffery Lehn  
Director of Corporate Compliance and Regulatory Affairs  
Dentsply International  
570 West College Avenue  
P.O. Box 872  
York, Pennsylvania 17405-0872

Re: K032321  
Trade/Device Name: Cera F Alloy  
Regulation Number: 872.3060  
Regulation Name: Gold-Based Alloys and Precious Metal Alloys for Clinical Use  
Regulatory Class: II  
Product Code: EJT  
Dated: July 25, 2003  
Received: July 28, 2003

Dear Mr. Lehn:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (301) 594-4613. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/dsma/dsmamain.html>

Sincerely yours,



Susan Runner, DDS, MA  
Interim Director  
Division of Anesthesiology, General Hospital  
Infection Control and Dental Devices  
Office of Device Evaluation  
Center for Devices and  
Radiological Health

Enclosure

**INDICATIONS FOR USE STATEMENT**


(As Required by 21 CFR 807.87(e))

510(K) Number (if known):

Device Name: CERA F ALLOY

Indications for Use:

Fabricating inlays, crowns, bridges, precision milling bars and attachments,  
and crowns and bridges for porcelain fused to metal technique.



(Division Sign-Off)  
Division of Anesthesiology, General Hospital,  
Infection Control, Dental Devices

510(k) Number: K 032321

**(PLEASE DO NOT WRITE BELOW THIS LINE—CONTINUE ON ANOTHER PAGE IF NEEDED)**

Concurrence of CDRH, Office of Device Evaluation (ODE)

Prescription Use

OR

Over-The-Counter Use

(Per 21 CFR 801.109)

(Optional Format 1-2-96)