

SEP 10 2003



K032399

## 510(k) SUMMARY

### VITEK® 2 Gram Positive Moxifloxacin

#### 510(k) Submission Information:

Submitter's Name: bioMérieux, Inc.  
Address: 595 Anglum Road  
Hazelwood, MO 63042  
Contact Person: Nancy Weaver  
Staff Regulatory Affairs Specialist  
Phone Number: 314-731-8695  
Fax Number: 314-731-8689  
Date of Preparation: July 18, 2003

#### B. Device Name:

Formal/Trade Name: VITEK® 2 Gram Positive Moxifloxacin  
Classification Name: Fully Automated Short-Term Incubation Cycle  
Antimicrobial Susceptibility Device,  
21 CFR 866.1645  
Common Name: VITEK 2 AST-GP Moxifloxacin

C. Predicate Device: VITEK 2 Gram Positive AST Panel for  
Sparfloxacin (N50510/S141)

#### D. 510(k) Summary:

VITEK® 2 Gram Positive Moxifloxacin is designed for antimicrobial susceptibility testing of *Staphylococcus aureus* (methicillin-susceptible strains only). It is intended for use with the VITEK® 2 System as a laboratory aid in the determination of *in vitro* susceptibility to antimicrobial agents. The antimicrobial presented in VITEK 2 AST Cards is in concentrations equivalent by efficacy to standard method concentrations in mcg/ml. The VITEK 2 AST Cards are essentially miniaturized versions of the doubling dilution technique for determining the minimum inhibitory concentration (MIC) microdilution methodology.

The bacterial isolate to be tested is diluted to a standardized concentration in 0.45% saline before being used to rehydrate the antimicrobial medium within the card. The VITEK 2 automatically fills, seals and places the card into the incubator/reader. The VITEK 2 monitors the growth of each well in the card over a defined period of time (up

to 18 hours). At the completion of the incubation cycle, a report is generated that contains the MIC value along with the interpretive category result for each antibiotic contained on the card.

VITEK 2 Gram Positive Moxifloxacin demonstrated substantially equivalent performance when compared with the NCCLS reference agar dilution method, as defined in the FDA DRAFT document "Guidance on Review Criteria for Assessment of Antimicrobial susceptibility Devices", dated March 8, 2000 and Class II Special Controls Guidance Document: Antimicrobial Susceptibility Test (AST) Systems; Guidance for Industry and FDA. Issued Feb. 5, 2003.

The Premarket Notification (510[k]) presents data in support of VITEK 2 Gram Positive Moxifloxacin.

An external evaluation was conducted with fresh and stock clinical isolates and stock challenge strains. The external evaluations were designed to confirm the acceptability of VITEK 2 Gram Positive Moxifloxacin by comparing its performance with the NCCLS agar dilution reference method. VITEK 2 Gram Positive Moxifloxacin demonstrated acceptable performance of 99.2% overall Essential Agreement when compared to the agar dilution reference method. Reproducibility and Quality Control demonstrated acceptable results.



SEP 10 2003

Food and Drug Administration  
2098 Gaither Road  
Rockville MD 20850

Ms. Nancy Weaver  
Staff Regulatory Affairs Specialist  
BioMérieux, Inc.  
595 Anglum Road  
Hazelwood, MO 63042-2320

Re: k032399  
Trade/Device Name: VITEK 2<sup>®</sup> Gram Positive Moxifloxacin (0.25-8 µg/ml)  
Regulation Number: 21 CFR 866.1645  
Regulation Name: Fully Automated Short-Term Incubation Cycle Antimicrobial  
Susceptibility Devices  
Regulatory Class: Class II  
Product Code: LON  
Dated: July 29, 2003  
Received: August 4, 2003

Dear Ms. Weaver:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in Title 21, Code of Federal Regulations (CFR), Parts 800 to 895. In addition, FDA may publish further announcements concerning your device in the Federal Register.


Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Parts 801 and 809); and good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820).

Page 2 –

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific information about the application of labeling requirements to your device, or questions on the promotion and advertising of your device, please contact the Office of In Vitro Diagnostic Device Evaluation and Safety at (301) 594-3084. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/dsma/dsmamain.html>.

Sincerely yours,

A handwritten signature in black ink that reads "Steven Gutman". The signature is written in a cursive style.

Steven I. Gutman, M.D., M.B.A.  
Director  
Office of *In Vitro* Diagnostic Device  
Evaluation and Safety  
Center for Devices and  
Radiological Health

Enclosure

## Indications for Use Statement

510(k) Number (if known): K032399

Device Name: VITEK 2<sup>®</sup> Gram Positive Moxifloxacin (0.25 – 8 µg/ml)


### Indications for Use:

VITEK 2<sup>®</sup> Gram Positive Moxifloxacin is designed for antimicrobial susceptibility testing of *Staphylococcus aureus* (methicillin-susceptible strains only). It is intended for use with the VITEK 2<sup>®</sup> System as a laboratory aid in the determination of *in vitro* susceptibility to antimicrobial agents.

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

---

Concurrence of CDRH, Office of Device Evaluation (ODE)

 9/10/03  
Division Sign-Off

Office of In Vitro Diagnostic Device  
Evaluation and Safety

510(k) K032399

✓  
Prescription Use

Over the Counter Use