

OCT - 9 2003

12033160

3.0 Summary of Safety and Effectiveness Information [510(k) Summary]

SPONSOR: Synthes (USA)
1690 Russell Road
Paoli, PA 19301
(610) 647-9700
Contact: Lisa M. Boyle

DEVICE NAME: Low Profile Neuro Contourable Mesh Plates

CLASSIFICATION: Class II , 21 CFR 872.4760 – Plate, Fixation, Bone

PREDICATE DEVICE: Synthes Low Profile Neuro System

DEVICE DESCRIPTION: The Synthes Low Profile Neuro Contourable Mesh Plates are manufactured from Titanium and consists of a variety of shapes and sizes designed for various cranio-facial procedures. These plates are now available to the user sterile.

INTENDED USE: The Synthes Low Profile Neuro Contourable Mesh Plates are intended for use in selective trauma of the midface and craniofacial skeleton; craniofacial surgery; reconstructive procedures; and selective orthognathic surgery of the maxilla and chin.

MATERIAL: Titanium

SUBSTANTIAL EQUIVALENCE: Documentation is provided which demonstrates that the Synthes Low Profile Neuro Contourable Mesh Plates are substantially equivalent to other legally marketed Synthes devices.

Special 510(k):
Synthes (USA) Low Profile Neuro Contourable Mesh Plates



Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

OCT 9 - 2003

Ms. Lisa M. Boyle
Regulatory Associate
Synthes, (USA)
1690 Russell Road
P.O. Box 1766
Paoli, Pennsylvania 19301

Re: K033160
Trade/Device Name: Synthes (USA) Low Profile Neuro Contourable Mesh Plates
Regulation Number: 872.4760
Regulation Name: Bone Plate
Regulatory Class: II
Product Code: JEY
Dated: September 26, 2003
Received: September 30, 2003

Dear Ms. Boyle:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Page 2 – Ms. Boyle

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (301) 594-4613. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/dsma/dsmamain.html>

Sincerely yours,



Chiu Lin, Ph. D.

Director

Division of Anesthesiology, General Hospital,
Infection Control and Dental Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

2.0 Indications for Use Statement

Page 1 of 1

510(k) Number (if known): K033160

Device Name: Synthes (USA) Low Profile Neuro Contourable Mesh Plates

Indications:

The Synthes Low Profile Neuro Contourable Mesh Plates are intended for use in selective trauma of the midface and craniofacial skeleton; craniofacial surgery; reconstructive procedures; and selective orthognathic surgery of the maxilla and chin.

(PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

Prescription Use (Per 21 CFR 801.109)

OR

Over-The-Counter Use

Susan Puover

(Division Sign-Off)
Division of Anesthesiology, General Hospital,
Infection Control, Dental Devices

510(k) Number: K033160