

NOV 12 2003



TUNG KENG ENTERPRISE CO., LTD.
 No. 1, Lane 160, Sec. 2 Tan-Fu RD., Tan-Tzu Hsiang
 Taichung County, Taiwan
 Tel: +886-4-25321000 Fax: +886-4-25325000
 E-mail: dkcity@ms21.hinte.net

“ 510(k) SUMMARY ”

Submitter's Name: ***TUNG KENG Enterprise Co., Ltd.***
 No. 1, Lane 160, Sec. 2 Tan-Fu RD., Tan-Tzu Hsiang
 Taichung County, 427, Taiwan

Date summary prepared: September 29, 2003

Device Name:

Proprietary Name: *Be-Mobile 4-Wheeled Electric Scooter, DK S600*
 Common or Usual Name: Electrical Scooter
 Classification Name: Motor Three-Wheeled Vehicle, Class II,
 21 CFR 890.3800

Indications for Use:

The device is intended for medical purposes to provide mobility to persons restricted to a seated position.

Description of the device:

The Be-Mobile 4-Wheeled Electric Scooter DK **S600** is an indoor / outdoor electric scooter that is battery operated. It has a base with four-wheeled with a seat. The movement of the scooter is controlled by the rider who uses hand controls located at the top of the steering column. The device can be disassembled for transport and is provided with an onboard battery charger.

Performance Testing:

EMC Report ANSI / RESNA WC/Vol.2-1998, CISPR 11: 1990, EN61000-3-2: 1995, IEC61000-3-3: 1995 (Electrically powered wheelchairs, scooters, and their chargers – requirements and test methods)

Legally marketed device for substantial equivalence comparison:

WU'S 4-WHEELED NEO SCOOTER WT-L4 (K013763)



TUNG KENG ENTERPRISE CO., LTD.
No. 1, Lane 160, Sec. 2 Tan-Fu RD., Tan-Tzu Hsiang
Taichung County, Taiwan
Tel: +886-4-25321000 Fax: +886-4-25325000
E-mail: dkcity@ms21.hinte.net

Summary for substantial equivalence comparison:

The electronic systems between two devices are the same and all passed by the UL certificated, for instance the electronic controller, batteries and recharge. Thus the same safety level for the two devices is assured. The major differences existing of the two 4-wheeled scooters are the different controller. Besides the overall dimension, the size of tires, and the weight are differences between the two devices. The overall appearance differences are not safety aspect. So the new device is substantially equivalent to the predicate devices in this aspect.



NOV 12 2003

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

Tung Keng Enterprise Co., Ltd.
C/o Dr. Jen Ke-Min
ROC Chinese-European Industrial Research Society
No. 58, Fu-Chiun St.
Hsin-Chu City, China (Taiwan) 300

Re: K033219

Trade/Device Name: Be-Mobile 4 Wheeled Electric Scooter, DK S600
Regulation Number: 21 CFR 890.3800
Regulation Name: Motorized three-wheeled vehicle
Regulatory Class: II
Product Code: INI
Dated: September 29, 2003
Received: October 3, 2003

Dear Dr. Jen:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

Page 2 – Dr. Jen Ke-Min

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (301) 594-4659. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/dsma/dsmamain.html>

Sincerely yours,

Miriam C. Probst

for Celia M. Witten, Ph.D., M.D.
Director
Division of General, Restorative
and Neurological Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

510 (K) NUMBER (IF KNOW): TBA

DEVICE NAME: Be-Mobile 4-Wheeled Electric Scooter, DK S600

INDICATIONS FOR USE:

The device is intended for medical purposes to provide mobility to persons restricted to a sitting position.

Miriam C. Provost
(Division Sign-Off)
Division of General, Restorative
and Neurological Devices

510(k) Number K033219

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE)

Concurrence of CDRH, office of Device Evaluation (ODE)

Prescription Use _____

OR

Over-The-Counter-Use

(Per 21 CFR 801.109)

(Optional Format 1-2-96)