



SEP - 9 2005

Food and Drug Administration  
9200 Corporate Boulevard  
Rockville MD 20850

Ms. Gidgette Rubin  
Corp V.P./Official Correspondent FDA  
North American Medical Corporation  
3350 Riverwood Parkway, Suite 1900  
Atlanta, Georgia 30339

Re: K033231  
Trade/Device Name: Spina System Cervical  
Regulation Number: 21 CFR 890.5900  
Regulation Name: Power traction equipment  
Regulatory Class: II  
Product Code: ITH  
Dated: June 17, 2005  
Received: June 17, 2005

Dear Ms. Rubin:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

Page 2- Ms. Gidgette Rubin

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (240) 276-0120. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/industry/support/index.html>.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Mark N. Melkerson", with a long horizontal flourish extending to the right.

Mark N. Melkerson  
Acting Director  
Division of General, Restorative,  
and Neurological Devices  
Office of Device Evaluation  
Center for Devices and  
Radiological Health

Enclosure

## Indications for Use

510(k) Number (if known): K033231

Device Name: "Spina System Cervical"

Formerly Identified as: Spina System™/Accu-SPINA™ ( model name pending)

### Indications for Use:

The device provides a program of treatments for relief from pain and disability for those patients suffering with low back pain. A treatment will consist of a physician prescribed treatment period on the device and is designed to provide static, intermittent, and cycling distraction forces to relieve pressures on structures that may be causing low back pain. It relieves pain associated with herniated discs, degenerative disc disease, posterior facet syndrome, and sciatica. It achieves these effects through decompression of intervertebral discs, that is, unloading due to distraction and positioning.

The SPINA SYSTEM CERVICAL also offers a cervical accessory which provides a program of treatments for relief from neck pain associated with herniated discs, degenerative disc disease, and posterior facet syndrome. It achieves these effects through decompression of intervertebral discs, that is, unloading due to distraction and positioning.


Prescription Use    
 (Part 21 CFR 801 Subpart D)

AND/OR

Over-The-Counter Use \_\_\_\_\_   
 (21 CFR 801 Subpart C)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE  
OF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)



(Division Sign-Off)

Division of General, Restorative,  
and Neurological Devices

510(k) Number K033231