



DEPARTMENT OF HEALTH & HUMAN SERVICES

Mr. Danielle M. Knight
Quality Manager
Hycor Biomedical Limited
Pentlands Science Park
Bush Loan
Penicuik EH26 OPL
United Kingdom

JAN 20 2004

Food and Drug Administration
2098 Gaither Road
Rockville MD 20850

Re: k033744
Trade/Device Name: Autostat II Anti-tTg IgA ELISA
Regulation Number: 21 CFR § 866.5660
Regulation Name: Multiple Autoantibodies Immunological Test System
Regulatory Class: II
Product Code: MVM
Dated: January 6, 2004
Received: January 8, 2004

Dear Mr. Knight:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.


If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in Title 21, Code of Federal Regulations (CFR), Parts 800 to 895. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Parts 801 and 809); and good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820). This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

Page 2 –

If you desire specific information about the application of labeling requirements to your device, or questions on the promotion and advertising of your device, please contact the Office of In Vitro Diagnostic Device Evaluation and Safety at (301) 594-3084. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/dsma/dsmamain.html>.

Sincerely yours,

A handwritten signature in black ink that reads "Steven Gutman". The signature is written in a cursive style.

Steven I. Gutman, M.D., M.B.A.
Director
Office of In Vitro Diagnostic Device Evaluation and Safety
Center for Devices and Radiological Health

Enclosure

Indications for Use.

Enzyme linked immunosorbent assay method for the semi-quantitative determination specific IgA autoantibodies to tissue transglutaminase (tTg) in human serum.

Uses:

The results of the anti-tTg assay can be used as an aid in the diagnosis of auto-immun-diseases associated with elevated levels of anti-tTg antibodies including Coeliac Disease. Levels of these autoantibodies are one indicator in a multi-factorial diagnostic regime.

This device can be used with the HYCOR HY.TEC automated EIA instrument.

For *in vitro* diagnostic use only.

Prescription Use
(Per 21 CFR 801.109)

OR

Over-The-Counter Use

(Optional Format 1-2-96)

J.P. Reeves for T.J. O'Leary
Division Sign-Off

Office of In Vitro Diagnostic Device
Evaluation and Safety

510(k) 1C033744