

MAY - 6 2004

K040893  
Page 1 of 1

## Summary of Safety and Effectiveness

---

**General Provisions**

**Trade Name:** Easy Core™

**Classification Name:** Biopsy System, Gastroenterology-urology

---

**Name of Predicate Devices**

ASAP Biopsy System (Formally referred to as Stamey Sampler Spring Loaded Needle), ASAP 14g Biopsy System.

---

**Classification**

Class II

---

**Performance Standards**

Performance Standards have not been established by FDA under Section 514 of the Food, Drug and Cosmetic Act

---

**Intended Use and Device Description**

The Easy Core Biopsy System is indicated for use endoscopically or percutaneously to retrieve tissue sampling of soft organs/tumors or masses for histological analysis. Soft tissue sampling includes but not limited to organs such as breast, liver, kidney and prostate. The Easy Core Biopsy System is a sterile, single-use biopsy needle.

---

**Biocompatibility**

The Easy Core Biopsy System has been tested for biocompatibility per ISO 10993. All data demonstrate this device is biocompatible for its intended use.

---

**Summary of Substantial Equivalence**

The Easy Core Biopsy System has been tested and compared to the predicate device. All data gathered demonstrate this device as substantially equivalent. No new issues of safety or efficacy have been raised.

---



Food and Drug Administration  
9200 Corporate Boulevard  
Rockville MD 20850

**MAY - 6 2004**

Ms. Christine Cameron  
Regulatory Specialist II  
Boston Scientific Corporation  
One Boston Scientific Place  
NATICK MA 01760

RE: K040893  
Trade/Device Name: Easy Core Biopsy System  
Regulation Number: 21 CFR§ 876.1075  
Regulation Name: Gastroenterology-Urology  
Biopsy Instruments  
Regulatory Class: II  
Product Code: 78 FCG  
Dated: April 5, 2004  
Received: April 6, 2004

Dear Ms. Cameron:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (sections 531-542 of the Act); 21 CFR 1000-1050.


This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at one of the following numbers, based on the regulation number at the top of this letter:

8xx.1xxx	(301) 594-4591
876.2xxx, 3xxx, 4xxx, 5xxx	(301) 594-4616
884.2xxx, 3xxx, 4xxx, 5xxx, 6xxx	(301) 594-4616
892.2xxx, 3xxx, 4xxx, 5xxx	(301) 594-4654
Other	(301) 594-4692

Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/dsma/dsmamain.html>.

Sincerely yours,



Nancy C. Brogdon  
Director, Division of Reproductive,  
Abdominal, and Radiological Devices  
Office of Device Evaluation  
Center for Devices and Radiological Health

Enclosure

K040893  
Page 1 of 1

## Indications For Use

510(k)  
Number  
(if known)

~~Unknown~~

K040893

Device Name: Easy Core™ Biopsy System

Indications  
for Use

The Easy Core Biopsy System is indicated for use endoscopically or percutaneously to retrieve tissue sampling of soft organs/tumors or masses for histological analysis. Soft tissue sampling includes but not limited to organs such as breast, liver, kidney and prostate.


Prescription Use              
(Part 21 CFR 801 Subpart D)

AND/OR

Over-The-Counter Use             
(21 CFR 807 Subpart C)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)



(Division Sign-Off)  
Division of Reproductive, Abdominal,  
and Radiological Devices

510(k) Number K040893