



OCT 4 - 2004

Food and Drug Administration
2098 Gaither Road
Rockville MD 20850

Ms. Nancy Olscamp
Regulatory Affairs Coordinator, External, Diagnostic Division
Diagnostic Chemicals Limited
16 McCarville Street
Charlottetown, PE
Canada C1E 2A6

Re: k042243
Trade/Device Name: Microalbumin Multi-Calibrator Set, Cat. No. SE-252
Regulation Number: 21 CFR 862.1150
Regulation Name: Calibrator
Regulatory Class: Class II
Product Code: JIX
Dated: August 16, 2004
Received: August 19, 2004

Dear Ms. Olscamp:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in Title 21, Code of Federal Regulations (CFR), Parts 800 to 895. In addition, FDA may publish further announcements concerning your device in the Federal Register.


Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Parts 801 and 809); and good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820).

Page 2

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific information about the application of labeling requirements to your device, or questions on the promotion and advertising of your device, please contact the Office of *In Vitro* Diagnostic Device Evaluation and Safety at (301) 594-3084. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/dsma/dsmamain.html>.

Sincerely yours,



Jean M. Cooper, MS, D.V.M.

Director

Division of Chemistry and Toxicology

Office of *In Vitro* Diagnostic Device

Evaluation and Safety

Center for Devices and

Radiological Health

Enclosure



Microalbumin Multi-Calibrator Set

Product Cat. No. SE-2

INDICATIONS FOR USE

510(k) Number: _____

Device Name: Microalbumin Multi-Calibrator Set, Cat. No. SE-252

For IN VITRO diagnostic use as a calibrator for the DCL Microalbumin Assay for quantitation of albumin in human urine.

Indications for Use:

PART 862--CLINICAL CHEMISTRY AND CLINICAL TOXICOLOGY DEVICES

Subpart B--Clinical Chemistry Test Systems

Sec. 862.1150 Calibrator

(a) Identification. The DCL Microalbumin Multi-Calibrator Set, Cat. No. SE-252 is a device intended for medical purposes for use in an albumin test system to establish points of reference that are used in the determination of values in the measurement of substances in human specimens.

(b) Classification. Class II.


Prescription Use: _____
(Part 21 CFR 801 Subpart D)

And/or

Over-the-Counter Use (OTC): _____
(21 CFR 807 Subpart C)

(PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of In Vitro Diagnostic Devices (OIVD)


Division Sign-Off

Office of In Vitro Diagnostic
Device Evaluation and Safety

510(k) K042243