



Food and Drug Administration  
10903 New Hampshire Avenue  
Silver Spring, MD 20993

AUG 26 2011

Applied Imaging Corp  
c/o Ms. Diane Day  
Vice President, Regulatory Affairs, Clinical and Quality  
120 Baytech Drive  
San Jose, CA 95134-2302

Re: k042542

Trade/Device Name: Applied Imaging CytoVision CEP XY  
Regulation Number: 21 CFR 866.4700  
Regulation Name: Automated Fluorescent *In Situ* Hybridization (FISH) Enumeration Systems  
Regulatory Class: Class II  
Product Code: JOY  
Date: December 21, 2004  
Received: December 22, 2004

Dear Ms. Day:

This letter corrects our substantially equivalent letter of January 10, 2005.

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into class II (Special Controls), it may be subject to such additional controls. Existing major regulations affecting your device can be found in Title 21, Code of Federal Regulations (CFR), Parts 800 to 895. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Parts 801 and 809); medical device reporting (reporting of medical device-related adverse events) (21 CFR 803); and good manufacturing practice requirements as set forth in the

Page 2 – Ms. Diane Day


quality systems (QS) regulation (21 CFR Part 820). This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of

substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Parts 801 and 809), please contact the Office of *In Vitro* Diagnostic Device Evaluation and Safety at (301) 796-5450. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). For questions regarding the reporting of adverse events under the MDR regulation (21 CFR Part 803), please go to <http://www.fda.gov/MedicalDevices/Safety/ReportaProblem/default.htm> for the CDRH's Office of Surveillance and Biometrics/Division of Postmarket Surveillance.

You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 796-7100 or at its Internet address <http://www.fda.gov/cdrh/industry/support/index.html>.

Sincerely yours,



Maria M. Chan, Ph.D.  
Director  
Division of Immunology and Hematology Devices  
Office of *In Vitro* Diagnostic Device Evaluation and Safety  
Center for Devices and Radiological Health

Enclosure

## Indications for Use

510(k) Number (if known): k042542

Device Name: CytoVision™ CEP XY

### Indications For Use:

The Applied Imaging CytoVision™ system is an automated scanning microscope and image analysis system. It is intended for *in vitro* diagnostic use as an aid in chromosomal analysis. CytoVision assists in the location of interphase and metaphase nuclei on standard microscope slides using both brightfield and fluorescent microscopy.

This particular CytoVision software application is an accessory to the CEP® X Spectrum Orange™/CEP® Y Spectrum Green™ DNA Probe kit (Vysis, Inc. Downer's Grove, IL) and is limited to the analysis of CEP XY probes via high magnification capture and analysis of interphase nuclei. CEP XY is indicated for use to assess the effectiveness of bone marrow transplantation in opposite-sex transplants.

Prescription Use  \_\_\_\_\_  
(Part 21 CFR 801 Subpart D)

AND/OR

Over-The-Counter Use \_\_\_\_\_  
(21 CFR 807 Subpart C)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

---

Concurrence of CDRH, Office of In Vitro Diagnostic Devices (OIVD)

Maria Chan  
Division Sign-Off

Office of In Vitro Diagnostic  
Device Evaluation and Safety

510(k) k042542

Page 1 of \_\_\_\_\_

3