

MAR 29 2005

Section 4. 510(k) Summary

General Provisions	Submitter's Name and Address	EKOS Corporation 22030 20 th Ave. SE Suite 101 Bothell, WA 98021
	Contact Person	Jocelyn Kersten 425-482-1108 425-482-1109 (fax) jkersten@EKOSCORP.com
	Classification Name	Catheter, Continuous Flush (KRA)
	Common or Usual Name	Continuous Flush Catheter
	Proprietary Name	EKOS Peripheral Infusion System
Name of Predicate Device	<u>Predicate Device</u> EKOS Peripheral Infusion System	<u>510(k) Reference Nos.</u> K033214
Device Description	The system consists of a disposable infusion/ultrasound catheter and an instrument that generates and controls the delivery of energy to the catheter. The catheter contains a single ultrasound transducer, located at the distal tip, a thermal sensor and a distal end hole for placement over a guide wire and fluid infusion.	
Intended Use	The EKOS Peripheral Infusion System is intended for the controlled and selective infusion of physician-specified fluids, including thrombolytics, into the peripheral vasculature.	
Summary of Technological Characteristics	The proposed EKOS Peripheral Infusion System is similar in construction and materials to the previously cleared EKOS Peripheral Infusion System.	
Test Summary	The proposed EKOS Peripheral Infusion System is considered to be substantially equivalent to the currently marketed EKOS Peripheral Infusion System based on a comparison of the intended uses and designs and results of the testing and evaluations performed.	



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

MAR 29 2005

EKOS Corporation
c/o Ms. Jocelyn Kersten
Director, Regulatory Affairs
22030 20th Avenue, SE, Suite 101
Bothell, WA 98021

Re: K050563
EKOS Peripheral Infusion System
Regulation Number: 21 CFR 870.1210
Regulation Name: Catheter, Continuous Flush
Regulatory Class: Class II (Two)
Product Code: KRA
Dated: March 3, 2005
Received: March 4, 2005

Dear Ms. Kersten:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.


If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Page 2 - Ms. Jocelyn Kersten

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050. This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (301) 594-4648. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/dsma/dsmamain.html>

Sincerely yours,



Bram D. Zuckerman, M.D.
Director
Division of Cardiovascular Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

Indications for Use

510(k) Number (if known): K050563

Device Name: EKOS Peripheral Infusion System

Indications for Use:

The EKOS Peripheral Infusion System is intended for the controlled and selective infusion of physician-specified fluids, including thrombolytics, into the peripheral vasculature.

Prescription Use X
(Part 21 CFR 801 Subpart D)

AND/OR

Over-The-Counter Use _____
(21 CFR 807 Subpart C)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)



(Division Sign-Off)
Division of Cardiovascular Devices

510(k) Number K050563

Page 1 of 1