

K050604

APR 15 2005



SYBRON DENTAL SPECIALTIES

Section III - 510(k) Summary of Safety and Effectiveness

Submitter:

Sybron Dental Specialties, Inc.
1717 W. Collins Avenue
Orange, California 92867
(714) 516-7484 - Phone
(714) 516-7488 - Facsimile
Colleen Boswell - Contact Person

Date Summary Prepared: March 2005

Device Name:

- Trade Name – Kerr VPS Impression Material
- Common Name – Impression Material
- Classification Name – Impression Material, per 21 CFR § 872.3660

Devices for Which Substantial Equivalence is Claimed:

- 3M ESPE, *Position Penta Quick*
- DMG, *Status Blue Mixstar*

Device Description:

Kerr VPS impression material is an outstanding A-silicone impression material intended as an alternative to traditional alginate materials. Quick set time, excellent detail reproduction, compatibility with disinfection products; dimensional accuracy and stability make the best alternative. Available in 1:1 cartridges suitable for the Kerr Extruder and in Volume™ 5:1 362 mL foil packs for use in commercially available mixing machines.

Intended Use of the Device:

The intended use of *Kerr VPS Impression Material* is for impressions in preparation of case study models, orthodontic models, opposing models, simple removable dentures, removable retainers and splints, provisional crown and bridge, and dental impressions.

Substantial Equivalence:

Kerr VPS Impression Material is substantially equivalent to other legally marketed devices in the United States. *Kerr VPS Impression Material* functions in a manner similar to and is intended for the same use as *Position Penta Quick* and *Status Blue Mixstar* that are currently marketed by 3M ESPE and DMG, respectively.



APR 15 2005

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

Ms. Colleen Boswell
Director, Corporate Compliance
Sybron Dental Specialties, Incorporated
1717 West Collins Avenue
Orange, California 92867

Re: K050604
Trade/Device Name: Kerr VPS Impression Material
Regulation Number: 21 CFR 872.3660
Regulation Name: Impression Material
Regulatory Class: II
Product Code: ELW
Dated: March 08, 2005
Received: March 09, 2005

Dear Ms. Boswell:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (240) 276-0115. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/industry/support/index.html>.

Sincerely yours,



Chiu S. Lin, PhD

Director

Division of Anesthesiology, General Hospital,

Infection Control and Dental Devices

Office of Device Evaluation

Center for Devices and

Radiological Health

Enclosure

Indications for Use

510(k) Number (if known): K050604

Device Name: *Kerr VPS Impression Material*

Indications For Use:

Kerr VPS Impression Material is suitable for impressions in preparation of case study models, orthodontic models, opposing models, simple removable dentures, removable retainers and splints, provisional crown and bridge, and dental impressions.

Prescription Use
 (Part 21 CFR 801 Subpart D)

AND/OR

Over-The-Counter Use
 (21 CFR 807 Subpart C)

(PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

Pat Marley for HSR
(Division Sign-Off)
Division of Anesthesiology, General Hospital,
Infection Control, Dental Devices

510(k) Number: K050604

Page 1 of 1