



Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

Derma Sciences Canada, Inc.
% Sharmini Atheray, M.Sc.
Corporate Director QA/RA
104 Shorting Road
Toronto, Ontario M1S 3S4
Canada

JUL 12 2007

Re: K053095

Trade/Device Name: Derma Sciences API-MED™ Active Manuka
Honey Absorbent Dressing

Regulatory Class: Unclassified

Product Code: FRO

Dated: March 29, 2007

Received: March 30, 2007

Dear Ms. Atheray:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.


Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050. This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally

Page 2 – Sharmini Atheray, M.Sc.

marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (240) 276-0115. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (240) 276-3150 or at its Internet address <http://www.fda.gov/cdrh/industry/support/index.html>.

Sincerely yours,

A handwritten signature in black ink, appearing to read 'M. Melkerson', with a long, sweeping flourish extending to the right.

Mark N. Melkerson
Director
Division of General, Restorative
and Neurological Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

Indications for Use

510(k) Number (if known): K053095

Device Name: Derma Sciences API-MED™ Active Manuka Honey Absorbent Dressing

Indications for Use:

Under the supervision of a healthcare professional, API-MED™ ACTIVE MANUKA HONEY ABSORBENT Dressing provides a moist environment conducive to wound healing and is indicated for moderate to heavily exuding wounds such as:

- diabetic foot ulcers
- leg ulcers (venous stasis ulcers, arterial ulcers and leg ulcers of mixed etiology)
- pressure ulcers / sores (partial and full thickness)
- 1st and 2nd degree partial thickness burns
- donor sites, and traumatic and surgical wounds.

Prescription Use X
(Part 21 CFR 801 Subpart D)

AND/OR

Over-The-Counter Use _____
(21 CFR 807 Subpart C)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

(Division Sign-Off)
**Division of General, Restorative,
and Neurological Devices**

510(k) Number K053095