

510(k) Summary

This summary of 510(k) safety and effectiveness information is being submitted in accordance with requirements of 21 CFR Part 807.92.

Date: August 16, 2006

1. Company and Correspondent making the submission:

- Submitter's Name : Osstem Implant Co., Ltd.
- Address : #507-8 Geoje3-Dong Yeonje-Gu
Busan, 611-804, Republic of Korea
- Contact : Song Seung Woo

2. Device:

Proprietary Name: US System
 Common Name --: Dental Implant System
 Classification Name: Endosseous dental implant
 21CFR 872.3640
 Class II
 DZE, NHA

3. Predicate Device:

AVANA Dental Implant System, Osstem Co., Ltd, K051576

4. Description:

The US system is a dental implant system made of titanium metal intended to be surgically placed in the bone of the upper or lower jaw arches.

The US system is similar to other commercially available products based on the intended use, the technology used, the claims, the material composition employed and performance characteristics. The differences between them are shape. The US system has two-stage surgery while AVANA Dental Implant System has one-stage-surgery. The US system has R.B.M (Resorbable Blasting Media).

The US system is substantially equivalent in design, function and intended use to the AVANA Dental Implant System of Osstem Implant Co., Ltd.

5. Indication for use:

US system and SSII mini are indicated for use in partially or fully edentulous mandibles and maxillae, in support of single or multiple-unit restorations including; cemented retained, screw retained, or overdenture restorations, and terminal or intermediate abutment support for fixed bridgework. US System is for two stage surgical procedures. It is not for one stage surgery or immediate load. The SSII mini is for one and two stage surgical procedures. It is not for immediate load.

6. Review:

US System has similar material, indication for use, design and technological characteristics as the predicate device.

US System has been subjected to safety, performance, and product validations prior to release. Safety tests including biocompatibility have been performed to ensure the devices comply with the applicable International and US regulations.

7. Conclusions:

Based on the information provided in this premarket notification Osstem concludes that the US System is safe and effective and substantially equivalent to the predicate device as described herein.



Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

NOV - 2 2006

Osstem Implant Company, Limited
C/O Ms. Cathryn N. Cambria
Consultant
Cambria Regulatory Consulting, Incorporated
5536 Trowbridge Drive
Dunwoody, Georgia 30338

Re: K062030
Trade/Device Name: US System
Regulation Number: 872.3640
Regulation Name: Endosseous Dental Implant
Regulatory Class: II
Product Code: DZE
Dated: October 17, 2006
Received: October 23, 2006

Dear Ms. Cambria:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (240) 276-0115. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/industry/support/index.html>.

Sincerely yours,



Chiu Lin, Ph.D.

Director

Division of Anesthesiology, General Hospital,

Infection Control and Dental Devices

Office of Device Evaluation

Center for Devices and

Radiological Health

Enclosure

510(k) Number K062030

Device Name: US System

Indication for use: US System and SSII mini are intended for use in partially or fully edentulous mandibles and maxillae, in support of single or multiple-unit restorations including; cemented retained, screw retained, or overdenture restorations, and terminal or intermediate abutment support for fixed bridgework. US System is for two stage surgical procedures. It is not for one stage or immediate load. SSII mini is for one and two stage surgical procedures. It is not for immediate load.

Prescription Use OR Over-The-Counter Use
(Per 21CFR801 Subpart D) (Per 21CFR807 Subpart C)

(PLEASE DO NOT WRITE BELOW THIS LINE – CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)



(Sign-Off)
Department of Anesthesiology, General Hospital,
FDA, Center for Device and Radiation Control, Dental Devices

Number: K062030