



Food and Drug Administration
2098 Gaither Road
Rockville MD 20850

DEC 13 2006

INOVA Diagnostics, Inc.
c/o Ms. Donna L. Gustafson
Vice President, Development and Quality Systems
9900 Old Grove Rd
San Diego, CA 92131-1638

Re: k062708

Trade/Device Name: QUANTA Lite™ Celiac DGP Screen
Regulation Number: 21 CFR 866.5750
Regulation Name: Radioallergosorbent (RAST) Immunological Test System
Regulatory Class: Class II
Product Code: MST
Dated: September 8, 2006
Received: September 11, 2006

Dear Ms. Gustafson:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

Page 2 –

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (240) 276-0484. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (240) 276-3150 or at its Internet address <http://www.fda.gov/cdrh/industry/support/index.html>.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Robert L. Becker, Jr.", written in a cursive style.

Robert L. Becker, Jr., M.D., Ph.D.

Director

Division of Immunology and Hematology Devices

Office of In Vitro Diagnostic Device Evaluation and Safety

Center for Devices and Radiological Health

Enclosure

Indications for Use

510(k) Number (if known): K062708

Device Name: QUANTA Lite™ Celiac DGP Screen

Indications for Use:

QUANTA Lite™ Celiac DGP Screen is an enzyme-linked immunosorbent assay (ELISA) for the semi-quantitative detection of IgA and IgG antibodies to synthetic, deamidated gliadin-derived peptides in human serum. The presence of these deamidated peptide antibodies can be used in conjunction with clinical findings and other laboratory tests to aid in the diagnosis of both IgA sufficient and IgA deficient celiac disease as well as dermatitis herpetiformis.

Prescription Use X
(Part 21 CFR 801 Subpart D)

AND/OR

Over-The-Counter Use _____
(21 CFR 807 Subpart C)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of In Vitro Diagnostic Devices (OIVD)

Maria M Chan
(Division Sign-Off)
Division of Clinical Laboratory Devices
510(k) Number K062708

Page 1 of _____