



Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

Medel S.P.A.
C/O Mr. Terrence M. O'Brien
Official Correspondent
Medel USA
112 Caviston Way
Cary, North Carolina 27519

JAN - 8 2007

Re: K063103
Trade/Device Name: AG EDGE
Regulation Number: 868.5630
Regulation Name: Nebulizer
Regulatory Class: II
Product Code: CAF
Dated: October 9, 2006
Received: October 10, 2006

Dear Mr. O'Brien:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (240) 276-0120. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/industry/support/index.html>.

Sincerely yours,



Chiu Lin, Ph.D.

Director

Division of Anesthesiology, General Hospital,

Infection Control and Dental Devices

Office of Device Evaluation

Center for Devices and

Radiological Health

Enclosure

Indications for Use

510(k) Number (if known):

Device Name: AG EDGE

Indications for Use:

The intended use of the AG EDGE is to convert liquid medication into a fine mist that can be drawn into the lungs to treat respiratory conditions for adult and pediatric patients who have been prescribed inhalation therapy or medication.


The AG EDGE is indicated only for use with nebulizer provided and viceversa.

The AG EDGE is transportable equipment intended for home health care use.
The AG EDGE is not intended as a life sustaining or life support device.

Prescription Use X
(Part 21 CFR 801 Subpart D)

AND/O
R

Over-The-Counter Use _____
(21 CFR 801 Subpart C)


(Division Sign-Off)
Division of Anesthesiology, General Hospital,
Infection Control, Dental Devices
510(k) Number: K06 3103