



Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

Siemens Hearing Instruments, Inc.
c/o Mark Job
Responsible Third Party Official
Regulatory Technology Services LLC
1394 25th Street NW
Buffalo, MN 55313

JUN - 5 2007

Re: K071462
Trade/Device Name: Siemens Unity 2 HIA and Probe (for use with Unity 2)
Regulation Number: 21 CFR 874.3310
Regulation Name: Hearing aid calibrator and analysis system
Regulatory Class: Class II
Product Code: ETW
Dated: May 24, 2007
Received: May 25, 2007

Dear Mr. Job:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.


If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (240) 276-0115. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (240) 276-3150 or at its Internet address <http://www.fda.gov/cdrh/industry/support/index.html>.

Sincerely yours,

A handwritten signature in black ink, appearing to read "MB Eydelman, MD". The signature is written in a cursive, somewhat stylized script.

Malvina B. Eydelman, M.D.

Director

Division of Ophthalmic and Ear, Nose
and Throat Devices

Office of Device Evaluation

Center for Devices and
Radiological Health

Enclosure

K071462

Section A

Indications for Use

510(k) Number (if known): _____

Device Name: Siemens Unity 2 HIA and Probe (for use with Siemens Unity 2 System)

Indications For Use:

The Unity 2 HIA and Probe are intended to be used as a system to: (1) perform Real Ear Measurement; (2) get an objective indication of the characteristics of a hearing aid; and (3) assist in the adjustment of hearing aids while in use by the patient. It is used by ENT-professionals and in clinics for hearing aid fitting. This device can either be sold individually or together with other Unity 2 modules.

Prescription Use X
(Part 21 CFR 801 Subpart D)

AND/OR

Over-The-Counter Use _____
(21 CFR 801 Subpart C)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

Page 1 of 1



(Division Sign-Off)
Division of Ophthalmic Ear,
Nose and Throat Devices

510(k) Number K071462

Prescription Use X
(Per 21 CFR 801.109)