

510(K) SUMMARY**9.****9.0 510(K) SUMMARY**

This 510(k) summary of safety and effectiveness information is being submitted in accordance with the requirements of SMDA 1990 and 21 CFR 807.92.

APPLICANT Asahi Intecc Co., Ltd.
1703 Wakita-cho, Moriyama-ku
Nagoya, Aichi 463-0024
Japan

OFFICIAL CORRESPONDENT Yoshi Terai
President, CEO
Asahi Intecc USA, Inc.
2500 Red Hill Avenue, Suite 210
Santa Ana, CA 92705
Tel: (949) 756-8252
FAX (949) 756-8165
e-mail: yoshi@asahi-intecc.com

TRADE NAME: Precious Plus Guide Catheter

COMMON NAME: Guide Catheter

CLASSIFICATION NAME: Percutaneous Catheter

DEVICE CLASSIFICATION: Class 2 per 21 CFR §870.1250

PRODUCT CODE DQY

PREDICATE DEVICE: Asahi Precious Guide Catheter – K061601
Guidant ACS Viking Guiding Catheter – K972484

SEP 17 2007

DESCRIPTION OF THE DEVICE SUBJECT TO PREMARKET NOTIFICATION:

The Precious plus guide catheter is intended for use in coronary artery applications and is designed to provide a pathway through which medical instruments, such as balloon catheters, guide wires or other therapeutic devices may be introduced. These devices are not intended for use in the cerebral vasculature. The Precious plus guide catheter consists of a tube, a proximal hub, and protector for the joint portion of the first 2 components. The surface of inner lumen of the shaft is coated with PTFE to enhance lubricity. The outer surface of the product is coated with Silicone oil.

9.

510(k) SUMMARY

INDICATION FOR USE:

The Precious plus guide catheter is intended for use in coronary artery applications and is designed to provide a pathway through which medical instruments, such as balloon catheters, guide wires or other therapeutic devices may be introduced. These devices are not intended for use in the cerebral vasculature.

TECHNICAL CHARACTERISTICS:

The Precious plus guide catheter is made of the same materials that have been used in other predicate devices that are labeled for the similar indications. The dimensional specifications are equivalent to those listed for the currently cleared predicate devices.

PERFORMANCE DATA:

All components that come in direct contact with the patient have a long history of use in medical devices and are proven to be biocompatible for use in the vasculature. Furthermore, this submission contains additional biocompatibility testing that was conducted on the actual device. This 510(k) notice includes mechanical and functional bench testing that demonstrates that the Precious plus guide catheter performs as intended.

SUMMARY/CONCLUSION:

The Precious plus guide catheter characteristics are substantially equivalent to the specified predicate devices and other currently marketed devices for the same indication for use.

Bench testing demonstrates that the device functions as intended.



Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

SEP 17 2007

Asahi Intecc Co., Ltd.
c/o Mr. Yoshi Terai
President, CEO
Asahi Intecc USA, Inc.
2500 Red Hill Avenue, Suite 210
Santa Ana, CA 92705

Re: K072316
Precious Plus Guide Catheter
Regulation Number: 21 CFR 870.1250
Regulation Name: Percutaneous catheter
Regulatory Class: Class II (two)
Product Code: DQY
Dated: August 7, 2007
Received: August 17, 2007

Dear Mr. Terai:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.


If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Page 2 – Mr. Yoshi Terai

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050. This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (240) 276-0120. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (240) 276-3150 or at its Internet address <http://www.fda.gov/cdrh/industry/support/index.html>.

Sincerely yours,



 Bram D. Zuckerman, M.D.
Director
Division of Cardiovascular Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

2.

INDICATIONS FOR USE STATEMENT

2.0 INDICATIONS FOR USE STATEMENT

510(k) Number (if known): K072316

Device Name: Precious Plus Guide Catheter

Indications for Use:

The Precious Plus Guide Catheter is intended for use in coronary artery applications and is designed to provide a pathway through which medical instruments, such as balloon catheters, guide wires or other therapeutic devices may be introduced. These devices are not intended for use in the cerebral vasculature.

Prescription Use X
(Part 21 CFR 801 Subpart D)

AND/OR

Over-The-Counter Use _____
(21 CFR 801 Subpart C)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE OF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

Anna P. Bodines

(Sign-Off)

Director of Cardiovascular Devices

510(k) Number K072316

Page () of ()