

## X. PREMARKET NOTIFICATION SUMMARY

**Submitted by:** Vitrolife Sweden AB  
Faktorvägen 13  
SE-434 37 Kungsbacka  
SWEDEN

SEP 16 2008

**Contact Person:** Mr Kjell Kjörk  
Vitrolife Sweden AB  
Faktorvägen 13  
SE-434 37 Kungsbacka  
SWEDEN  
Phone +46 31 721 80 77  
Fax +46 31 721 80 90  
Mail [kkjork@vitrolife.com](mailto:kkjork@vitrolife.com)

**Date Prepared:** 7 July 2008

**Trade Name:** G-2™ v5/G-2™ v5 PLUS

**Common Name:** IVF Media

**Classification Name:** Reproductive Media and Supplements  
(21 C.F.R. § 884.6180)

**Predicate Device:** G-2™ version 3 (K021890)

**Description of the Device:** The IVF Media GIII Series have been on the market for a number of years and Vitrolife Sweden AB has now made some product changes in order to further improve the robustness of these media. These improved media are called IVF Media G5 Series.

G-2™ v5/G-2™ v5 PLUS is used for culture of embryos from day 3 to the blastocyst stage, and for embryo transfer.

**Intended Use:** G-2™ v5/G-2™ v5 PLUS is intended for culture of embryos from day 3 to the blastocyst stage, and for embryo transfer.

**Technological Characteristics:**

G-2™ v5/G-2™ v5 PLUS is a device used for the culture of embryos from day 3 to the blastocyst stage, and for embryo transfer.

The product G-2™ v5/G-2™ v5 PLUS is a modification of the device G-2™ version 3 (K021890). The technological characteristics of G-2™ v5/G-2™ v5 PLUS are essentially similar to those of the predicate device. None of the differences between the predicate device and G-2™ v5/G-2™ v5 PLUS do raise any new questions of safety or effectiveness.



SEP 16 2008

Mr. Kjell Kjörk  
Pharmacist, Regulatory Affairs Manager  
Vitrolife Sweden AB  
Faktorvägen 13  
SE-434 37 Kungsbacka  
SWEDEN

Re: K081117  
Trade Name: G-2™ v5 and G-2™ v5 PLUS  
Regulation Number: 21 CFR §884.6180  
Regulation Name: Reproductive media and supplements  
Regulatory Class: II  
Product Code: MQL  
Dated: August 13, 2008  
Received: August 15, 2008

Dear Mr. Kjörk:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at one of the following numbers, based on the regulation number at the top of this letter:

21 CFR 876.xxx	(Gastroenterology/Renal/Urology)	240-276-0115
21 CFR 884.xxx	(Obstetrics/Gynecology)	240-276-0115
21 CFR 894.xxx	(Radiology)	240-276-0120
Other		240-276-0100

Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). For questions regarding postmarket surveillance, please contact CDRH's Office of Surveillance and Biometrics' (OSB's) Division of Postmarket Surveillance at 240-276-3474. For questions regarding the reporting of device adverse events (Medical Device Reporting (MDR)), please contact the Division of Surveillance Systems at 240-276-3464. You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (240) 276-3150 or at its Internet address <http://www.fda.gov/cdrh/industry/support/index.html>.

Sincerely yours,



Joyce M. Whang, Ph.D.  
Acting Director, Division of Reproductive,  
Abdominal, and Radiological Devices  
Office of Device Evaluation  
Center for Devices and Radiological Health

Enclosure

XI. INDICATIONS FOR USE STATEMENT

510(k) Number (if known): K081117


Device Name: G-2™ v5

Indications for Use:

G-2™ v5 is indicated for culture of embryos from day 3 to the blastocyst stage, and for embryo transfer

(PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IF NEEDED)  
Concurrence of CDRH, Office of Device Evaluation (ODE)

Prescription Use  OR Over-the Counter Use   
(Per 21 C.F.R. § 801.109)



(Division Sign-Off)  
Division of Reproductive, Abdominal,  
and Radiological Devices

510(k) Number K081117

XI. INDICATIONS FOR USE STATEMENT

510(k) Number (if known): K081117


Device Name: G-2™ v5 PLUS

Indications for Use:

G-2™ v5 PLUS is indicated for culture of embryos from day 3 to the blastocyst stage, and for embryo transfer

(PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IF NEEDED)  
Concurrence of CDRH, Office of Device Evaluation (ODE)

Prescription Use  OR Over-the Counter Use   
(Per 21 C.F.R. § 801.109)



(Division Sign-Off)  
Division of Reproductive, Abdominal,  
and Radiological Devices

510(k) Number K081117