



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

JAN 23 2009

Airstrip Technologies, LP
c/o Mr Mark Job
Responsible Third Party Official
Regulatory Technology Services, LLC
1394 25th Street, N W
BUFFALO MN 55313

Re K090061
Trade/Device Name AirStrip OB[®] Remote Data Viewing software
Regulation Number 21 CFR §884.2740
Regulation Name Perinatal monitoring system and accessories
Regulatory Class II
Product Code HGM
Dated January 8, 2009
Received January 9, 2009

Dear Mr Job

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including but not limited to, registration and listing (21 CFR Part 807), labeling (21 CFR Part 801; good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820), and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act), 21 CFR 1000-1050


This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at one of the following numbers, based on the regulation number at the top of this letter:

21 CFR 876 xxx	(Gastroenterology/Renal/Urology)	(240) 276-0115
21 CFR 884 xxx	(Obstetrics/Gynecology)	(240) 276-0115
21 CFR 892 xxx	(Radiology)	(240) 276-0120
Other		(240) 276-0100

Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). For questions regarding postmarket surveillance, please contact CDRH's Office of Surveillance and Biometrics' (OSB's) Division of Postmarket Surveillance at 240-276-3474. For questions regarding the reporting of device adverse events (Medical Device Reporting (MDR)), please contact the Division of Surveillance Systems at 240-276-3464. You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (240) 276-3150 or at its Internet address <http://www.fda.gov/cdrh/industry.support/index.html>.

Sincerely yours,



Janine M. Morris
Acting Director, Division of Reproductive,
Abdominal, and Radiological Devices
Office of Device Evaluation
Center for Devices and Radiological Health

Enclosure

Indications for Use Statement

510(k)
Number

K090061

Device Name

AirStrip OB[®] Remote Data Viewing software


Indications for
Use

AirStrip OB[®] is intended to be used by Obstetricians for the following purposes

- To more rapidly and thoroughly respond to a nurse call regarding fetal heart tracings or maternal contraction patterns by viewing the real time waveforms remotely using a Windows-based handheld device
- To proactively review a fetal heart or maternal contraction tracing of a patient in Labor and Delivery for whom they are responsible but are unable to be present in the hospital at that time
- To review the current Labor and Delivery patient census list
- Provide a request for remote consultation regarding a fetal heart tracing
- To remotely review other standard or critical real-time numeric data from Labor and Delivery

PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IF
NEEDED

Concurrence of CDRH, Office of Device Evaluation (ODE)



(Division Sign-Off)

Division of Reproductive, Abdominal, and
Radiological Devices

510(k) Number

K090061

Prescription Use

OR

Over-The-Counter Use

(Per 21 CFR 801.109)