



DEPARTMENT OF HEALTH & HUMAN SERVICES

Food and Drug Administration  
10903 New Hampshire Avenue  
Document Mail Center – WO66-0609  
Silver Spring, MD 20993-0002

DEC 16 2009

AdvanDX, Inc.  
c/o Ms. Paula E. Bulger  
Director of Regulatory Affairs  
10A Roessler Road  
Woburn, MA 01801

Re: k092236

Trade Name: E. coli/P. aeruginosa PNA Fish™  
Regulation Number: 21 CFR §866.2660  
Regulation Name: Microorganism differentiation and identification device.  
Regulatory Class: Class I  
Product Codes: JSS  
Dated: November 03, 2009  
Received: November 04, 2009

Dear Ms. Bulger:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in Title 21, Code of Federal Regulations (CFR), Parts 800 to 895. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21


Page 2- Ms. Bulger

CFR Part 807); labeling (21 CFR Parts 801 and 809); and good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820).

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific information about the application of labeling requirements to your device, or questions on the promotion and advertising of your device, please contact the Office of In Vitro Diagnostic Device Evaluation and Safety at (301) 796-5455. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/industry/support/index.html>

Sincerely yours,



Sally A. Hojvat, M.Sc., Ph.D.  
Director  
Division of Microbiology Devices  
Office of *In Vitro* Diagnostic Device  
Evaluation and Safety  
Center for Devices and Radiological Health

Enclosure

**INDICATIONS FOR USE STATEMENT**

510(k) Number (if known):   K092236  

Device Name: *E. coli*/*P. aeruginosa* PNA FISH®

Indications for Use:

*E. coli*/*P. aeruginosa* PNA FISH is a multicolor, qualitative nucleic acid hybridization assay intended for identification of *Escherichia coli* and *Pseudomonas aeruginosa* on smears from positive blood cultures containing Gram-negative rods.

The *E. coli*/*P. aeruginosa* PNA FISH assay is indicated for use as an aid in the diagnosis of *E. coli* and/or *P. aeruginosa* bacteremia.

Subculturing of positive blood cultures is necessary for susceptibility testing and/or differentiation of mixed growth.

Prescription Use   X  

(Part 21 CFR 801 Subpart D)


AND/OR

Over-The-Counter Use \_\_\_\_\_

(21 CFR 801 Subpart C)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE OF  
NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

  
\_\_\_\_\_  
Division Sign-Off

Office of In Vitro Diagnostic Device  
Evaluation and Safety

510(k)   K092236