SPECIAL 510(k): Device Modification Review Memorandum

To: THE FILE RE: DOCUMENT NUMBER K103314

This 510(k) submission contains information/data on modifications made to the SUBMITTER'S own Class II, Class III or Class I devices requiring 510(k). The following items are present and acceptable:

- 1. CLOTtrac® HTC Coagulation Control, k042175; previously cleared device.
- Submitter's statement that the INDICATION/INTENDED USE of the modified device as described in
 its labeling HAS NOT CHANGED along with the proposed labeling which includes instructions for
 use, package labeling, and, if available, advertisements or promotional materials (labeling changes
 are permitted as long as they do not affect the intended use). (see section 2 and Appendices A and
 B).
- 3. A description of the device **modification**, including clearly labeled diagrams, engineering drawings, photographs, user's and/or service manuals in sufficient detail to demonstrate that the **fundamental technology** of the modified device **has not changed**.
 - **This change was for** the modification of the current control is to replace old USP heparin with revised USP heparin based on revision of the heparin sodium monograph. The source of the heparin remains as porcine.
- 4. **Comparison Information** (similarities and differences) to applicant's legally marketed predicate device including, labeling, intended use, physical characteristics, and reagent requirements.
- 5. A **Design Control Activities Summary** which includes:
 - a) Identification of Risk Analysis method(s) used to assess the impact of the modification on the device and its components, and the results of the analysis. (see section 8)
 - Based on the Risk Analysis, an identification of the verification and/or validation activities required, including methods or tests used and acceptance criteria to be applied. (see section 8 and Appendix D)
 - c) A declaration of conformity with design controls. The declaration of conformity should include:
 - i) A statement signed by the individual responsible, that, as required by the risk analysis, all verification and validation activities were performed by the designated individual(s) and the results demonstrated that the predetermined acceptance criteria were met, (see section 9)
 - ii) A statement signed by the individual responsible, that the manufacturing facility is in conformance with design control procedure requirements as specified in 21 CFR 820.30 and the records are available for review. (see section 9)
- 6. A Truthful and Accurate Statement, a 510(k) Summary or Statement and the Indications for Use Enclosure (and Class III Summary for Class III devices), (listed respectively under sections 11, 6, and 2).

The labeling for this modified subject device has been reviewed to verify that the indication/intended use for the device is unaffected by the modification. In addition, the submitter's description of the particular modification(s) and the comparative information between the modified and unmodified devices demonstrate that the fundamental scientific technology has not changed. The submitter has provided the design control information as specified in The New 510(k) Paradigm and on this basis, I recommend the device be determined substantially equivalent to the previously cleared (or their preamendment) device.