

SPECIAL 510(k): Device Modification OIR Decision Summary

To: THE FILE

RE: K171480

This 510(k) submission contains information/data on modifications made to the SUBMITTER'S own Class II, Class III or Class I devices requiring 510(k). The following items are present and acceptable (delete/add items as necessary):

1. The name and 510(k) number of the SUBMITTER'S previously cleared device. (For a preamendments device, a statement to this effect has been provided.)

NoCoding1 Plus Blood Glucose Monitoring System, k160742

2. Submitter's statement that the **INDICATION/INTENDED USE** of the modified device as described in its labeling **HAS NOT CHANGED** along with the proposed labeling which includes instructions for use, package labeling, and, if available, advertisements or promotional materials (labeling changes are permitted as long as they do not affect the intended use).
3. A description of the device **MODIFICATION(S)**, including clearly labeled diagrams, engineering drawings, photographs, user's and/or service manuals in sufficient detail to demonstrate that the **FUNDAMENTAL SCIENTIFIC TECHNOLOGY** of the modified device **has not changed**.

This change was for the following items:

- a. Addition of a Bluetooth module for the wireless transfer of data to mobile devices.
 - b. Software (firmware) changes include addition of Bluetooth pairing function, Bluetooth data transfer function including automatic data transfer to ensure all data are transferred to the mobile device when Bluetooth function is on.
 - c. The candidate device system is introduced with a new name "VeraSens Blood Glucose Monitoring System" in addition to the original predicate name "NoCoding1 Plus Blood Glucose Monitoring System".
4. **Comparison Information** (similarities and differences) to applicant's legally marketed predicate device including, labeling, intended use, physical characteristics, and specifications.
 5. **A Design Control Activities Summary** which includes:
 - a) Identification of Risk Analysis method(s) used to assess the impact of the modification on the device and its components, and the results of the analysis
 - b) Based on the Risk Analysis, an identification of the verification and/or validation activities required, including methods or tests used and acceptance criteria to be applied

The labeling for this modified subject device has been reviewed to verify that the indication/intended use for the device is unaffected by the modification. In addition, the submitter's description of the particular modification(s) and the comparative information between the modified and unmodified devices demonstrate that the fundamental scientific technology has not changed. The submitter has provided the design control information as specified in The New 510(k) Paradigm and on this basis, I

recommend the device be determined substantially equivalent to the previously cleared (or their preamendment) device.

The NoCoding1 Plus Blood Glucose Monitoring System and the VeraSens Blood Glucose Monitoring System are intended for single-patient home use only. Disinfection efficacy studies were performed on the materials comprising the meter by an outside commercial testing laboratory demonstrating complete inactivation of viral hepatitis B virus (HBV) with the chosen disinfectant, Clorox Germicidal Wipes (EPA Reg. No: 67619-12). Robustness studies were also performed by the sponsor demonstrating that there was no change in performance or external materials of the meter after 260 cleaning and disinfection cycles designed to simulate 5 years of single-patient use. Labeling was reviewed for adequate instructions for the validated cleaning and disinfection procedures.