



NDA 19-880/S-011

Bristol-Myers Squibb Company
P.O. Box 4000
Princeton, NJ 08543-4000

Attention: Joseph A. Linkewich, Pharm.D.
Director, Regulatory Science

Dear Dr. Linkewich:

Please refer to your supplemental new drug application dated December 18, 1998, received December 23, 1998, submitted under section 505(b) of the Federal Food, Drug, and Cosmetic Act for PARAPLATIN® (carboplatin for injection).

We acknowledge receipt of your submission dated August 24, 2001, which constituted a complete response to our April 30, 2001 action letter.

This supplemental new drug application provides for a patient package insert for PARAPLATIN®.

We have completed the review of this supplemental application, as amended, and have concluded that adequate information has been presented to demonstrate that the drug product is safe and effective for use as recommended in the agreed upon labeling text. Accordingly, the supplemental application is approved effective on the date of this letter.

The final printed labeling (FPL) must be identical to the enclosed labeling (text for the patient package insert). Please also include the current package insert.

Please submit the copies of final printed labeling (FPL) electronically according to the guidance for industry titled *Providing Regulatory Submissions in Electronic Format - NDA* (January 1999). Alternatively, you may submit 20 paper copies of the FPL as soon as it is available but no more than 30 days after it is printed. Please individually mount ten of the copies on heavy-weight paper or similar material. For administrative purposes, this submission should be designated "FPL for approved supplement NDA 19-880/S-011." Approval of this submission by FDA is not required before the labeling is used.

If a letter communicating important information about this drug product (i.e., a "Dear Health Care Professional" letter) is issued to physicians and others responsible for patient care, we request that you submit a copy of the letter to this NDA and a copy to the following address:

MEDWATCH, HF-2
FDA
5600 Fishers Lane
Rockville, MD 20857

We remind you that you must comply with the requirements for an approved NDA set forth under 21 CFR 314.80 and 314.81.

If you have any questions, call Christy Wilson, Consumer Safety Officer, at (301) 594-5761.

Sincerely,

{See appended electronic signature page}

Richard Pazdur, M.D.
Director
Division of Oncology Drug Products
Office of Drug Evaluation I
Center for Drug Evaluation and Research

Enclosure

**This is a representation of an electronic record that was signed electronically and
this page is the manifestation of the electronic signature.**

/s/

Richard Pazdur
2/14/02 04:41:04 PM