



NDA 19-682 S-020

Abbott Laboratories Inc.
Hospital Products Division
200 Abbott Park Road
D-389, J45/2
Abbott Park, Illinois 60064-6157

Attention: Nichol R. Wilding
Regulatory Specialist

Dear Ms. Wilding:

Please refer to your supplemental new drug application dated August 1, 2002, received August 2, 2002, submitted under section 505(b) of the Federal Food, Drug, and Cosmetic Act for Aminosyn® II w/Electrolytes in Dextrose Injection in CR3 Dual-Chamber Flexible Containers.

We acknowledge receipt of your submission dated December 20, 2002.

The "Changes Being Effected" supplemental new drug application provides for a revised package insert per the requirements of 21 CFR 201.323 and revised release and stability specifications, which include a test for aluminum determination with the acceptance criterion of "NMT 25 mcg/L of aluminum."

We have completed our review of this supplemental new drug application, as amended, and it is approved, effective on the date of this letter.

If you issue a letter communicating important information about this drug product (i.e., a "Dear Health Care Professional" letter), we request that you submit a copy of the letter to this NDA and a copy to the following address:

MEDWATCH, HF-2
FDA
5600 Fishers Lane
Rockville, MD 20857

NDA 19-682 S-020

Page 2

We remind you that you must comply with the requirements for an approved NDA set forth under 21 CFR 314.80 and 314.81.

If you have any questions, call Victoria Kao, Regulatory Project Manager, at (301) 827-7416.

Sincerely,

{See appended electronic signature page}

Bob Rappaport, M.D.
Acting Director
Division of Anesthetic, Critical Care,
And Addiction Drug Products
Office of Drug Evaluation II
Center for Drug Evaluation and Research

**This is a representation of an electronic record that was signed electronically and
this page is the manifestation of the electronic signature.**

/s/

Celia Winchell
1/31/03 02:29:02 PM
for Bob A. Rappaport, M.D., Acting Division Director