

Food and Drug Administration Silver Spring MD 20993

NDA 022433/S-008

SUPPLEMENT APPROVAL

AstraZeneca Attention: Pat Patterson Director, Regulatory Affairs 1800 Concord Pike P.O. Box 8355 Wilmington, DE 19803-8355

Dear Ms. Patterson:

Please refer to your Supplemental New Drug Application (sNDA) dated and received February 21, 2013 submitted under section 505(b)(1) of the Federal Food, Drug, and Cosmetic Act (FDCA) for Brilinta (ticagrelor) 90 mg Tablets.

This "Prior Approval" supplemental new drug application provides for labeling revised as follows (additions are marked as <u>underlined text</u> and deletions are marked as <u>strikethrough text</u>):

1. In HIGHLIGHTS/CONTRAINDICATIONS, the following bullet was added:

- <u>Hypersensitivity to ticagrelor or any component of the product (4.4)</u>
- 2. Under **CONTRAINDICATIONS**, the following section was <u>added</u>:

4.4 Hypersensitivity

BRILINTA is contraindicated in patients with hypersensitivity (e.g. angioedema) to ticagrelor or any component of the product [see Adverse Reactions (6.2)].

3. Under WARNINGS AND PRECAUTIONS/Dyspnea, the following text was <u>added/deleted</u> from the first paragraph:

5.4 Dyspnea

^{(b) (4)} <u>In PLATO</u>, dyspnea was reported in 14% of patients treated with BRILINTA and in 8% of patients taking clopidogrel. Dyspnea was usually mild to moderate in intensity and often resolved during continued treatment, <u>but occasionally</u> required discontinuation (0.9% of patients taking BRILINTA versus 0.1% of patients taking clopidogrel. If a patient develops new, prolonged, or worsened dyspnea during treatment with BRILINTA, exclude underlying diseases that may require treatment. If dyspnea is determined to be related to BRILINTA, no specific treatment is required; continue BRILINTA without interruption. In the case of intolerable dyspnea requiring discontinuation of Brilinta, consider prescribing another antiplatelet agent.

In a substudy, 199 patients from PLATO underwent pulmonary function testing irrespective of whether they reported dyspnea. There was no significant difference between treatment groups for FEV1. There was no indication of an adverse effect on pulmonary function assessed after one month or after at least 6 months of chronic treatment.

4. The revision date and version number were updated.

There are no other changes from the last approved package insert.

We have completed our review of this supplemental application, and it is approved, effective on the date of this letter, for use as recommended in the enclosed, agreed-upon labeling text.

CONTENT OF LABELING

As soon as possible, but no later than 14 days from the date of this letter, submit the content of labeling [21 CFR 314.50(l)] in structured product labeling (SPL) format using the FDA automated drug registration and listing system (eLIST), as described at

<u>http://www.fda.gov/ForIndustry/DataStandards/StructuredProductLabeling/default.htm</u>. Content of labeling must be identical to the enclosed labeling (text for the package insert), with the addition of any labeling changes in pending "Changes Being Effected" (CBE) supplements, as well as annual reportable changes not included in the enclosed labeling.

Information on submitting SPL files using eLIST may be found in the guidance for industry titled "SPL Standard for Content of Labeling Technical Qs and As" at http://www.fda.gov/downloads/DrugsGuidanceComplianceRegulatoryInformation/Guidances/UCM072392.pdf.

The SPL will be accessible from publicly available labeling repositories.

Also within 14 days, amend all pending supplemental applications for this NDA, including CBE supplements for which FDA has not yet issued an action letter, with the content of labeling [21 CFR 314.50(l)(1)(i)] in MS Word format, that includes the changes approved in this supplemental application, as well as annual reportable changes and annotate each change. To facilitate review of your submission, provide a highlighted or marked-up copy that shows all changes, as well as a clean Microsoft Word version. The marked-up copy should provide appropriate annotations, including supplement number(s) and annual report date(s).

PROMOTIONAL MATERIALS

You may request advisory comments on proposed introductory advertising and promotional labeling. To do so, submit the following, in triplicate, (1) a cover letter requesting advisory comments, (2) the proposed materials in draft or mock-up form with annotated references, and (3) the package insert(s) to:

Food and Drug Administration Center for Drug Evaluation and Research Division of Drug Marketing, Advertising, and Communications 5901-B Ammendale Road Beltsville, MD 20705-1266 You must submit final promotional materials and package insert(s), accompanied by a Form FDA 2253, at the time of initial dissemination or publication [21 CFR 314.81(b)(3)(i)]. Form FDA 2253 is available at <u>http://www.fda.gov/opacom/morechoices/fdaforms/cder.html</u>; instructions are provided on page 2 of the form. For more information about submission of promotional materials to the Division of Drug Marketing, Advertising, and Communications (DDMAC), see http://www.fda.gov/AboutFDA/CentersOffices/CDER/ucm090142.htm.

All promotional materials that include representations about your drug product must be promptly revised to be consistent with the labeling changes approved in this supplement, including any new safety information [21 CFR 314.70(a)(4)]. The revisions in your promotional materials should include prominent disclosure of the important new safety information that appears in the revised package labeling. Within 7 days of receipt of this letter, submit your statement of intent to comply with 21 CFR 314.70(a)(4) to the address above or by fax to 301-847-8444.

REPORTING REQUIREMENTS

We remind you that you must comply with reporting requirements for an approved NDA (21 CFR 314.80 and 314.81).

If you have any questions, please call:

Lori Anne Wachter, RN, BSN Regulatory Project Manager for Safety (301) 796-3975

Sincerely,

{See appended electronic signature page}

Mary Ross Southworth, PharmD. Deputy Director for Safety Division of Cardiovascular and Renal Products Office of Drug Evaluation 1 Center for Drug Evaluation and Research

ENCLOSURE: Content of Labeling

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

MARY R SOUTHWORTH 03/29/2013