



BLA 125289/103

## SUPPLEMENT APPROVAL

Janssen Biotech, Inc.  
Welsh & McKean Roads  
Spring House, PA 19477

Attention: Salvatore Morello, Director  
Global Regulatory Affairs, Immunology

Dear Mr. Morello:

Please refer to your Supplemental Biologics License Application (sBLA), dated and received June 28, 2013, submitted under section 351(a) of the Public Health Service Act for Simponi (golimumab).

We acknowledge receipt of your amendments received October 10, November 5, and December 13, 17, and 20, 2013.

This "Prior Approval" supplemental biologics application provides for a minor design modification (the addition of a "flange" feature to safety interlock sleeve [SIS], and a change in color of the SIS) to the SmartJect Autoinjector and labeling changes to the Instructions for Use (IFU).

### **APPROVAL & LABELING**

We have completed our review of this supplemental application, as amended. It is approved, effective on the date of this letter, for use as recommended in the enclosed, agreed-upon labeling text.

### **CONTENT OF LABELING**

As soon as possible, but no later than 14 days from the date of this letter, submit, via the FDA automated drug registration and listing system (eLIST), the content of labeling [21 CFR 601.14(b)] in structured product labeling (SPL) format, as described at <http://www.fda.gov/ForIndustry/DataStandards/StructuredProductLabeling/default.htm>, that is identical to the enclosed labeling (text for the Instructions for Use) and include the labeling changes proposed in any pending "Changes Being Effected" (CBE) supplements. Information on submitting SPL files using eLIST may be found in the guidance for industry titled "SPL Standard for Content of Labeling Technical Qs and As" at

<http://www.fda.gov/downloads/Drugs/GuidanceComplianceRegulatoryInformation/Guidances/UCM072392.pdf>.

The SPL will be accessible via publicly available labeling repositories.

Also within 14 days, amend all pending supplemental applications that includes labeling changes for this BLA, including pending “Changes Being Effected” (CBE) supplements, for which FDA has not yet issued an action letter, with the content of labeling [21 CFR 601.12(f)] in MS Word format that includes the changes approved in this supplemental application.

### **REQUIRED PEDIATRIC ASSESSMENTS**

Under the Pediatric Research Equity Act (PREA) (21 U.S.C. 355c), all applications for new active ingredients, new indications, new dosage forms, new dosing regimens, or new routes of administration are required to contain an assessment of the safety and effectiveness of the product for the claimed indication(s) in pediatric patients unless this requirement is waived, deferred, or inapplicable.

Because none of these criteria apply to your application, you are exempt from this requirement.

### **REPORTING REQUIREMENTS**

We remind you that you must comply with reporting requirements for an approved BLA (in 21 CFR 600.80 and in 21 CFR 600.81).

If you have any questions, call Christine Chung, R.Ph., Regulatory Project Manager, at (301) 796-3420.

Sincerely,

*{See appended electronic signature page}*

Badrul A. Chowdhury, M.D., Ph.D.  
Director  
Division of Pulmonary, Allergy, and Rheumatology Products  
Office of Drug Evaluation II  
Center for Drug Evaluation and Research

ENCLOSURE(S):  
Content of Labeling

-----  
**This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.**  
-----

/s/  
-----

BADRUL A CHOWDHURY  
12/27/2013