

Food and Drug Administration Silver Spring MD 20993

NDA 021524/S-014

SUPPLEMENT APPROVAL

Professional Disposables International, Inc. Attention: Ms. Anindita Deogharia Senior Manager, Regulatory Affairs Two Nice-Pak Park Orangeburg, NY 10962-1376

Dear Ms. Deogharia:

Please refer to your Supplemental New Drug Application (sNDA) dated September 11, 2013, received September 12, 2013, submitted under section 505(b) of the Federal Food, Drug, and Cosmetic Act (FDCA) for Prevantics<sup>TM</sup> Swab, Prevantics<sup>TM</sup> Swabstick, & Prevantics<sup>TM</sup> Maxi Swabstick, (3.15% w/v chlorhexidine gluconate, 70% v/v isopropyl alcohol).

We acknowledge receipt of your amendments dated February 12 and 19, 2014.

This "Prior Approval" sNDA proposes a new logo and artwork layout.

We have completed our review of this application, as amended. It is approved, effective on the date of this letter, for use as recommended in the agreed-upon labeling text.

### **LABELING**

Submit final printed labeling (FPL), as soon as they are available, but no more than 30 days after they are printed. The FPL must be identical to the following labeling submitted on February 19, 2014:

### • Prevantics<sup>TM</sup> Swabs

- o Prevantics<sup>TM</sup> Swab 100-count outer carton
- o Prevantics<sup>TM</sup> Swab immediate container (foil pouch)
- o Prevantics<sup>TM</sup> Swab secondary packaging that holds ten 100-count cartons
- o Prevantics<sup>TM</sup> Swab outer carton for 3,000-count
- o Prevantics<sup>TM</sup> Swab immediate container (foil pouch) for 3,000-count carton
- o Prevantics<sup>TM</sup> Swab package insert (front and back panels) for 3,000-count carton

Reference ID: 3475944

# • Prevantics<sup>TM</sup> Swabstick

- o Prevantics<sup>TM</sup> Swabstick 50-count outer carton
- o Prevantics<sup>TM</sup> Swabstick immediate container (foil pouch)
- o Prevantics TM Swabstick secondary packaging that holds ten 50-count cartons
- o Prevantics<sup>TM</sup> Swabstick outer carton for the 500-count
- o Prevantics<sup>TM</sup> Swabstick immediate container (foil pouch) for 500-count carton
- Prevantics<sup>TM</sup> Swabstick package insert (front and back panels) for 500-count carton

#### • Prevantics<sup>TM</sup> Maxi Swabstick

- o Prevantics<sup>TM</sup> Maxi Swabstick 30-count outer carton
- o Prevantics<sup>TM</sup> Maxi Swabstick immediate container (foil pouch)
- Prevantics<sup>TM</sup> Maxi Swabstick secondary packaging that holds ten 30-count cartons
- o Prevantics<sup>TM</sup> Maxi Swabstick outer carton for the 300-count
- o Prevantics™ Maxi Swabstick immediate container (foil pouch) for 300-count carton
- Prevantics<sup>TM</sup> Maxi Swabstick package insert (front and back panels) for 300count carton

# • Prevantics<sup>TM</sup> Compact Swabstick (Reduced Length)

- o Prevantics<sup>TM</sup> Compact Swabstick outer carton for the 500-count
- Prevantics<sup>TM</sup> Compact Swabstick immediate container (foil pouch) for 500-count carton
- Prevantics<sup>TM</sup> Compact Swabstick package insert (front and back panels) for 500count carton

Submit these labels in the "Drug Facts" format (21 CFR 201.66), where applicable.

The FPL should be submitted electronically according to the guidance for industry titled "Providing Regulatory Submissions in Electronic Format – Human Pharmaceutical Product Applications and Related Submissions Using the eCTD Specifications (June 2008)." Alternatively, you may submit 12 paper copies, with 6 of the copies individually mounted on heavy-weight paper or similar material. For administrative purposes, designate this submission "Final Printed Labeling for approved **NDA 021524/S-014**." Approval of this submission by FDA is not required before the labeling is used.

# **DRUG REGISTRATION AND LISTING**

All drug establishment registration and drug listing information is to be submitted to FDA electronically, via the FDA automated system for processing structured product labeling (SPL) files (eLIST). At the time that you submit your final printed labeling (FPL), the content of labeling (Drug Facts) should be submitted in SPL format as described at <a href="http://www.fda.gov/ForIndustry/DataStandards/StructuredProductLabeling/default.htm">http://www.fda.gov/ForIndustry/DataStandards/StructuredProductLabeling/default.htm</a>. Information on submitting SPL files using eLIST may be found in the guidance for industry titled "SPL Standard for Content of Labeling Technical Qs and As" at <a href="http://www.fda.gov/downloads/Drugs/GuidanceComplianceRegulatoryInformation/Guidances/UCM072392.pdf">http://www.fda.gov/downloads/Drugs/GuidanceComplianceRegulatoryInformation/Guidances/UCM072392.pdf</a>. In addition, representative container or carton labeling, whichever includes Drug Facts, (where differences exist only in the quantity of contents statement) should be submitted as a JPG file.

# REPORTING REQUIREMENTS

We remind you that you must comply with reporting requirements for an approved NDA (21 CFR 314.80 and 314.81).

If you have any questions, call Celia Peacock, Regulatory Project Manager at (301) 796-4154.

Sincerely,

{See appended electronic signature page}

Theresa Michele, M.D.
Director
Division of Nonprescription Clinical Evaluation
Office of Drug Evaluation IV
Center for Drug Evaluation and Research

ENCLOSURE
Carton and Container Labeling

Reference ID: 3475944

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.
/s/
THERESA M MICHELE 03/24/2014