



NDA 011839/S-079
NDA 011839/S-080

SUPPLEMENT APPROVAL

Pharmacia & Upjohn Company
Attention: Michele Burtness
Manager, Worldwide Safety and Regulatory
Pfizer Inc.
235 East 42nd Street
New York, NY 10017

Dear Ms. Burtness:

Please refer to your Supplemental New Drug Applications (sNDAs) dated and received October 21, 2013 and October 30, 2014, respectively, submitted under section 505(b) of the Federal Food, Drug, and Cosmetic Act (FDCA) for PROVERA[®] (medroxyprogesterone acetate tablets, USP).

We acknowledge receipt of your amendments dated June 6, December 11, December 19, 2014 and March 26, 2015.

The October 2013 supplemental new drug application (S-079) proposes a revision to update the Drug Interaction information in the Prescribing Information (PI). Supplemental new drug application S-080 proposes to add a description of angioedema to the Patient Information to align with the associated Prescriber's Information which already contains the Adverse Reaction angioedema. Additionally, the following changes are included: a revision to the Precautions Section of the PI and changes to the estrogen class labeling.

APPROVAL & LABELING

We have completed our review of these supplemental applications. They are approved, effective on the date of this letter, for use as recommended in the enclosed, agreed-upon labeling text.

CONTENT OF LABELING

As soon as possible, but no later than 14 days from the date of this letter, submit the content of labeling [21 CFR 314.50(l)] in structured product labeling (SPL) format using the FDA automated drug registration and listing system (eLIST), as described at <http://www.fda.gov/ForIndustry/DataStandards/StructuredProductLabeling/default.htm>. Content

of labeling must be identical to the enclosed labeling (text for the package insert, text for the patient package insert), with the addition of any labeling changes in pending “Changes Being Effected” (CBE) supplements, as well as annual reportable changes not included in the enclosed labeling.

Information on submitting SPL files using eList may be found in the guidance for industry titled “SPL Standard for Content of Labeling Technical Qs and As at <http://www.fda.gov/downloads/DrugsGuidanceComplianceRegulatoryInformation/Guidances/UCM072392.pdf>

The SPL will be accessible from publicly available labeling repositories.

Also within 14 days, amend all pending supplemental applications that includes labeling changes for this NDA, including CBE supplements for which FDA has not yet issued an action letter, with the content of labeling [21 CFR 314.50(l)(1)(i)] in MS Word format, that includes the changes approved in this supplemental application, as well as annual reportable changes and annotate each change. To facilitate review of your submission, provide a highlighted or marked-up copy that shows all changes, as well as a clean Microsoft Word version. The marked-up copy should provide appropriate annotations, including supplement number(s) and annual report date(s).

REQUIRED PEDIATRIC ASSESSMENTS

Under the Pediatric Research Equity Act (PREA) (21 U.S.C. 355c), all applications for new active ingredients, new indications, new dosage forms, new dosing regimens, or new routes of administration are required to contain an assessment of the safety and effectiveness of the product for the claimed indication(s) in pediatric patients unless this requirement is waived, deferred, or inapplicable.

Because none of these criteria apply to your applications, you are exempt from this requirement.

PROMOTIONAL MATERIALS

All promotional materials that include representations about your drug product must be promptly revised to be consistent with the labeling changes approved in this supplement, including any new safety information [21 CFR 314.70(a)(4)]. The revisions in your promotional materials should include prominent disclosure of the important new safety information that appears in the revised package labeling. Within 7 days of receipt of this letter, submit your statement of intent to comply with 21 CFR 314.70(a)(4) to the address above or by fax to 301-847-8444.

REPORTING REQUIREMENTS

We remind you that you must comply with reporting requirements for an approved NDA (21 CFR 314.80 and 314.81).

If you have any questions, call Kim Shiley, R.N., B.S.N., Regulatory Project Manager, at (301) 796-2117.

Sincerely,

{See appended electronic signature page}

Audrey Gassman, M.D.
Deputy Director
Division of Bone, Reproductive, and Urologic Products
Office of Drug Evaluation III
Center for Drug Evaluation and Research

ENCLOSURE:
Content of Labeling

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

AUDREY L GASSMAN
05/07/2015