



DEPARTMENT OF HEALTH AND HUMAN SERVICES

Food and Drug Administration
Silver Spring MD 20993

NDA 009165/S-034

SUPPLEMENT APPROVAL

Endo Pharmaceuticals, Inc.
Attention: Paula Clark
Senior Director, Regulatory Affairs
1400 Atwater Drive
Malvern, PA 19355

Dear Ms. Clark:

Please refer to your Supplemental New Drug Application (sNDA) dated and received September 1, 2016, and your amendment, submitted under section 505(b) of the Federal Food, Drug, and Cosmetic Act (FDCA) for Delatestryl® (testosterone enanthate injection).

We also refer to our letter dated August 10, 2016, notifying you, under Section 505(o)(4) of the FDCA, of new safety information that we believe should be included in the labeling for all approved testosterone replacement therapies (TRT). This information pertains to the risk of serious adverse events associated with testosterone abuse and dependence, typically reported at testosterone doses higher than recommended for the approved indication and when used in combination with other anabolic androgenic steroids (AAS).

This supplemental new drug application provides for revisions to the labeling for Delatestryl, consistent with our August 10, 2016, letter, which include the addition of a warning to the WARNINGS AND PRECAUTIONS section, and updates to the DRUG ABUSE AND DEPENDENCE section of the Physician Insert (PI) that describe the risks of serious adverse events associated with testosterone abuse and dependence.

APPROVAL & LABELING

We have completed our review of this supplemental application, as amended. It is approved, effective on the date of this letter, for use as recommended in the enclosed, agreed-upon labeling text.

CONTENT OF LABELING

As soon as possible, but no later than 14 days from the date of this letter, submit the content of labeling [21 CFR 314.50(l)] in structured product labeling (SPL) format using the FDA automated drug registration and listing system (eLIST), as described at <http://www.fda.gov/ForIndustry/DataStandards/StructuredProductLabeling/default.htm>. Content of labeling must be identical to the enclosed labeling text for the package insert, with the

addition of any labeling changes in pending “Changes Being Effected” (CBE) supplements, as well as annual reportable changes not included in the enclosed labeling.

Information on submitting SPL files using eList may be found in the guidance for industry titled “SPL Standard for Content of Labeling Technical Qs and As at <http://www.fda.gov/downloads/DrugsGuidanceComplianceRegulatoryInformation/Guidances/UCM072392.pdf>

The SPL will be accessible from publicly available labeling repositories.

Also within 14 days, amend all pending supplemental applications that include labeling changes for this NDA, including CBE supplements for which FDA has not yet issued an action letter, with the content of labeling [21 CFR 314.50(l)(1)(i)] in MS Word format, that includes the changes approved in this supplemental application, as well as annual reportable changes and annotate each change. To facilitate review of your submission, provide a highlighted or marked-up copy that shows all changes, as well as a clean Microsoft Word version. The marked-up copy should provide appropriate annotations, including supplement number(s) and annual report date(s).

REQUIRED PEDIATRIC ASSESSMENTS

Under the Pediatric Research Equity Act (PREA) (21 U.S.C. 355c), all applications for new active ingredients, new indications, new dosage forms, new dosing regimens, or new routes of administration are required to contain an assessment of the safety and effectiveness of the product for the claimed indication(s) in pediatric patients unless this requirement is waived, deferred, or inapplicable.

Because none of these criteria apply to your application, you are exempt from this requirement.

PROMOTIONAL MATERIALS

You may request advisory comments on proposed introductory advertising and promotional labeling. To do so, submit the following, in triplicate, (1) a cover letter requesting advisory comments, (2) the proposed materials in draft or mock-up form with annotated references, and (3) the package insert(s) to:

OPDP Regulatory Project Manager
Food and Drug Administration
Center for Drug Evaluation and Research
Office of Prescription Drug Promotion (OPDP)
5901-B Ammendale Road
Beltsville, MD 20705-1266

Alternatively, you may submit a request for advisory comments electronically in eCTD format. For more information about submitting promotional materials in eCTD format, see the draft Guidance for Industry (available

at: <http://www.fda.gov/downloads/Drugs/GuidanceComplianceRegulatoryInformation/Guidances/UCM443702.pdf>).

You must submit final promotional materials and package insert(s), accompanied by a Form FDA 2253, at the time of initial dissemination or publication [21 CFR 314.81(b)(3)(i)]. Form FDA 2253 is available

at <http://www.fda.gov/downloads/AboutFDA/ReportsManualsForms/Forms/UCM083570.pdf>.

Information and Instructions for completing the form can be found

at <http://www.fda.gov/downloads/AboutFDA/ReportsManualsForms/Forms/UCM375154.pdf>.

For more information about submission of promotional materials to the Office of Prescription Drug Promotion (OPDP),

see <http://www.fda.gov/AboutFDA/CentersOffices/CDER/ucm090142.htm>.

All promotional materials that include representations about your drug product must be promptly revised to be consistent with the labeling changes approved in this supplement, including any new safety information [21 CFR 314.70(a)(4)]. The revisions in your promotional materials should include prominent disclosure of the important new safety information that appears in the revised package labeling. Within 7 days of receipt of this letter, submit your statement of intent to comply with 21 CFR 314.70(a)(4) to the address above, by fax to 301-847-8444, or electronically in eCTD format. For more information about submitting promotional materials in eCTD format, see the draft Guidance for Industry (available

at: <http://www.fda.gov/downloads/Drugs/GuidanceComplianceRegulatoryInformation/Guidances/UCM443702.pdf>).

REPORTING REQUIREMENTS

We remind you that you must comply with reporting requirements for an approved NDA (21 CFR 314.80 and 314.81).

If you have any questions, call Meredith Alpert, MS, Safety Regulatory Project Manager, at (301) 796-1218.

Sincerely,

{See appended electronic signature page}

Christine P. Nguyen, MD
Deputy Director for Safety
Division of Bone, Reproductive, and Urologic Products
Office of Drug Evaluation III
Center for Drug Evaluation and Research

ENCLOSURE:

Content of Labeling

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

CHRISTINE P NGUYEN
10/25/2016