



NDA 19430/S-061

**SUPPLEMENT APPROVAL**

Mylan Specialty L.P.  
791 Chestnut Ridge Road  
P. O. Box 4310  
Morgantown, WV 26504-4310

Attention: S. Wayne Talton  
Head, Global Regulatory Science and Operations

Dear Mr. Talton:

Please refer to your Supplemental New Drug Application (sNDA) dated March 4, 2016, received March 4, 2016, and your amendments, submitted under section 505(b) of the Federal Food, Drug, and Cosmetic Act (FDCA) for EpiPen and EpiPen Jr. (epinephrine injection) Auto-Injector, 0.3mg and 0.15 mg.

We also refer to our letter dated February 5, 2016, notifying you, under Section 505(o)(4) of the FDCA, of new safety information that we believe should be included in the labeling for EpiPen and EpiPen Jr (epinephrine injection). This information pertains to reports of lacerations and embedded needles after epinephrine injection and post-marketing adverse event reports of serious infection (e.g. *Clostridium perfringens*) at the injection site following epinephrine injection for anaphylaxis.

This supplemental new drug application provides for revisions to the labeling for EpiPen and EpiPen Jr. consistent with our February 5, 2016, letter and the changes agreed upon in our March 24, and 31, and April 15, 2016, correspondences, and changes to the carton and container labeling to incorporate USP information and revised instructions for use.

**APPROVAL & LABELING**

We have completed our review of this supplemental application, as amended. It is approved, effective on the date of this letter, for use as recommended in the enclosed, agreed-upon labeling text.

**CONTENT OF LABELING**

As soon as possible, but no later than 14 days from the date of this letter, submit the content of labeling [21 CFR 314.50(l)] in structured product labeling (SPL) format using the FDA automated drug registration and listing system (eLIST), as described at

<http://www.fda.gov/ForIndustry/DataStandards/StructuredProductLabeling/default.htm>. Content of labeling must be identical to the enclosed labeling text for the package insert, text for the patient information and instructions for use, and text for the trainer instructions for use, with the addition of any labeling changes in pending “Changes Being Effectuated” (CBE) supplements, as well as annual reportable changes not included in the enclosed labeling.

Information on submitting SPL files using eList may be found in the guidance for industry titled “SPL Standard for Content of Labeling Technical Qs and As at <http://www.fda.gov/downloads/DrugsGuidanceComplianceRegulatoryInformation/Guidances/UCM072392.pdf>

The SPL will be accessible from publicly available labeling repositories.

Also within 14 days, amend all pending supplemental applications that includes labeling changes for this NDA, including CBE supplements for which FDA has not yet issued an action letter, with the content of labeling [21 CFR 314.50(l)(1)(i)] in MS Word format, that includes the changes approved in this supplemental application, as well as annual reportable changes and annotate each change. To facilitate review of your submission, provide a highlighted or marked-up copy that shows all changes, as well as a clean Microsoft Word version. The marked-up copy should provide appropriate annotations, including supplement number(s) and annual report date(s).

### **CARTON AND IMMEDIATE CONTAINER LABELS**

Submit final printed carton and immediate container labels that are identical to the enclosed carton and immediate container labels, as soon as they are available, but no more than 30 days after they are printed. Please submit these labels electronically according to the guidance for industry *Providing Regulatory Submissions in Electronic Format – Human Pharmaceutical Product Applications and Related Submissions Using the eCTD Specifications (June 2008)*. Alternatively, you may submit 12 paper copies, with 6 of the copies individually mounted on heavy-weight paper or similar material. For administrative purposes, designate this submission “**Final Printed Carton and Container Labels for approved NDA 19430/S-061.**” Approval of this submission by FDA is not required before the labeling is used.

Marketing the product(s) with FPL that is not identical to the approved labeling text may render the product misbranded and an unapproved new drug.

### **REQUIRED PEDIATRIC ASSESSMENTS**

Under the Pediatric Research Equity Act (PREA) (21 U.S.C. 355c), all applications for new active ingredients, new indications, new dosage forms, new dosing regimens, or new routes of administration are required to contain an assessment of the safety and effectiveness of the product for the claimed indication(s) in pediatric patients unless this requirement is waived, deferred, or inapplicable.

Because none of these criteria apply to your application, you are exempt from this requirement.

**REPORTING REQUIREMENTS**

We remind you that you must comply with reporting requirements for an approved NDA (21 CFR 314.80 and 314.81).

If you have any questions, call Carol F. Hill, Senior Regulatory Health Project Manager for Safety, at (301) 796-1226.

Sincerely,

*{See appended electronic signature page}*

Sally Seymour, MD  
Deputy Director for Safety  
Division of Pulmonary, Allergy, and Rheumatology  
Products  
Office of Drug Evaluation II  
Center for Drug Evaluation and Research

ENCLOSURE(S):

Content of Labeling  
Carton and Container Labeling

-----  
**This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.**  
-----

/s/  
-----

SALLY M SEYMOUR  
05/18/2016