



BLA 125320/S-178

SUPPLEMENT APPROVAL

Amgen Inc.
Attention: Audrey Mancini
Senior Manager, Regulatory Affairs
One Amgen Center Drive, Mailstop: 17-2-B
Thousand Oaks, CA 91320-1799

Dear Ms. Mancini:

Please refer to your Supplemental Biologics License Application (sBLA), dated and received March, 4, 2016, submitted under section 351(a) of the Public Health Service Act for Prolia® (denosumab).

This “Changes Being Effected” supplemental biologics application proposes the following change: Addition of “The risk of ONJ may increase with duration of exposure to Prolia.” to the WARNINGS and PRECAUTIONS, Osteonecrosis of the Jaw section (5.4) of the Prescribing Information.

APPROVAL & LABELING

We have completed our review of this supplemental application, as amended. It is approved, effective on the date of this letter, for use as recommended in the enclosed, agreed-upon labeling text.

WAIVER OF HIGHLIGHTS SECTION

Please note that we have previously granted a waiver of the requirements of 21 CFR 201.57(d)(8) regarding the length of Highlights of prescribing information.

CONTENT OF LABELING

As soon as possible, but no later than 14 days from the date of this letter, submit, via the FDA automated drug registration and listing system (eLIST), the content of labeling [21 CFR 601.14(b)] in structured product labeling (SPL) format, as described at <http://www.fda.gov/ForIndustry/DataStandards/StructuredProductLabeling/default.htm>, that is

identical to the enclosed labeling (text for the package insert and Medication Guide) and include the labeling changes proposed in any pending “Changes Being Effected” (CBE) supplements. Information on submitting SPL files using eLIST may be found in the guidance for industry titled “SPL Standard for Content of Labeling Technical Qs and As” at <http://www.fda.gov/downloads/Drugs/GuidanceComplianceRegulatoryInformation/Guidances/UCM072392.pdf>.

The SPL will be accessible via publicly available labeling repositories.

Also within 14 days, amend all pending supplemental applications that include labeling changes for this BLA, including pending “Changes Being Effected” (CBE) supplements, for which FDA has not yet issued an action letter, with the content of labeling [21 CFR 601.12(f)] in MS Word format that includes the changes approved in this supplemental application.

REPORTING REQUIREMENTS

We remind you that you must comply with reporting requirements for an approved BLA (in 21 CFR 600.80 and in 21 CFR 600.81).

If you have any questions, call Samantha Bell, Regulatory Project Manager, at (301) 796-9687.

Sincerely,

{See appended electronic signature page}

Christine P. Nguyen, M.D.
Deputy Director for Safety
Division of Bone, Reproductive, and Urologic Products
Office of Drug Evaluation III
Center for Drug Evaluation and Research

ENCLOSURE:
Content of Labeling

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

CHRISTINE P NGUYEN
08/05/2016