



NDA 209310

NDA APPROVAL

Intersect ENT, Inc.
1555 Adams Drive
Menlo Park, CA 94025

Attention: Amy Wolbeck
Vice President, Regulatory Affairs and Quality

Dear Ms. Wolbeck:

Please refer to your New Drug Application (NDA) dated March 7, 2017, received March 7, 2017, and your amendments, submitted pursuant to section 505(b)(2) of the Federal Food, Drug, and Cosmetic Act (FDCA) for Sinuva (mometasone furoate) Sinus Implant, 1350 mcg.

This new drug application provides for the use of Sinuva (mometasone furoate) Sinus Implant for the treatment of nasal polyps in patients 18 years of age or older who have had ethmoid sinus surgery.

We have completed our review of this application, as amended. It is approved, effective on the date of this letter, for use as recommended in the enclosed agreed-upon labeling text.

CONTENT OF LABELING

As soon as possible, but no later than 14 days from the date of this letter, submit the content of labeling [21 CFR 314.50(l)] in structured product labeling (SPL) format using the FDA automated drug registration and listing system (eLIST), as described at <http://www.fda.gov/ForIndustry/DataStandards/StructuredProductLabeling/default.htm>. Content of labeling must be identical to the enclosed labeling (text for the package insert). Information on submitting SPL files using eLIST may be found in the guidance for industry *SPL Standard for Content of Labeling Technical Qs and As*, available at <http://www.fda.gov/downloads/Drugs/GuidanceComplianceRegulatoryInformation/Guidances/UCM072392.pdf>

The SPL will be accessible via publicly available labeling repositories.

CARTON AND IMMEDIATE CONTAINER LABELS

Submit final printed carton and immediate container labels that are identical to the enclosed carton and immediate container labels as soon as they are available, but no more than 30 days after they are printed. Please submit these labels electronically according to the guidance for industry titled *Providing Regulatory Submissions in Electronic Format — Certain Human Pharmaceutical Product Applications and Related Submissions Using the eCTD Specifications (May 2015, Revision 3)*. For administrative purposes, designate this submission “**Final Printed Carton and Container Labels for approved NDA 209310.**” Approval of this submission by FDA is not required before the labeling is used.

ADVISORY COMMITTEE

Your application for Sinuva (mometasone furoate) Sinus Implant was not referred to an FDA advisory committee because this drug is not the first in its class.

REQUIRED PEDIATRIC ASSESSMENTS

Under the Pediatric Research Equity Act (PREA) (21 U.S.C. 355c), all applications for new active ingredients, new indications, new dosage forms, new dosing regimens, or new routes of administration are required to contain an assessment of the safety and effectiveness of the product for the claimed indication(s) in pediatric patients unless this requirement is waived, deferred, or inapplicable.

We are waiving the pediatric study requirement for this application because necessary studies are impossible or highly impracticable as nasal polyps are extremely rare in the pediatric population. In addition, the indication for this product includes only those patients with nasal polyps who have previously undergone endoscopic sinus surgery, which is also not routinely performed in children.

INTENT TO STUDY SAFETY ISSUE IN SENTINEL ARIA SYSTEM

The Food and Drug Administration Amendments Act of 2007 (FDAAA)^[1] required FDA to establish a national electronic system to monitor the safety of FDA-regulated medical products. In fulfillment of this mandate, FDA established the Sentinel System, which enables FDA to proactively monitor drug safety using electronic health data from multiple data sources that contribute to the Sentinel Distributed Database.

FDA plans to evaluate Sinuva (mometasone furoate) Sinus Implant, in the Sentinel System as part of the implementation of section 505(o) of the FDCA. We have determined that the new pharmacovigilance system, Sentinel’s Active Risk Identification and Analysis (ARIA) System, established under section 505(k)(3) of the FDCA, is sufficient to assess the following serious

^[1] Public Law 110-85

risks: potential adverse events of concern with repeat use of the Sinuva Sinus Implant which include nasal septal perforation, cataracts and glaucoma.

The ARIA safety assessment will be posted to the Sentinel website at this location: <https://www.sentinelinitiative.org/drugs/ongoing-aria-assessments>. Once there is sufficient product uptake to support an analysis, an analysis plan will be posted online. After the analysis is complete, FDA will also post the results on the Sentinel website. FDA will notify you prior to posting the analysis plan and prior to posting the results.

PROMOTIONAL MATERIALS

You may request advisory comments on proposed introductory advertising and promotional labeling. To do so, submit, in triplicate, a cover letter requesting advisory comments, the proposed materials in draft or mock-up form with annotated references, and the package insert, Medication Guide, and patient PI (as applicable) to:

OPDP Regulatory Project Manager
Food and Drug Administration
Center for Drug Evaluation and Research
Office of Prescription Drug Promotion
5901-B Ammendale Road
Beltsville, MD 20705-1266

Alternatively, you may submit a request for advisory comments electronically in eCTD format. For more information about submitting promotional materials in eCTD format, see the draft Guidance for Industry (available at: <http://www.fda.gov/downloads/Drugs/GuidanceComplianceRegulatoryInformation/Guidances/UCM443702.pdf>).

As required under 21 CFR 314.81(b)(3)(i), you must submit final promotional materials, and the package insert, at the time of initial dissemination or publication, accompanied by a Form FDA 2253. Form FDA 2253 is available at <http://www.fda.gov/downloads/AboutFDA/ReportsManualsForms/Forms/UCM083570.pdf>. Information and Instructions for completing the form can be found at <http://www.fda.gov/downloads/AboutFDA/ReportsManualsForms/Forms/UCM375154.pdf>. For more information about submission of promotional materials to the Office of Prescription Drug Promotion (OPDP), see <http://www.fda.gov/AboutFDA/CentersOffices/CDER/ucm090142.htm>.

REPORTING REQUIREMENTS

We remind you that you must comply with reporting requirements for an approved NDA (21 CFR 314.80 and 314.81).

If you have any questions, call Nina Ton, Senior Regulatory Project Manager, at (301) 796-1648.

Sincerely,

{See appended electronic signature page}

Lydia Gilbert-McClain, MD
Deputy Director
Division of Pulmonary, Allergy, and Rheumatology Products
Office of Drug Evaluation II
Center for Drug Evaluation and Research

Enclosures:

Content of Labeling
Carton and Container Labeling

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

LYDIA I GILBERT MCCLAIN
12/08/2017