

NDA 203479/S-15

SUPPLEMENT APPROVAL

Tasman Pharma Incorporated
Attention: Heather Luna, MS, RAC
Vice President, Regulatory Affairs
1035 Louis Drive
Warminster, PA 18974

Dear Ms. Luna:

Please refer to your supplemental new drug application (sNDA) dated and received December 21, 2020, submitted under section 505(b) of the Federal Food, Drug, and Cosmetic Act (FDCA) for Versacloz (clozapine) oral suspension .

This Changes Being Effected supplemental new drug application provides for proposed modifications to the approved Clozapine Risk Evaluation and Mitigation Strategy (REMS). This supplement is in response to our November 10, 2020, REMS Modification Notification letter.

We have completed our review of this supplemental application, as amended. It is approved effective on the date of this letter.

RISK EVALUATION AND MITIGATION STRATEGY (REMS) REQUIREMENTS

The REMS for clozapine products, of which Versacloz (clozapine) is a member, was originally approved on September 15, 2015, and the most recent REMS modification was approved on January 16, 2019. The REMS consists of elements to assure safe use, an implementation system, and a timetable for submission of assessments of the REMS. In order to ensure the benefits of clozapine outweigh its risks, we determined that you were required to make the REMS modifications outlined in our REMS Modification Notification letter dated November 10, 2020. In addition, the following modifications were communicated during the course of the review:

- The addition of a previously approved (November 25, 2015) generic formulation for orally disintegrating tablet (ODT) produced by Teva (ANDA 203039) to the Generic Products table on the REMS Website.

Your proposed modified REMS, submitted on January 21, 2020, amended and appended to this letter, is approved.

The timetable for submission of assessments of the REMS remains the same as that approved on January 16, 2019. There are no changes to the REMS assessment plan described in our January 16, 2019 letter.

We remind you that in addition to the REMS assessments submitted according to the timetable in the approved REMS, you must include an adequate rationale to support a proposed REMS modification for the addition, modification, or removal of any goal or element of the REMS, as described in section 505-1(g)(4) of the FDCA.

We also remind you that you must submit a REMS assessment when you submit a supplemental application for a new indication for use, as described in section 505-1(g)(2)(A) of the FDCA. This assessment should include:

- a) An evaluation of how the benefit-risk profile will or will not change with the new indication;
- b) A determination of the implications of a change in the benefit-risk profile for the current REMS;
- c) *If the new indication for use introduces unexpected risks:* A description of those risks and an evaluation of whether those risks can be appropriately managed with the currently approved REMS.
- d) *If a REMS assessment was submitted in the 18 months prior to submission of the supplemental application for a new indication for use:* A statement about whether the REMS was meeting its goals at the time of that last assessment and if any modifications of the REMS have been proposed since that assessment.
- e) *If a REMS assessment has not been submitted in the 18 months prior to submission of the supplemental application for a new indication for use:* Provision of as many of the currently listed assessment plan items as is feasible.
- f) *If you propose a REMS modification based on a change in the benefit-risk profile or because of the new indication of use, submit an adequate rationale to support the modification, including:* Provision of the reason(s) why the proposed REMS modification is necessary, the potential effect on the serious risk(s) for which the REMS was required, on patient access to the drug, and/or on the burden on the health care delivery system; and other appropriate evidence or data to support the proposed change. Additionally, include any changes to the assessment plan necessary to assess the proposed modified REMS. *If you are not proposing REMS modifications,* provide a rationale for why the REMS does not need to be modified.

If the assessment instruments and methodology for your REMS assessments are not included in the REMS supporting document, or if you propose changes to the submitted assessment instruments or methodology, you should update the REMS supporting document to include specific assessment instrument and methodology information at least 90 days before the assessments will be conducted. Updates to the REMS supporting document may be included in a new document that references previous REMS supporting document submission(s) for unchanged portions. Alternatively, updates may be made by modifying the complete previous REMS supporting document, with all changes marked and highlighted. Prominently identify the submission containing the assessment instruments and methodology with the following wording in bold capital letters at the top of the first page of the submission:

**NDA 203479 REMS ASSESSMENT METHODOLOGY
(insert concise description of content in bold capital letters, e.g.,
ASSESSMENT METHODOLOGY, PROTOCOL, SURVEY METHODOLOGIES,
AUDIT PLAN, DRUG USE STUDY)**

An authorized generic drug under this NDA must have an approved REMS prior to marketing. Should you decide to market, sell, or distribute an authorized generic drug under this NDA, contact us to discuss what will be required in the authorized generic drug REMS submission.

We remind you that section 505-1(f)(8) of FDCA prohibits holders of an approved covered application with elements to assure safe use from using any element to block or delay approval of an application under section 505(b)(2) or (j). A violation of this provision in 505-1(f) could result in enforcement action.

Prominently identify any submission containing the REMS assessments or proposed modifications of the REMS with the following wording in bold capital letters at the top of the first page of the submission as appropriate:

NDA 203479 REMS ASSESSMENT

or

**NEW SUPPLEMENT FOR NDA 203479/S
CHANGES BEING EFFECTED IN 30 DAYS
PROPOSED MINOR REMS MODIFICATION**

or

**NEW SUPPLEMENT FOR NDA 203479/S
PRIOR APPROVAL SUPPLEMENT
PROPOSED MAJOR REMS MODIFICATION**

or

**NEW SUPPLEMENT FOR NDA 203479/S
PRIOR APPROVAL SUPPLEMENT
PROPOSED REMS MODIFICATIONS DUE TO SAFETY LABEL CHANGES
SUBMITTED IN SUPPLEMENT XXX**

or

**NEW SUPPLEMENT (NEW INDICATION FOR USE)
FOR NDA 203479/S
REMS ASSESSMENT
PROPOSED REMS MODIFICATION (if included)**

Should you choose to submit a REMS revision, prominently identify the submission containing the REMS revisions with the following wording in bold capital letters at the top of the first page of the submission:

REMS REVISIONS FOR NDA 203479

To facilitate review of your submission, we request that you submit your proposed modified REMS and other REMS-related materials in Microsoft Word format. If certain documents, such as enrollment forms, or website screenshots are only in PDF format, they may be submitted as such, but Word format is preferred.

SUBMISSION OF REMS DOCUMENT IN SPL FORMAT

FDA can accept the REMS document in Structured Product Labeling (SPL) format. If you intend to submit the REMS document in SPL format, as soon as possible, but no later than 14 days from the date of this letter, submit the REMS document in SPL format using the FDA automated drug registration and listing system (eLIST).

REPORTING REQUIREMENTS

We remind you that you must comply with reporting requirements for an approved NDA (21 CFR 314.80 and 314.81).

If you have any questions, call Ermias Zerislassie, Regulatory Project Manager, at 301-796-2770.

Sincerely,

{See appended electronic signature page}

Tiffany R. Farchione, MD
Director
Division of Psychiatry
Office of Neuroscience
Center for Drug Evaluation and Research

ENCLOSURE(S):

- REMS

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

TIFFANY R FARCHIONE
02/18/2021 02:45:08 PM