

BLA 761108/S-024

SUPPLEMENT APPROVAL

Alexion Pharmaceuticals, Inc.
Attention: Mary F. Lyons
Director, GRA, Global Labeling and US Life Cycle Management
121 Seaport Boulevard
Boston, MA 02210

Dear Ms. Lyons:

Please refer to your supplemental biologics license application (sBLA), dated and received September 23, 2021, and your amendments, submitted under section 351(a) of the Public Health Service Act for Ultomiris (ravulizumab-cwvz) injection.

This "Changes Being Effected" supplemental biologics application provides for proposed modifications to the approved Ultomiris risk evaluation and mitigation strategy (REMS).

We have completed our review of this supplemental application, as amended. It is approved effective on the date of this letter.

RISK EVALUATION AND MITIGATION STRATEGY (REMS) REQUIREMENTS

The REMS for Ultomiris was originally approved on December 21, 2018, and the most recent REMS modification was approved on April 30, 2020. The REMS consists of elements to assure safe use and a timetable for submission of assessments of the REMS.

Your proposed modifications to the REMS materials consists of:

- Updates to the Prescriber Enrollment Form to remove the "Other (please specify):" from the Credentials Box and a change in font color from orange to blue to highlight the website address and email address.
- Changes to the Prescriber Safety Brochure to update the indication sentence for PNH to include pediatric (one month and older) patients.
- Update to the copyright date on all REMS materials.

Your proposed changes to the REMS compliance plan are still under review and not subject to the approval of this supplement.

There are no changes to the REMS assessment plan described in our June 30, 2020 letter.

The requirements for assessments of an approved REMS under section 505-1(g)(3) include with respect to each goal included in the strategy, an assessment of the extent to which the approved strategy, including each element of the strategy, is meeting the goal or whether 1 or more such goals or such elements should be modified.

We remind you that in addition to the REMS assessments submitted according to the timetable in the approved REMS, you must include an adequate rationale to support a proposed REMS modification for the addition, modification, or removal of any goal or element of the REMS, as described in section 505-1(g)(4) of the FDCA.

We also remind you that you must submit a REMS assessment when you submit a supplemental application for a new indication for use, as described in section 505-1(g)(2)(A) of the FDCA. This assessment should include:

- a) An evaluation of how the benefit-risk profile will or will not change with the new indication;
- b) A determination of the implications of a change in the benefit-risk profile for the current REMS;
- c) *If the new indication for use introduces unexpected risks:* A description of those risks and an evaluation of whether those risks can be appropriately managed with the currently approved REMS.
- d) *If a REMS assessment was submitted in the 18 months prior to submission of the supplemental application for a new indication for use:* A statement about whether the REMS was meeting its goals at the time of that last assessment and if any modifications of the REMS have been proposed since that assessment.
- e) *If a REMS assessment has not been submitted in the 18 months prior to submission of the supplemental application for a new indication for use:* Provision of as many of the currently listed assessment plan items as is feasible.
- f) *If you propose a REMS modification based on a change in the benefit-risk profile or because of the new indication of use, submit an adequate rationale to support the modification, including:* Provision of the reason(s) why the proposed REMS modification is necessary, the potential effect on the serious risk(s) for which the REMS was required, on patient access to the drug, and/or on the burden on the health care delivery system; and other appropriate evidence or data to support the proposed change. Additionally, include any changes to the assessment plan necessary to assess the proposed modified REMS. *If you are not proposing REMS modifications, provide a rationale for why the REMS does not need to be modified.*

If the assessment instruments and methodology for your REMS assessments are not included in the REMS supporting document, or if you propose changes to the submitted assessment instruments or methodology, you should update the REMS supporting document to include specific assessment instrument and methodology information at least 90 days before the assessments will be conducted. Updates to the REMS supporting document may be included in a new document that references previous REMS supporting document submission(s) for unchanged portions. Alternatively, updates may be made by modifying the complete previous REMS supporting document, with all changes marked and highlighted. Prominently identify the submission containing the assessment instruments and methodology with the following wording in bold capital letters at the top of the first page of the submission:

BLA 761108 REMS ASSESSMENT METHODOLOGY
(insert concise description of content in bold capital letters, e.g.,
ASSESSMENT METHODOLOGY, PROTOCOL, SURVEY METHODOLOGIES,
AUDIT PLAN, DRUG USE STUDY)

Prominently identify any submission containing the REMS assessments or proposed modifications of the REMS with the following wording in bold capital letters at the top of the first page of the submission as appropriate:

BLA 761108 REMS ASSESSMENT

or

NEW SUPPLEMENT FOR BLA 761108/ S-000
CHANGES BEING EFFECTED IN 30 DAYS
PROPOSED MINOR REMS MODIFICATION

or

NEW SUPPLEMENT FOR BLA 761108 S-000
PRIOR APPROVAL SUPPLEMENT
PROPOSED MAJOR REMS MODIFICATION

or

NEW SUPPLEMENT FOR BLA 761108/ S-000
PRIOR APPROVAL SUPPLEMENT
PROPOSED REMS MODIFICATIONS DUE TO SAFETY LABELING
CHANGES SUBMITTED IN SUPPLEMENT XXX

or

NEW SUPPLEMENT (NEW INDICATION FOR USE)

**FOR BLA 761108/ S-000
REMS ASSESSMENT
PROPOSED REMS MODIFICATION (if included)**

Should you choose to submit a REMS revision, prominently identify the submission containing the REMS revisions with the following wording in bold capital letters at the top of the first page of the submission:

REMS REVISIONS FOR BLA 761108

To facilitate review of your submission, we request that you submit your proposed modified REMS and other REMS-related materials in Microsoft Word format. If certain documents, such as enrollment forms, or website screenshots are only in PDF format, they may be submitted as such, but Word format is preferred.

SUBMISSION OF REMS DOCUMENT IN SPL FORMAT

FDA can accept the REMS document in Structured Product Labeling (SPL) format. If you intend to submit the REMS document in SPL format, as soon as possible, but no later than 14 days from the date of this letter, submit the REMS document in SPL format using the FDA automated drug registration and listing system (eLIST).

For more information on submitting REMS in SPL format, please email FDAREMSwebsite@fda.hhs.gov.

PROMOTIONAL MATERIALS

You may request advisory comments on proposed introductory advertising and promotional labeling. For information about submitting promotional materials, see the final guidance for industry *Providing Regulatory Submissions in Electronic and Non-Electronic Format—Promotional Labeling and Advertising Materials for Human Prescription Drugs*.¹

As required under 21 CFR 601.12(f)(4), you must submit final promotional materials, and the Prescribing Information, at the time of initial dissemination or publication, accompanied by a Form FDA 2253. Form FDA 2253 is available at FDA.gov.² Information and Instructions for completing the form can be found at FDA.gov.³

¹ For the most recent version of a guidance, check the FDA guidance web page at <https://www.fda.gov/media/128163/download>.

² <http://www.fda.gov/downloads/AboutFDA/ReportsManualsForms/Forms/UCM083570.pdf>

³ <http://www.fda.gov/downloads/AboutFDA/ReportsManualsForms/Forms/UCM375154.pdf>

REPORTING REQUIREMENTS

We remind you that you must comply with reporting requirements for an approved BLA (in 21 CFR 600.80 and in 21 CFR 600.81).

If you have any questions, please call Lori Anne Wachter, RN, BSN, RAC, (Acting) Regulatory Project Manager for Safety, at 301 769-3975.

Sincerely,

{See appended electronic signature page}

Rosanna Setse, MD, PhD.
Deputy Director for Safety
Division of Nonmalignant Hematology
Office of Cardiology, Hematology,
Endocrinology, and Nephrology
Center for Drug Evaluation and Research

ENCLOSURE(S):

- REMS

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

ROSANNA W SETSE
11/23/2021 10:59:01 AM