

NDA 019710/S-067 and 020923/S-030

SUPPLEMENT APPROVAL

Guerbet LLC USA Attention: Gabriel Lebovic Director of Regulatory Affairs, North America 214 Carnegie Center, Suite 300 Princeton, NJ 08540

Dear Mr. Lebovic:

Please refer to your supplemental new drug application (sNDA) dated February 9, 2023, received February 9, 2023 submitted under section 505(b) of the Federal Food, Drug, and Cosmetic Act (FDCA) for Optiray (ioversol) Injection, Optiray (ioversol) Injection Pharmacy Bulk Package and Optiray (ioversol) Injection Imaging Bulk Package.

We also refer to our letter dated January 19, 2023, notifying you, under Section 505(o)(4) of the FDCA, of new safety information that we have determined should be included in the labeling for the Iodinated Contrast Media (ICM) class of products. This information pertains to the risk of thyroid dysfunction including hypothyroidism for patients in the 0 to 3 years age group.

This supplemental new drug application provides for revisions to the labeling for Optiray, consistent with our January 19, 2023, SAFETY LABELING CHANGE NOTIFICATION LETTER.

APPROVAL & LABELING

We have completed our review of this application. It is approved, effective on the date of this letter, for use as recommended in the enclosed agreed-upon labeling.

CONTENT OF LABELING

As soon as possible, but no later than 14 days from the date of this letter, submit the content of labeling [21 CFR 314.50(I)] in structured product labeling (SPL) format using the FDA automated drug registration and listing system (eLIST), as described at FDA.gov.¹ Content of labeling must be identical to the enclosed labeling (text for the Prescribing Information), with the addition of any labeling changes in pending "Changes Being Effected" (CBE) supplements, as well as annual reportable changes not included in the enclosed labeling. If the content of labeling in SPL format initially submitted with

¹ http://www.fda.gov/ForIndustry/DataStandards/StructuredProductLabeling/default.htm

this CBE-0 labeling supplement is identical to the attached approved labeling, an additional submission of content of labeling in SPL format is not required.

Information on submitting SPL files using eList may be found in the guidance for industry SPL Standard for Content of Labeling Technical Qs and As.²

The SPL will be accessible from publicly available labeling repositories.

Also within 14 days, amend all pending supplemental applications that include labeling changes for this NDA, including CBE supplements for which FDA has not yet issued an action letter, with the content of labeling [21 CFR 314.50(I)(1)(i)] in Microsoft Word format, that includes the changes approved in this supplemental application, as well as annual reportable changes. To facilitate review of your submission(s), provide a highlighted or marked-up copy that shows all changes, as well as a clean Microsoft Word version. The marked-up copy should provide appropriate annotations, including supplement number(s) and annual report date(s).

REQUIRED PEDIATRIC ASSESSMENTS

Under the Pediatric Research Equity Act (PREA) (21 U.S.C. 355c), all applications for new active ingredients (which includes new salts and new fixed combinations), new indications, new dosage forms, new dosing regimens, or new routes of administration are required to contain an assessment of the safety and effectiveness of the product for the claimed indication in pediatric patients unless this requirement is waived, deferred, or inapplicable.

Because none of these criteria apply to your application, you are exempt from this requirement.

PATENT LISTING REQUIREMENTS

Pursuant to 21 CFR 314.53(d)(2) and 314.70(f), certain changes to an approved NDA submitted in a supplement require you to submit patent information for listing in the Orange Book upon approval of the supplement. You must submit the patent information required by 21 CFR 314.53(d)(2)(i)(A) through (C) and 314.53(d)(2)(ii)(A) and (C), as applicable, to FDA on Form FDA 3542 within 30 days after the date of approval of the supplement for the patent information to be timely filed (see 21 CFR 314.53(c)(2)(ii)). You also must ensure that any changes to your approved NDA that require the submission of a request to remove patent information from the Orange Book are submitted to FDA at the time of approval of the supplement pursuant to 21 CFR 314.53(d)(2)(ii)(B) and 314.53(f)(2)(iv).

² We update guidances periodically. For the most recent version of a guidance, check the FDA Guidance Documents Database https://www.fda.gov/RegulatoryInformation/Guidances/default.htm.

REPORTING REQUIREMENTS

We remind you that you must comply with reporting requirements for an approved NDA (21 CFR 314.80 and 314.81).

If you have any questions, call Rene Tyson, Safety Regulatory Project Manager, at (301) 796-1476.

Sincerely,

{See appended electronic signature page}

Ira Krefting, M.D.
Deputy Director for Safety
Division of Imaging and Radiation Medicine
Office of Specialty Medicine
Office of New Drugs
Center for Drug Evaluation and Research

ENCLOSURE(S):

- Content of Labeling
 - Prescribing Information

This is a representation of an electronic record that was signed
electronically. Following this are manifestations of any and all
electronic signatures for this electronic record.

/s/

IRA P KREFTING 04/25/2023 02:47:35 PM