



BLA 761355/S-001

SUPPLEMENT APPROVAL

Regeneron Pharmaceuticals, Inc.
Attention: Donato Forlenza, PharmD, MBA
Sr. Director Regulatory Affairs
777 Old Saw Mill River Rd
Building Three, Fourth Floor
Tarrytown, NY 10591-6707

Dear Dr. Forlenza:

Please refer to your supplemental biologics license application (sBLA), dated and received December 1, 2023, submitted under section 351(a) of the Public Health Service Act for EYLEA HD (afibercept) injection. This Prior Approval supplemental biologics application provides for the addition of retinal vasculitis with or without occlusion in the WARNINGS AND PRECAUTIONS and ADVERSE REACTIONS, *Postmarketing Experience* sections of the Prescribing Information.

APPROVAL & LABELING

We have completed our review of this application. It is approved, effective on the date of this letter, for use as recommended in the enclosed agreed-upon labeling.

CONTENT OF LABELING

As soon as possible, but no later than 14 days from the date of this letter, submit, via the FDA automated drug registration and listing system (eLIST), the content of labeling [21 CFR 601.14(b)] in structured product labeling (SPL) format, as described at FDA.gov,¹ that is identical to the enclosed labeling (text for the Prescribing Information) and include the labeling changes proposed in any pending “Changes Being Effectuated” (CBE) supplements. Information on submitting SPL files using eLIST may be found in the guidance for industry *SPL Standard for Content of Labeling Technical Qs and As*.² The SPL will be accessible via publicly available labeling repositories.

REPORTING REQUIREMENTS

We remind you that you must comply with reporting requirements for an approved BLA (in 21 CFR 600.80 and in 21 CFR 600.81).

¹ <http://www.fda.gov/ForIndustry/DataStandards/StructuredProductLabeling/default.htm>

² We update guidances periodically. For the most recent version of a guidance, check the FDA Guidance Documents Database <https://www.fda.gov/RegulatoryInformation/Guidances/default.htm>.

Your product is a Part 3 combination product (21 CFR 3.2(e)); therefore, you must also comply with postmarketing safety reporting requirements for an approved combination product (21 CFR 4, Subpart B). Additional information on combination product postmarketing safety reporting is available at FDA.gov.

If you have questions, please contact Michael Puglisi, Regulatory Project Manager at michael.puglisi@fda.hhs.gov or call (301) 796-0791.

Sincerely,

{See appended electronic signature page}

Wiley A. Chambers, MD
Director
Division of Ophthalmology
Office of Specialty Medicine
Office of New Drugs
Center for Drug Evaluation and Research

ENCLOSURE:

- Content of Labeling
 - Prescribing Information

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

WILEY A CHAMBERS
12/14/2023 03:20:01 PM