

APPROVED

AUG 17 2001

Directions for puncturing tube seal:  
Remove cap. Turn cap upside down and place puncture tip onto tube. Push cap until tube end is punctured.  
Screw cap back on to reseat tube.  
See instructions for use.  
Use airtight cap. Gently massage into the affected and surrounding skin areas twice daily, in the morning and evening.  
Each gram contains: 7.0 mg of Cyclopirox (as Cyclopirox Citricol) in a water-miscible, antibiotic cream base consisting of Purified Water USP, Octyldodecanol NF, Myristyl Alcohol NF, Sorbitan Monostearate NF, Lactic Acid USP, Cocamide-DG, Polyacrylate 80 NF, Methyl Alcohol NF, Sorbitan Monostearate NF, Lactic Acid USP, and Benzyl Alcohol NF (1%) as preservative.  
Store at controlled room temperature 15° - 30°C (59° - 86°F).  
Keep out of reach of children.

NDC 99207-009-15 (3)  
15 grams

**Loprox<sup>®</sup> Cream**  
(ciclopirox) 0.77%

FOR DERMATOLOGIC USE ONLY. NOT FOR USE IN EYES.  
Rx Only

(4)

Manufactured for:  
MEDICIS, The Dermatology Company  
Phoenix, AZ 85018  
by Hoechst Marion Roussel Deutschland GmbH,  
D-65926 Frankfurt am Main  
Made in Germany

REG TM HOECHST AG

NDC 99207-009-15 (5)  
15 grams

**Loprox<sup>®</sup> Cream**  
(ciclopirox) 0.77%

FOR DERMATOLOGIC USE ONLY. NOT FOR USE IN EYES.  
Rx Only

- ① Change To:  
Mineral Oil Light, NF.
- ② DELETE.
- ③ Revise NDC.
- ④ Revise firm name,  
address as  
needed.

|||||||  
|||||||



3 9920-7009-15 3



131361 C

NDC 99207-009-15 (M)  
15 grams  
**Loprox<sup>®</sup>**  
(ciclopirox) 0.77%  
Cream



LOT: EXP:



**This is a representation of an electronic record that was signed electronically and  
this page is the manifestation of the electronic signature.**

/s/

-----  
Wilson H. DeCamp  
8/17/01 04:24:27 PM  
approved