

STERILE INJECTION
 1%
 mepivacaine hydrochloride
 injection, USP
Carbocaine®
PRESERVATIVE-FREE
 30 mL Single-Dose Vial
 NDC 0409-1036-30

NDC 0409-1036-30

30 mL Single-Dose Vial

PRESERVATIVE-FREE

Carbocaine®
 mepivacaine hydrochloride
 injection, USP
1%
STERILE INJECTION

Dosage: See package insert.

No preservative added.

Discard unused portion after
 initial use.

Vial may be autoclaved.



NDC 0409-1036-30
 C-400

30 mL Single-Dose Vial

PRESERVATIVE-FREE

Carbocaine®
 mepivacaine hydrochloride
 injection, USP
1%
STERILE INJECTION

For PERIPHERAL
 NERVE BLOCK,
 CAUDAL, EPIDURAL,
 and INFILTRATION
 ANESTHESIA

Not for spinal anesthesia.

Not intended for dental use.

R_x only



NDC 0409-1036-30

30 mL Single-Dose Vial

PRESERVATIVE-FREE

Carbocaine®
 mepivacaine hydrochloride
 injection, USP
1%
STERILE INJECTION



TEST-2

Each mL contains 10 mg
 mepivacaine hydrochloride, 6.6 mg
 sodium chloride, 0.3 mg potassium
 chloride, and 0.33 mg calcium
 chloride in Water for Injection.
 pH adjusted with NaOH or HCl.


Store at 20 to 25°C (68 to 77°F). [See
 USP Controlled Room Temperature.]

NSN 6505-00-754-0076

©Hospira 2005 Printed in USA
 Hospira, Inc., Lake Forest, IL 60045 USA

(b) (4)

<p>-----</p> <p>-----</p> <p>-----</p> <p>-----</p> <p>-----</p>	<p>-----</p> <p>-----</p> <p>-----</p> <p>-----</p> <p>-----</p>	<p>-----</p> <p>-----</p> <p>-----</p> <p>-----</p> <p>-----</p>
--	--	--



STERILE INJECTION
2%
mepivacaine hydrochloride
injection, USP
Carbocaine[®]
PRESERVATIVE-FREE
20 mL Single-Dose Vial
NDC 0409-1067-20
Hospira

NDC 0409-1067-20

20 mL Single-Dose Vial

PRESERVATIVE-FREE

Carbocaine[®]

mepivacaine hydrochloride
injection, USP

2%

STERILE INJECTION

Dosage: See package insert.

No preservative added.

**Discard unused portion after
initial use.**

Vial may be autoclaved.

TEST-4

Each mL contains 20 mg mepivacaine hydrochloride, 4.6 mg sodium chloride, 0.3 mg potassium chloride, and 0.33 mg calcium chloride in Water for Injection. pH adjusted with NaOH or HCl.

Store at 20 to 25°C (68 to 77°F). [See USP Controlled Room Temperature.]

NSN 6505-00-727-3207

©Hospira 2005 Printed in USA
Hospira, Inc.
Lake Forest, IL 60045 USA



NDC 0409-1067-20

20 mL Single-Dose Vial

PRESERVATIVE-FREE

Carbocaine[®]

mepivacaine hydrochloride
injection, USP

2%

STERILE INJECTION

**For PERIPHERAL
NERVE BLOCK,
CAUDAL and EPIDURAL
ANESTHESIA**

*Not for spinal anesthesia.
Not intended for dental use.*

Rx only



NDC 0409-1067-20

20 mL Single-Dose Vial


PRESERVATIVE-FREE

Carbocaine[®]

mepivacaine hydrochloride
injection, USP

2%

STERILE INJECTION



(b) (4)

(b) (4)

30 mL SINGLE-DOSE VIAL—STERILE INJECTION NDC 0409-1036-30

PRESERVATIVE-FREE

C-400

Carbocaine® 1%

mepivacaine hydrochloride injection, USP

For PERIPHERAL NERVE BLOCK,
CAUDAL, EPIDURAL, and
INFILTRATION ANESTHESIA

*Not for Spinal Anesthesia.
Not intended for dental use.*

Hospira, Inc., Lake Forest, IL 60045 USA

Each mL contains 10 mg mepivacaine HCl, 6.6 mg sodium chloride, 0.3 mg potassium chloride, and 0.33 mg calcium chloride in Water for Injection. pH adjusted with NaOH or HCl. No preservative added. Dosage: See package insert. Vial may be autoclaved. Discard unused portion after initial use.

©Hospira 2005

Printed in USA



Rx only



(01) 0 030409 103630 7

TEST-8

(b) (4)

