

8-9679-31-301-2

NovoLog® Mix 70/30 FlexPen® Prefilled Syringe
100 units/mL (U-100) 5×3 mL Prefilled Insulin Syringes
70% insulin aspart protamine suspension and 30% insulin aspart injection, (rDNA origin)

NovoLog® Mix 70/30 FlexPen® Prefilled Syringe
70% insulin aspart protamine suspension and 30% insulin aspart injection, (rDNA origin)
100 units/mL (U-100) 5×3 mL Prefilled Insulin Syringes

NDC 0169-3696-19 List 369619
NovoLog® Mix 70/30 FlexPen® Prefilled Syringe
70% insulin aspart protamine suspension and 30% insulin aspart injection, (rDNA origin)

100 units/mL (U-100)
5×3 mL Prefilled Insulin Syringes
Rx only

Shake carefully before using. See enclosed insert for proper technique.
For use with NovoFine® disposable needles or other products specifically recommended by Novo Nordisk.
Keep in a cold place. Avoid freezing.
Protect from light.



Exp. Date/Control:

22-503-57

NovoLog® Mix 70/30 FlexPen® Prefilled Syringe
70% insulin aspart protamine suspension and 30% insulin aspart injection, (rDNA origin)
100 units/mL (U-100) 5×3 mL Prefilled Insulin Syringes



Warning
Any change of insulin should be made cautiously and only under medical supervision.
NovoLog® Mix 70/30 FlexPen® Prefilled syringe is for single person use only.
See accompanying literature for dosage.
Needles not included.


For parenteral use.
Each ml contains 100 Units of insulin aspart; mannitol, 36.4 mg; phenol, 1.50 mg; metacresol, 1.72 mg; zinc, 19.6 µg; disodium hydrogen phosphate dihydrate, 1.25 mg, sodium chloride, 0.58 mg, and protamine sulfate 0.33 mg.
NovoLog® Mix 70/30 FlexPen® Prefilled Syringe and NovoFine® are trademarks of Novo Nordisk® A/S.
U.S. patent Nos. 6,004,297, 6,235,004, 6,582,404 and other patents pending.



Novo Nordisk Inc.
Princeton, NJ 08540
www.novonordisk-us.com
1-800-727-6500

(Se habla español)
Manufactured by:
Novo Nordisk A/S
DK-2880 Bagsvaerd, Denmark

2
8



NovoLog® Mix 70/30 FlexPen® Prefilled Syringe
 70% insulin aspart protamine suspension and 30% insulin aspart injection, (rDNA origin)
 100 units/mL (U-100)
 1x3 mL Prefilled Insulin Syringe

Warning
 Any change of insulin should be made cautiously and only under medical supervision.

NovoLog® Mix 70/30 FlexPen® Prefilled syringe is for single person use only.

See accompanying literature for dosage. Needles not included.

For parenteral use.

Each mL contains 100 Units of insulin aspart; mannitol, 36.4 mg; phenol, 1.50 mg; metacresol, 1.72 mg; zinc, 19.6 µg; disodium hydrogen phosphate dihydrate, 1.25 mg, sodium chloride, 0.58 mg, and protamine sulfate 0.33 mg.

NovoLog®, FlexPen® and NovoFine® are trademarks of Novo Nordisk® A/S. U.S. patent Nos. 6,004,297, 6,235,004, and 6,582,404 and other patents pending.


Novo Nordisk Inc.
 Princeton, NJ 08540
 www.novonordisk-us.com
 1-800-727-6500

(Se habla español)

Manufactured by:
 Novo Nordisk A/S
 DK-2880 Bagsvaerd,
 Denmark



Exp. Date/Control:



22-508-37

8-9679-31-302-2



NovoLog® Mix 70/30 FlexPen® Prefilled Syringe
 70% insulin aspart protamine suspension and 30% insulin aspart injection, (rDNA origin)
 100 units/mL (U-100) 1x3 mL Prefilled Insulin Syringe

NDC 0169-3696-90 List 369690
NovoLog® Mix 70/30 FlexPen® Prefilled Syringe
 70% insulin aspart protamine suspension and 30% insulin aspart injection, (rDNA origin)

100 units/mL (U-100)
 1x3 mL Prefilled Insulin Syringe
 Shake carefully before using. See enclosed insert for proper technique.

Rx only
 Sample. Not For Resale

For use with NovoFine® disposable needles or other products specifically recommended by Novo Nordisk.

Keep in a cold place. Avoid freezing. Protect from light.



NovoLog® Mix 70/30 FlexPen® Prefilled Syringe
 70% insulin aspart protamine suspension and 30% insulin aspart injection, (rDNA origin)
 100 units/mL (U-100) 1x3 mL Prefilled Insulin Syringe

NovoLog® Mix 70/30 PenFill®

70% insulin aspart protamine suspension and
30% insulin aspart injection, (rDNA origin)

100 units/mL (U-100) 5x3 mL cartridges
3 mL Cartridges

Warning

**Any change of insulin should be made cautiously
and only under medical supervision.**

PenFill® cartridge is for single person use only.

See accompanying literature for dosage.

For parenteral use.

Each mL contains 100 Units of insulin aspart; mannitol, 36.4 mg;
phenol, 1.50 mg; metacresol, 1.72 mg; zinc, 19.6 µg;
disodium hydrogen phosphate dihydrate, 1.25 mg;
sodium chloride, 0.58 mg and protamine sulfate 0.33 mg.

*3 mL PenFill® cartridge compatible delivery devices:
NovoPen® 3, Innovo®, InDuo®

NovoLog®, PenFill®, NovoPen® and Innovo® are trademarks
owned by Novo Nordisk A/S

InDuo® is a trademark of LifeScan, Inc., a Johnson & Johnson company
U.S. Patent Nos. 5,693,027, 6,126,464, D347,894, and other patents pending.
NDC 0169-3682-13

Questions or Comments?
Call 1-800-727-6500
(Se habla español) or write:
Novo Nordisk Inc.
100 College Road West
Princeton, NJ 08540
www.novonordisk-us.com

Manufactured by:
Novo Nordisk A/S
DK-2880 Bagsvaerd, Denmark



NovoLog® Mix 70/30 PenFill®
70% insulin aspart protamine suspension and
30% insulin aspart injection, (rDNA origin)

100 units/mL (U-100) 5x3 mL cartridges
3 mL Cartridges

Exp. Date/
Control:

8-0949-31-305-1

22-480-26

NovoLog® Mix 70/30 PenFill®

70% insulin aspart protamine suspension and
30% insulin aspart injection, (rDNA origin)

100 units/mL (U-100) 5x3 mL cartridges
3 mL Cartridges

NDC 0169-3682-13

List 368213

NovoLog® Mix 70/30 PenFill®

70% insulin aspart protamine suspension and
30% insulin aspart injection, (rDNA origin)

100 units/mL (U-100) 5x3 mL cartridges
3 mL Cartridges

Shake carefully before using. See enclosed insert for proper technique.

For use with 3 mL PenFill® cartridge compatible delivery devices*

Store at 2°C - 8°C (36°F - 46°F)

Avoid freezing

Protect from light

Rx only



Questions or Comments?
Call 1-800-727-6500
(Se habla español) or write:
Novo Nordisk Inc.
100 College Road West
Princeton, NJ 08540
www.novonordisk-us.com

Manufactured by:
Novo Nordisk A/S
DK-2880 Bagsvaerd, Denmark



Exp. Date/Control:

Each mL contains 100 Units of insulin aspart; mannitol, 36.4 mg; phenol, 1.50 mg; metacresol, 1.72 mg; zinc, 19.6 µg; disodium hydrogen phosphate dihydrate, 1.25 mg; sodium chloride, 0.58 mg and protamine sulfate 0.33 mg.

NovoLog[®], PenFill[®], Innovo[®] and NovoPen[®] are trademarks owned by Novo Nordisk A/S.

InDuo[®] is a trademark of LifeScan, Inc., a Johnson & Johnson company

*3 mL PenFill[®] cartridge compatible delivery devices:
NovoPen[®] 3, Innovo[®], InDuo[®]

22-479-41

NovoLog[®] Mix 70/30 PenFill[®]

NDC 0169-3682-12
List 368212

70% insulin aspart protamine suspension and
30% insulin aspart injection, (rDNA origin)

100 units/mL (U-100) 1×3 mL cartridge
3 mL Cartridge

Shake carefully before using. See enclosed insert for proper technique.

For use with 3 mL PenFill[®] cartridge compatible delivery devices*

Store at 2°C - 8°C (36°F - 46°F). Avoid freezing. Protect from light

Sample. Not for Resale

Rx only



NovoLog[®] Mix 70/30 PenFill[®]
70% insulin aspart protamine suspension and
30% insulin aspart injection, (rDNA origin)
100 units/mL (U-100) 1×3 mL Cartridge
3 mL Cartridge

8-0949-31-302-2

NovoLog[®] Mix 70/30 PenFill[®]

70% insulin aspart protamine suspension and
30% insulin aspart injection, (rDNA origin)
100 units/mL (U-100) 1×3 mL cartridge
3 mL Cartridge

U.S. Patent Nos. 5,693,027, 6,126,464, D347,894
and other patents pending.

Warning

Any change of insulin should be made
cautiously and only under medical
supervision.

PenFill[®] cartridge is for single person
use only.

See accompanying literature for dosage.
For parenteral use.

Store at 2°-8°C (36°-46°F)

Avoid freezing. Protect from light.

Warning: Any change of insulin should be made cautiously and only under medical supervision (see package insert).
For parenteral use.

Each mL contains 100 Units of insulin aspart; mannitol 36.4 mg, phenol 1.50 mg, metacresol 1.72 mg, zinc 19.6 µg, disodium hydrogen phosphate dihydrate 1.25 mg, sodium chloride 0.58 mg, and protamine sulfate 0.33 mg.

NovoLog® is a trademark owned by Novo Nordisk® A/S



NovoLog® Mix 70/30

70% insulin aspart protamine suspension and 30% insulin aspart injection, (rDNA origin)

100 units/mL 10 mL

Rx only
U-100

For information contact:

Novo Nordisk Inc.
Princeton, NJ 08540
1-800-727-6500

(Se habla español)

www.novonordisk-us.com

Manufactured by
Novo Nordisk A/S
DK-2880 Bagsvaerd, Denmark



Exp. Date/Control:

8-0946-31-301-2

22-202-53



NovoLog® Mix 70/30

70% insulin aspart protamine suspension and 30% insulin aspart injection, (rDNA origin)

100 units/mL 10 mL

Rx only
U-100

NovoLog® Mix 70/30

70% insulin aspart protamine suspension and 30% insulin aspart injection, (rDNA origin)

100 units/mL 10 mL

Shake carefully before using. See enclosed insert for proper technique.

Rx only
U-100

NDC 0169-3685-12

List 368512



Store at 2°-8°C (36°-46°F)

Avoid freezing. Protect from light.

Warning: Any change of insulin should be made cautiously and only under medical supervision (see package insert).
For parenteral use.

Each mL contains 100 Units of insulin aspart; mannitol 36.4 mg, phenol 1.50 mg, metacresol 1.72 mg, zinc 19.6 µg, disodium hydrogen phosphate dihydrate 1.25 mg, sodium chloride 0.58 mg, and protamine sulfate 0.33 mg.

NovoLog® is a trademark owned by Novo Nordisk® A/S



NovoLog® Mix 70/30

70% insulin aspart protamine suspension and 30% insulin aspart injection, (rDNA origin)

100 units/mL 10 mL

Rx only
U-100

Sample. Not for resale

For information contact:

Novo Nordisk Inc.
Princeton, NJ 08540
1-800-727-6500

(Se habla español)

www.novonordisk-us.com

Manufactured by
Novo Nordisk A/S
DK-2880 Bagsvaerd, Denmark



Exp. Date/Control:

8-0946-31-302-3

22-202-53



NovoLog® Mix 70/30

70% insulin aspart protamine suspension and 30% insulin aspart injection, (rDNA origin)

100 units/mL 10 mL

Rx only
U-100

Sample. Not for resale

NovoLog® Mix 70/30

70% insulin aspart protamine suspension and 30% insulin aspart injection, (rDNA origin)

100 units/mL 10 mL

Shake carefully before using. See enclosed insert for proper technique.

Rx only
U-100

Sample. Not for resale

NDC 0169-3685-92

List 368592

