

128 code #248061



**Drug Facts (continued)**

■ Take a blood thinning (anticoagulant) or steroid drug  
 ■ Take other drugs containing an NSAID [aspirin, ibuprofen, naproxen, or others]  
 ■ Have 3 or more alcoholic drinks every day while using this product  
 ■ Take more or for a longer time than directed  
 ■ Do not use  
 ■ If you have ever had an allergic reaction to any other pain reliever/fever reducer  
 ■ Unless you have time for a full night's sleep in children under 12 years of age  
 ■ Right before or after heart surgery  
 ■ With any other product containing diphenhydramine, even one used on skin  
 ■ If you have sleeplessness without pain  
**Ask a doctor before use if you have**  
 ■ A breathing problem such as emphysema or chronic bronchitis  
 ■ Problems or serious side effects from taking pain relievers or fever reducers  
 ■ Stomach problems that last or come back, such as heartburn, upset stomach or stomach pain  
 ■ Ulcers  
 ■ Bleeding problems  
 ■ Heart or kidney disease  
 ■ High blood pressure  
 ■ Taken a diuretic  
 ■ Reached age 60 or older  
 ■ Trouble urinating due to an enlarged prostate gland

**Drug Facts (continued)**

■ Take a blood thinning (anticoagulant) or steroid drug  
 ■ Take other drugs containing an NSAID [aspirin, ibuprofen, naproxen, or others]  
 ■ Have 3 or more alcoholic drinks every day while using this product  
 ■ Take more or for a longer time than directed  
 ■ Do not use  
 ■ If you have ever had an allergic reaction to any other pain reliever/fever reducer  
 ■ Unless you have time for a full night's sleep in children under 12 years of age  
 ■ Right before or after heart surgery  
 ■ With any other product containing diphenhydramine, even one used on skin  
 ■ If you have sleeplessness without pain  
**Ask a doctor before use if you have**  
 ■ A breathing problem such as emphysema or chronic bronchitis  
 ■ Problems or serious side effects from taking pain relievers or fever reducers  
 ■ Stomach problems that last or come back, such as heartburn, upset stomach or stomach pain  
 ■ Ulcers  
 ■ Bleeding problems  
 ■ Heart or kidney disease  
 ■ High blood pressure  
 ■ Taken a diuretic  
 ■ Reached age 60 or older  
 ■ Trouble urinating due to an enlarged prostate gland

128 code #248061



**READ AND KEEP CARTON FOR COMPLETE WARNINGS AND INFORMATION.**

128 code #248061



**Drug Facts (continued)**

■ Take a blood thinning (anticoagulant) or steroid drug  
 ■ Take other drugs containing an NSAID [aspirin, ibuprofen, naproxen, or others]  
 ■ Have 3 or more alcoholic drinks every day while using this product  
 ■ Take more or for a longer time than directed  
 ■ Do not use  
 ■ If you have ever had an allergic reaction to any other pain reliever/fever reducer  
 ■ Unless you have time for a full night's sleep in children under 12 years of age  
 ■ Right before or after heart surgery  
 ■ With any other product containing diphenhydramine, even one used on skin  
 ■ If you have sleeplessness without pain  
**Ask a doctor before use if you have**  
 ■ A breathing problem such as emphysema or chronic bronchitis  
 ■ Problems or serious side effects from taking pain relievers or fever reducers  
 ■ Stomach problems that last or come back, such as heartburn, upset stomach or stomach pain  
 ■ Ulcers  
 ■ Bleeding problems  
 ■ Heart or kidney disease  
 ■ High blood pressure  
 ■ Taken a diuretic  
 ■ Reached age 60 or older  
 ■ Trouble urinating due to an enlarged prostate gland

**Drug Facts (continued)**

■ Take a blood thinning (anticoagulant) or steroid drug  
 ■ Take other drugs containing an NSAID [aspirin, ibuprofen, naproxen, or others]  
 ■ Have 3 or more alcoholic drinks every day while using this product  
 ■ Take more or for a longer time than directed  
 ■ Do not use  
 ■ If you have ever had an allergic reaction to any other pain reliever/fever reducer  
 ■ Unless you have time for a full night's sleep in children under 12 years of age  
 ■ Right before or after heart surgery  
 ■ With any other product containing diphenhydramine, even one used on skin  
 ■ If you have sleeplessness without pain  
**Ask a doctor before use if you have**  
 ■ A breathing problem such as emphysema or chronic bronchitis  
 ■ Problems or serious side effects from taking pain relievers or fever reducers  
 ■ Stomach problems that last or come back, such as heartburn, upset stomach or stomach pain  
 ■ Ulcers  
 ■ Bleeding problems  
 ■ Heart or kidney disease  
 ■ High blood pressure  
 ■ Taken a diuretic  
 ■ Reached age 60 or older  
 ■ Trouble urinating due to an enlarged prostate gland

128 code #248061



**READ AND KEEP CARTON FOR COMPLETE WARNINGS AND INFORMATION.**

128 code #248061



**Drug Facts (continued)**

■ Take a blood thinning (anticoagulant) or steroid drug  
 ■ Take other drugs containing an NSAID [aspirin, ibuprofen, naproxen, or others]  
 ■ Have 3 or more alcoholic drinks every day while using this product  
 ■ Take more or for a longer time than directed  
 ■ Do not use  
 ■ If you have ever had an allergic reaction to any other pain reliever/fever reducer  
 ■ Unless you have time for a full night's sleep in children under 12 years of age  
 ■ Right before or after heart surgery  
 ■ With any other product containing diphenhydramine, even one used on skin  
 ■ If you have sleeplessness without pain  
**Ask a doctor before use if you have**  
 ■ A breathing problem such as emphysema or chronic bronchitis  
 ■ Problems or serious side effects from taking pain relievers or fever reducers  
 ■ Stomach problems that last or come back, such as heartburn, upset stomach or stomach pain  
 ■ Ulcers  
 ■ Bleeding problems  
 ■ Heart or kidney disease  
 ■ High blood pressure  
 ■ Taken a diuretic  
 ■ Reached age 60 or older  
 ■ Trouble urinating due to an enlarged prostate gland

**Drug Facts (continued)**

■ Take a blood thinning (anticoagulant) or steroid drug  
 ■ Take other drugs containing an NSAID [aspirin, ibuprofen, naproxen, or others]  
 ■ Have 3 or more alcoholic drinks every day while using this product  
 ■ Take more or for a longer time than directed  
 ■ Do not use  
 ■ If you have ever had an allergic reaction to any other pain reliever/fever reducer  
 ■ Unless you have time for a full night's sleep in children under 12 years of age  
 ■ Right before or after heart surgery  
 ■ With any other product containing diphenhydramine, even one used on skin  
 ■ If you have sleeplessness without pain  
**Ask a doctor before use if you have**  
 ■ A breathing problem such as emphysema or chronic bronchitis  
 ■ Problems or serious side effects from taking pain relievers or fever reducers  
 ■ Stomach problems that last or come back, such as heartburn, upset stomach or stomach pain  
 ■ Ulcers  
 ■ Bleeding problems  
 ■ Heart or kidney disease  
 ■ High blood pressure  
 ■ Taken a diuretic  
 ■ Reached age 60 or older  
 ■ Trouble urinating due to an enlarged prostate gland

128 code #248061



128 code #248061



**Drug Facts (continued)**

■ Take a blood thinning (anticoagulant) or steroid drug  
 ■ Take other drugs containing an NSAID [aspirin, ibuprofen, naproxen, or others]  
 ■ Have 3 or more alcoholic drinks every day while using this product  
 ■ Take more or for a longer time than directed  
 ■ Do not use  
 ■ If you have ever had an allergic reaction to any other pain reliever/fever reducer  
 ■ Unless you have time for a full night's sleep in children under 12 years of age  
 ■ Right before or after heart surgery  
 ■ With any other product containing diphenhydramine, even one used on skin  
 ■ If you have sleeplessness without pain  
**Ask a doctor before use if you have**  
 ■ A breathing problem such as emphysema or chronic bronchitis  
 ■ Problems or serious side effects from taking pain relievers or fever reducers  
 ■ Stomach problems that last or come back, such as heartburn, upset stomach or stomach pain  
 ■ Ulcers  
 ■ Bleeding problems  
 ■ Heart or kidney disease  
 ■ High blood pressure  
 ■ Taken a diuretic  
 ■ Reached age 60 or older  
 ■ Trouble urinating due to an enlarged prostate gland

**Drug Facts (continued)**

■ Take a blood thinning (anticoagulant) or steroid drug  
 ■ Take other drugs containing an NSAID [aspirin, ibuprofen, naproxen, or others]  
 ■ Have 3 or more alcoholic drinks every day while using this product  
 ■ Take more or for a longer time than directed  
 ■ Do not use  
 ■ If you have ever had an allergic reaction to any other pain reliever/fever reducer  
 ■ Unless you have time for a full night's sleep in children under 12 years of age  
 ■ Right before or after heart surgery  
 ■ With any other product containing diphenhydramine, even one used on skin  
 ■ If you have sleeplessness without pain  
**Ask a doctor before use if you have**  
 ■ A breathing problem such as emphysema or chronic bronchitis  
 ■ Problems or serious side effects from taking pain relievers or fever reducers  
 ■ Stomach problems that last or come back, such as heartburn, upset stomach or stomach pain  
 ■ Ulcers  
 ■ Bleeding problems  
 ■ Heart or kidney disease  
 ■ High blood pressure  
 ■ Taken a diuretic  
 ■ Reached age 60 or older  
 ■ Trouble urinating due to an enlarged prostate gland

128 code #248061



**READ AND KEEP CARTON FOR COMPLETE WARNINGS AND INFORMATION.**

128 code #248061




**Drug Facts (continued)**







■ Take a blood thinning (anticoagulant) or steroid drug  
 ■ Take other drugs containing an NSAID [aspirin, ibuprofen, naproxen, or others]  
 ■ Have 3 or more alcoholic drinks every day while using this product  
 ■ Take more or for a longer time than directed  
 ■ Do not use  
 ■ If you have ever had an allergic reaction to any other pain reliever/fever reducer  
 ■ Unless you have time for a full night's sleep in children under 12 years of age  
 ■ Right before or after heart surgery  
 ■ With any other product containing diphenhydramine, even one used on skin  
 ■ If you have sleeplessness without pain  
**Ask a doctor before use if you have**  
 ■ A breathing problem such as emphysema or chronic bronchitis  
 ■ Problems or serious side effects from taking pain relievers or fever reducers  
 ■ Stomach problems that last or come back, such as heartburn, upset stomach or stomach pain  
 ■ Ulcers  
 ■ Bleeding problems  
 ■ Heart or kidney disease  
 ■ High blood pressure  
 ■ Taken a diuretic  
 ■ Reached age 60 or older  
 ■ Trouble urinating due to an enlarged prostate gland

**Drug Facts (continued)**

■ Take a blood thinning (anticoagulant) or steroid drug  
 ■ Take other drugs containing an NSAID [aspirin, ibuprofen, naproxen, or others]  
 ■ Have 3 or more alcoholic drinks every day while using this product  
 ■ Take more or for a longer time than directed  
 ■ Do not use  
 ■ If you have ever had an allergic reaction to any other pain reliever/fever reducer  
 ■ Unless you have time for a full night's sleep in children under 12 years of age  
 ■ Right before or after heart surgery  
 ■ With any other product containing diphenhydramine, even one used on skin  
 ■ If you have sleeplessness without pain  
**Ask a doctor before use if you have**  
 ■ A breathing problem such as emphysema or chronic bronchitis  
 ■ Problems or serious side effects from taking pain relievers or fever reducers  
 ■ Stomach problems that last or come back, such as heartburn, upset stomach or stomach pain  
 ■ Ulcers  
 ■ Bleeding problems  
 ■ Heart or kidney disease  
 ■ High blood pressure  
 ■ Taken a diuretic  
 ■ Reached age 60 or older  
 ■ Trouble urinating due to an enlarged prostate gland

128 code #248061



Job Information	Color Legend												
Date 12/13/05 PASS # 1 Component # UK24806-1.FDA03 Drawing # 5015 Regulatory Manuscript Version: 12/13/05 Formula # WH# 0723-0009.02	<table border="1"> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td>PROCESS CYAN</td> <td>PROCESS MAGENTA</td> <td>PANTONE 282 C</td> </tr> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td>PROCESS YELLOW</td> <td>PROCESS BLACK</td> <td>PANTONE 279 C</td> </tr> </table>				PROCESS CYAN	PROCESS MAGENTA	PANTONE 282 C				PROCESS YELLOW	PROCESS BLACK	PANTONE 279 C
													
PROCESS CYAN	PROCESS MAGENTA	PANTONE 282 C											
													
PROCESS YELLOW	PROCESS BLACK	PANTONE 279 C											
Identification	Printer Notes												
<b>Wyeth</b> Consumer Healthcare Graphics Development & Labeling Compliance Five Giralda Farms, Madison, NJ 07940 Phone: (973) 660-5000 • Fax: (973) 660-6048	Printer to Replace all FPO Codes with Scannable Art PILL SOFT DROP SHADOW TO PRINT PROCESS BLACK.												
Vendor Identification													
Graphics Development & Labeling Compliance Graphic Artist: Jeffrey M. Caruso SC: 12/13/05													

DRUG FACTS TEXT DEFINED	TYPE SIZE
• DRUG FACTS TITLE	9 pt
• DRUG FACTS CONTINUED	8 pt
• HEADINGS	8 pt
• SUBHEADINGS/BODY TEXT	6 pt
• LEADING	6.5 pt
• # OF CHARACTERS PER INCH	<39
• BULLETS	5 pt
• SPACE BEFORE BULLET	2 ems
• BARLINES, HAIRLINES	1.5 pt, .5 pt
• SPACE BETWEEN HAIRLINES AND BOX END	2 spaces

CONFIDENTIAL

6 - 1

150% FOR PROOFREADING

ACTUAL SIZE

**Advil<sup>®</sup> PM LIQUI-GELS<sup>®</sup>**  
 Solubilized Ibuprofen, 200 mg / Diphenhydramine HCl, 25 mg  
**Allergy and Bleeding Warnings:**  
 Read carton before use.  
**Do Not Use if foil barrier is broken.**  
 Store at 20-25°C (68-77°F). Avoid excessive heat above 40°C (104°F). Protect from light.  
 Dist. by Wyeth Consumer Healthcare  
 Madison, NJ 07940 Made in USA  
 By arrangement with R.P. Scherer Corp.  
 LOT  
 EXP

**Advil<sup>®</sup> PM LIQUI-GELS<sup>®</sup>**  
 Solubilized Ibuprofen, 200 mg / Diphenhydramine HCl, 25 mg  
**Allergy and Bleeding Warnings:**  
 Read carton before use.  
**Do Not Use if foil barrier is broken.**  
 Store at 20-25°C (68-77°F). Avoid excessive heat above 40°C (104°F). Protect from light.  
 Dist. by Wyeth Consumer Healthcare  
 Madison, NJ 07940 Made in USA  
 By arrangement with R.P. Scherer Corp.  
 LOT  
 EXP

**Advil<sup>®</sup> PM LIQUI-GELS<sup>®</sup>**  
 Solubilized Ibuprofen, 200 mg / Diphenhydramine HCl, 25 mg  
**Allergy and Bleeding Warnings:**  
 Read carton before use.  
**Do Not Use if foil barrier is broken.**  
 Store at 20-25°C (68-77°F). Avoid excessive heat above 40°C (104°F). Protect from light.  
 Dist. by Wyeth Consumer Healthcare  
 Madison, NJ 07940 Made in USA  
 By arrangement with R.P. Scherer Corp.  
 LOT  
 EXP

**Advil<sup>®</sup> PM LIQUI-GELS<sup>®</sup>**  
 Solubilized Ibuprofen, 200 mg / Diphenhydramine HCl, 25 mg  
**Allergy and Bleeding Warnings:**  
 Read carton before use.  
**Do Not Use if foil barrier is broken.**  
 Store at 20-25°C (68-77°F). Avoid excessive heat above 40°C (104°F). Protect from light.  
 Dist. by Wyeth Consumer Healthcare  
 Madison, NJ 07940 Made in USA  
 By arrangement with R.P. Scherer Corp.  
 LOT  
 EXP

**Advil<sup>®</sup> PM LIQUI-GELS<sup>®</sup>**  
 Solubilized Ibuprofen, 200 mg / Diphenhydramine HCl, 25 mg  
**Allergy and Bleeding Warnings:**  
 Read carton before use.  
**Do Not Use if foil barrier is broken.**  
 Store at 20-25°C (68-77°F). Avoid excessive heat above 40°C (104°F). Protect from light.  
 Dist. by Wyeth Consumer Healthcare  
 Madison, NJ 07940 Made in USA  
 By arrangement with R.P. Scherer Corp.  
 LOT  
 EXP


**Advil<sup>®</sup> PM LIQUI-GELS<sup>®</sup>**  
 Solubilized Ibuprofen, 200 mg / Diphenhydramine HCl, 25 mg  
**Allergy and Bleeding Warnings:**  
 Read carton before use.  
**Do Not Use if foil barrier is broken.**  
 Store at 20-25°C (68-77°F). Avoid excessive heat above 40°C (104°F). Protect from light.  
 Dist. by Wyeth Consumer Healthcare  
 Madison, NJ 07940 Made in USA  
 By arrangement with R.P. Scherer Corp.  
 LOT  
 EXP

**Advil<sup>®</sup> PM LIQUI-GELS<sup>®</sup>**  
 Solubilized Ibuprofen, 200 mg / Diphenhydramine HCl, 25 mg  
**Allergy and Bleeding Warnings:**  
 Read carton before use.  
**Do Not Use if foil barrier is broken.**  
 Store at 20-25°C (68-77°F). Avoid excessive heat above 40°C (104°F). Protect from light.  
 Dist. by Wyeth Consumer Healthcare  
 Madison, NJ 07940 Made in USA  
 By arrangement with R.P. Scherer Corp.  
 LOT  
 EXP

**Advil<sup>®</sup> PM LIQUI-GELS<sup>®</sup>**  
 Solubilized Ibuprofen, 200 mg / Diphenhydramine HCl, 25 mg  
**Allergy and Bleeding Warnings:**  
 Read carton before use.  
**Do Not Use if foil barrier is broken.**  
 Store at 20-25°C (68-77°F). Avoid excessive heat above 40°C (104°F). Protect from light.  
 Dist. by Wyeth Consumer Healthcare  
 Madison, NJ 07940 Made in USA  
 By arrangement with R.P. Scherer Corp.  
 LOT  
 EXP

Job Information	Color Legend
Date 12/13/05 PASS # 1 Component # SP1100-1.FDA03 Drawing # 5007 Regulatory Manuscript Version: 12/13/05 Formula # WH# 0723-0009	 <p>PANTONE 282 C</p>
<b>Identification</b>  <p>Wyeth Consumer Healthcare                      Graphics Development &amp; Labeling Compliance                      Five Giralda Farms, Madison, NJ 07940                      Phone: (973) 660-5000 • Fax: (973) 660-6048</p>	<b>Printer Notes</b> Printer to Replace all FPO Codes with Scannable Art
<b>Vendor Identification</b> Graphics Development & Labeling Compliance Graphic Artist: Jeffrey M. Caruso SC: 12/13/05	

DRUG FACTS TEXT DEFINED	TYPE SIZE
• HEADINGS	N/A
• SUBHEADINGS/BODY TEXT	4 pt
• LEADING	4.3 pt
• BULLETS	N/A
• SPACE BEFORE BULLET	N/A
• WARNING BOX LINE, HAIRLINES	N/A



Job Information	Color Legend												
<p><b>Date</b> 12/13/05 PASS # 1  <b>Component #</b> UK24804-1.FDA03  <b>Drawing #</b> 6208 Rev. # 1  <b>Regulatory Manuscript Version:</b> 12/13/05  <b>Formula #</b> FLF# 0555-0008.00</p>	<table border="1"> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td>PROCESS CYAN</td> <td>PROCESS MAGENTA</td> <td>PANTONE 282 C</td> </tr> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td>PROCESS YELLOW</td> <td>PROCESS BLACK</td> <td>PANTONE 279 C</td> </tr> </table>				PROCESS CYAN	PROCESS MAGENTA	PANTONE 282 C				PROCESS YELLOW	PROCESS BLACK	PANTONE 279 C
PROCESS CYAN	PROCESS MAGENTA	PANTONE 282 C											
PROCESS YELLOW	PROCESS BLACK	PANTONE 279 C											
<p><b>Identification</b></p> <p><b>Wyeth</b>                  Consumer Healthcare                  Graphics Development &amp; Labeling Compliance                  Five Giralda Farms, Madison, NJ 07940                  Phone: (973) 660-5000 • Fax: (973) 660-6048</p>	<p><b>Printer Notes</b></p> <p><b>Printer to Replace all FPO Codes with Scannable Art</b></p> <p><b>PILL SOFT DROP SHADOW TO PRINT PROCESS BLACK.</b></p>												
<p><b>Vendor Identification</b></p> <p>Graphics Development &amp; Labeling Compliance                  Graphic Artist: Jeffrey M. Caruso SC: 12/13/05</p>													


DRUG FACTS TEXT DEFINED	TYPE SIZE
• DRUG FACTS TITLE	9 pt
• DRUG FACTS CONTINUED	8 pt
• HEADINGS	8 pt
• SUBHEADINGS/BODY TEXT	6 pt
• LEADING	6.5 pt
• # OF CHARACTERS PER INCH	<39
• BULLETS	5 pt
• SPACE BEFORE BULLET	2 ems
• BARLINES, HAIRLINES	1.5 pt, .5 pt
• SPACE BETWEEN HAIRLINES AND BOX END	2 spaces



BASE PANEL




PANEL #4



PANEL #1

3/16" X 3/16" DATA MATRIX CODE (ECC 200), PRINTED IN BLACK OR DARK BLUE ON UNPRINTED WHITE BACKGROUND.

DATA MATRIX CODE = 337701



PANEL #2

PANEL #3

Job Information	Color Legend
<p>Date 12/13/05 PASS # 1                      Component # ML3377-1.FDA03                      Drawing # 6211 Rev. # 1                      Regulatory Manuscript Version: 12/13/05                      Formula # FLF# 0555-0008.00</p>	 <p>PANTONE 282 C</p>
Identification	Printer Notes
<p><b>Wyeth</b>                      Consumer Healthcare                      Graphics Development &amp; Labeling Compliance                      Five Giralda Farms, Madison, NJ 07940                      Phone: (973) 660-5000 • Fax: (973) 660-6048</p>	<p><b>Printer to Replace all FPO Codes with Scannable Art</b></p>
Vendor Identification	
<p>Graphics Development &amp; Labeling Compliance                      Graphic Artist: Jeffrey M. Caruso SC: 12/13/05</p>	

DRUG FACTS TEXT DEFINED	TYPE SIZE
• DRUG FACTS TITLE	N/A
• DRUG FACTS CONTINUED	8 pt
• HEADINGS	8 pt
• SUBHEADINGS/BODY TEXT	6 pt
• LEADING	6.5 pt
• # OF CHARACTERS PER INCH	<39
• BULLETS	5 pt
• SPACE BEFORE BULLET	N/A
• BARLINES, HAIRLINES	1.5 pt, .5 pt
• SPACE BETWEEN HAIRLINES AND BOX END	2 spaces

**ACTUAL SIZE**



UNVARNISHED  
 UNPRINTED  
 AREA FOR LOT  
 & EXP.

3/16" X 3/16" DATA MATRIX  
 CODE (ECC 200), PRINTED  
 IN BLACK OR DARK BLUE  
 ON UNPRINTED WHITE  
 BACKGROUND.


DATA MATRIX  
 CODE = 01642001

**150% FOR PROOFREADING**




Job Information	Color Legend
Date 12/13/05 PASS # 3 Component # U0164-20-1.FDA03 Drawing # 5514 Regulatory Manuscript Version: 12/13/05 Formula # WH# 0555-0008	
Identification	Printer Notes
<b>Wyeth</b> Consumer Healthcare Graphics Development & Labeling Compliance Five Giralda Farms, Madison, NJ 07940 Phone: (973) 660-5000 • Fax: (973) 660-6048	<b>Printer to Replace all FPO Codes                      with Scannable Art</b>
Vendor Identification	
Graphics Development & Labeling Compliance Graphic Artist: Jeffrey M. Caruso SC: 12/13/05	

DRUG FACTS TEXT DEFINED	TYPE SIZE
• HEADINGS	4.5 pt
• SUBHEADINGS/BODY TEXT	4.5 pt
• LEADING	4.5 pt
• BULLETS	3.5 pt
• SPACE BEFORE BULLET	2 ems
• WARNING BOX LINES	.5 pt



Job Information	Color Legend		
Date 12/14/05 PASS # 1 Component # PK17429-1.FDA02 Drawing # 5099 Rev. # 1 Regulatory Manuscript Version: N/A Formula # N/A			
<b>Identification</b> <b>Wyeth</b> Consumer Healthcare Graphics Development & Labeling Compliance Five Giralda Farms, Madison, NJ 07940 Phone: (973) 660-5000 • Fax: (973) 660-6048			
<b>Vendor Identification</b> Graphics Development & Labeling Compliance Graphic Artist: Jeffrey M. Caruso SC: 12/14/05	<b>Printer Notes</b> Printer to Replace all FPO Codes with Scannable Art PILL SOFT DROP SHADOW TO PRINT PROCESS BLACK.		



Job Information	Color Legend		
Date: 12/14/05 PASS # 1 Component # SL1229-1.FDA02 Drawing # 4404 Rev. # 3 Regulatory Manuscript Version: N/A Formula # N/A	 PROCESS CYAN	 PROCESS MAGENTA	 PANTONE 282 C
<b>Identification</b> <b>Wyeth</b> Consumer Healthcare Graphics Development & Labeling Compliance Five Giralda Farms, Madison, NJ 07940 Phone: (973) 660-5000 • Fax: (973) 660-6048	 PROCESS YELLOW	 PROCESS BLACK	 PANTONE 279 C
<b>Vendor Identification</b> Graphics Development & Labeling Compliance Graphic Artist: Jeffrey M. Caruso SC: 12/14/05	<b>Printer Notes</b> Printer to Replace all FPO Codes with Scannable Art PILL SOFT DROP SHADOW TO PRINT PROCESS BLACK.		



Wyeth®  
 Visit us at [www.advil.com](http://www.advil.com)  
 Dist. by Wyeth Consumer Healthcare  
 Madison, NJ 07940 Made in USA  
 U.S. Patent Nos. 5,071,643 and 5,360,615  
 By arrangement with R.P. Scherer Corp.  
 Liqui-Gels® is a trademark of R.P. Scherer Corp.



SL1229-1.FDA02

