

DO NOT VARNISH THIS AREA

Title:  
14 pt. Helvetica Bold  
Condensed Oblique,  
left justified

Headings:  
8 pt. Helvetica Bold  
Condensed Oblique,  
left justified

Right justified

Title for continued panel:  
8 pt. Helvetica Bold  
Condensed Oblique,  
left justified

**maximum strength**  
**Mucinex®**  
1200 mg guaifenesin extended-release bi-layer tablets  
EXPECTORANT

**14** EXTENDED-RELEASE BI-LAYER TABLETS

NDC 69824-023-14

**NEW!**  
**maximum strength**

**Mucinex®**  
1200 mg guaifenesin extended-release bi-layer tablets  
EXPECTORANT

EXPECTORANT



Unique Bi-layer Tablet  
Please visit our Web site:  
www.mucinex.com  
or call 1-866-MUCINEX  
(1-866-682-4639)

Relieves Chest Congestion  
Thins and Loosens Mucus  
**12** HOUR  
**14** EXTENDED-RELEASE BI-LAYER TABLETS

3-63824-02314-4

DO NOT VARNISH THIS AREA

Subheadings:  
6 pt. Helvetica Bold  
Condensed,  
left justified

Choose from the  
**MUCINEX®** line of products  
to treat your symptoms

**MUCINEX®**  
Relieves Chest Congestion  
Thins and Loosens Mucus  
for 12 hours

**MUCINEX® DM**  
Controls Cough  
Thins and Loosens Mucus  
for 12 hours

**MUCINEX® D**  
Clears Nasal/Sinus Congestion  
Thins and Loosens Mucus  
for 12 hours

**Drug Facts**

**Active ingredient (in each extended-release bi-layer tablet)**  
Guaifenesin 1200 mg.....Expectorant

**Purpose**  
**Uses** helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

**Warnings**  
- Do not use ■ for children under 12 years of age  
- Ask a doctor before use if you have ■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema  
- ■ cough accompanied by too much phlegm (mucus)

**Stop use and ask a doctor if** ■ cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Drug Facts (continued)**

**Directions**  
■ do not crush, chew, or break tablet  
■ take with a full glass of water  
■ this product can be administered without regard for the timing of meals  
■ adults and children 12 years of age and over: 1 tablet every 12 hours. Do not exceed 2 tablets in 24 hours.  
■ children under 12 years of age: do not use

**Other information**  
■ tamper evident: do not use if carton is open or if seal on bottle printed "SEALED FOR YOUR PROTECTION" is broken or missing  
■ store between 20-25°C (68-77°F)

**Inactive ingredients** catamer 334P, NF; FD&C blue #1 aluminum lake, hypromellose, USP; magnesium stearate, NF; microcrystalline cellulose, NF; sodium starch glycolate, NF

0.5 pt. headline

© 2007. Distributed by  
Adams Respiratory Therapeutics, Fort Worth, TX 76155  
ADAMS  
RESPIRATORY  
THERAPEUTICS  
US Pat. 6,572,262 B1  
US Pat. 6,955,921 B2

Bullets:  
5 pt. solid square  
Zapf Dingbats  
Graphic leading  
to next panel



DATA MATRIX POSITION

1 5/16"

3 1/2"

1 5/16"

DO NOT VARNISH THIS AREA

Title:  
14 pt. Helvetica Bold  
Condensed Oblique,  
left justified

Headings:  
8 pt. Helvetica Bold  
Condensed Oblique,  
left justified

Title for continued panel:  
8 pt. Helvetica Bold  
Condensed Oblique,  
left justified

Right justified

### Drug Facts

**Active ingredient**  
(in each extended-release bi-layer tablet)  
Guaifenesin 1200 mg.....Expectorant

**Purpose**  
Uses helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

**Warnings**  
Do not use ■ for children under 12 years of age

Ask a doctor before use if you have  
■ persistent or chronic cough such as occurs with emphysema  
■ cough accompanied by too much phlegm (mucus)  
Stop use and ask a doctor if ■ cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

### Drug Facts (continued)

**Directions**  
■ do not crush, chew, or break tablet  
■ take with a full glass of water  
■ this product can be administered without regard for the timing of meals  
■ adults and children 12 years of age and over: 1 tablet every 12 hours. Do not exceed 2 tablets in 24 hours.  
■ children under 12 years of age: do not use

**Other information**  
■ tamper evident: do not use if carton is open or if seal on bottle printed "SEALED for YOUR PROTECTION" is broken or missing  
■ store between 20-25°C (68-77°F)

**Inactive ingredients** carboxer 934P, NF; FD&C blue #1 aluminum lake; hypromellose, USP; mannitol, NF; microcrystalline cellulose, NF; sodium starch glycolate, NF

© 2007, Distributed by  
Adams Respiratory Therapeutics, Fort Worth, TX 76155  
ALVAX  
RESPIRATORY  
THERAPEUTICS  
041207  
10010015  
US Pat. 6,372,262 B1  
US Pat. 6,955,827 B2

0.5 pt. hairline 2.5

**maximum strength**  
**Mucinex®**  
1200 mg guaifenesin extended-release bi-layer tablets  
EXPECTORANT

**NEW!**  
**maximum strength**  
**Mucinex®**  
1200 mg guaifenesin extended-release bi-layer tablets  
EXPECTORANT

► **Relieves Chest Congestion**  
► **Thins and Loosens Mucus**

**12 HOUR**  
**28 EXTENDED-RELEASE BI-LAYER TABLETS**

Please visit our Web site:  
www.mucinex.com  
or call 1-866-MUCINEX  
(1-866-682-4639)



3-63824-02328-1

DO NOT VARNISH THIS AREA

Subheadings:  
6 pt. Helvetica Bold  
Condensed,  
left justified

Bullets:  
5 pt. solid square  
Zapf Dingbats  
Graphic leading  
to next panel

DATA MATRIX POSITION

1 15/16" 3 1/2" 1 15/16"

Bullets:  
5 pt. solid square  
Zapf Dingbats

Headings:  
8 pt. Helvetica Bold  
Condensed Oblique,  
left justified



**Directions**

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for the timing of meals
- adults and children 12 years of age and over: 1 tablet every 12 hours. Do not exceed 2 tablets in 24 hours.
- children under 12 years of age: do not use

Please visit our Web site:  
[www.mucinex.com](http://www.mucinex.com)  
or call 1-866-MUCINEX  
(1-866-682-4639)



© 2007, Distributed by Adams Respiratory Therapeutics, Fort Worth, TX 76155

US Pat. 6,572,262 B1  
US Pat. 6,955,821 B2

04/1007  
10040026

NO VARNISH AREA

2.5 pt. box barline

Body text:  
6 pt. Helvetica  
Condensed  
with 6.5 pt. leading,  
left justified

DATA MATRIX POSITION

5 5/8"



Bullets:  
5 pt. solid square  
Zapf Dingbats - - - - -

Headings:  
8 pt. Helvetica Bold  
Condensed Oblique,  
left justified

**Directions**  
do not crush, chew, or break tablet  
take with a full glass of water  
this product can be administered without regard for the timing of meals  
adults and children 12 years of age and over: 1 tablet every 12 hours. Do not exceed 2 tablets in 24 hours.  
children under 12 years of age: - - - - - do not use

Please visit our Web site:  
[www.mucinex.com](http://www.mucinex.com)  
or call 1-866-MUCINEX  
(1-866-682-4639)

ADAMS  
RESPIRATORY  
THERAPEUTICS  
© 2007. Distributed by Adams Respiratory Therapeutics, Fort Worth, TX 76155  
US Pat. 6,372,262 B1  
US Pat. 6,955,821 B2  
041007  
100-0027


5 5/8"

NO VARNISH  
AREA  
1 1/2"

2.5 pt. box barline

Body text:  
6 pt. Helvetica  
Condensed  
with 6.5 pt. leading,  
left justified

DATA MATRIX  
POSITION



1 15/16" 3 1/2"

Title:  
14 pt. Helvetica Bold  
Condensed Oblique,  
left justified

Headings:  
8 pt. Helvetica Bold  
Condensed Oblique,  
left justified

**maximum strength**  
**Mucinex<sup>®</sup>D**  
1200 mg guaifenesin and 120 mg pseudoephedrine HCl  
extended-release bi-layer tablets  
EXPECTORANT • NASAL DECONGESTANT

**24** EXTENDED-RELEASE BI-LAYER TABLETS

NDC 63824-041-24

**NEW!**  
**maximum strength**  
**Mucinex<sup>®</sup>D**  
1200 mg guaifenesin and 120 mg pseudoephedrine HCl  
extended-release bi-layer tablets  
EXPECTORANT • NASAL DECONGESTANT



Contains FD&C Yellow Dye #6

Please visit our Web site:  
[www.mucinex.com](http://www.mucinex.com)  
or call 1-866-MUCINEX  
(1-866-682-4639)

**12 HOUR**

**24** EXTENDED-RELEASE BI-LAYER TABLETS

► Clears Nasal/Sinus Congestion

► Thins and Loosens Mucus

DO NOT VARNISH THIS AREA

3-63824-04124-7

No Varnish Area

Title for continued panel:  
8 pt. Helvetica Bold  
Condensed Oblique,  
left justified

Right justified

**maximum strength**  
**Mucinex<sup>®</sup>D**  
1200 mg guaifenesin and 120 mg pseudoephedrine HCl  
extended-release bi-layer tablets  
EXPECTORANT • NASAL DECONGESTANT

Choose from the  
**MUCINEX<sup>®</sup>** line of products  
to treat your symptoms

- Relieves Chest Congestion  
Thins and Loosens Mucus  
for 12 hours  
**MUCINEX<sup>®</sup> DM**
- Controls Cough  
Thins and Loosens Mucus  
for 12 hours  
**MUCINEX<sup>®</sup> D**
- Clears Nasal/Sinus Congestion  
Thins and Loosens Mucus  
for 12 hours

Subheadings:  
6 pt. Helvetica Bold  
Condensed,  
left justified

No Varnish Area

**Drug Facts**

**Active Ingredients**  
(in each extended-release bi-layer tablet)  
Guaifenesin 1200 mg.....Expectorant  
Pseudoephedrine HCl 120 mg.....Nasal Decongestant

**Purpose**  
Expectorant secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

**Uses**  
■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive  
■ temporarily relieves nasal congestion due to:  
■ common cold  
■ upper respiratory allergies  
■ temporarily restores free breathing through the nose  
■ promotes nasal and/or sinus drainage  
■ temporarily relieves sinus congestion and pressure

**Warnings**  
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains a MAOI, ask a doctor or pharmacist before taking this product.

**Do not use if you have**  
■ ask a doctor before use if you have:  
■ heart disease  
■ high blood pressure  
■ thyroid disease  
■ diabetes  
■ trouble urinating due to an enlarged prostate gland  
■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema  
■ cough accompanied by too much phlegm (mucus)

**When using this product**  
■ do not use more than directed

**Directions**  
■ do not crush, chew, or break tablet  
■ take with a full glass of water  
■ this product can be administered without regard for timing of meals  
■ adults and children 12 years and older: 1 tablet every 12 hours; not more than 2 tablets in 24 hours  
■ children under 12 years of age: do not use

**Other information**  
■ tamper evident; do not use if printed seal on blister is broken or missing  
■ store at 20-25°C (68-77°F)

**Inactive ingredients** calcium 934F, NF; FD&C yellow #6 aluminum lake; hypromellose USP; magnesium stearate, NF; microcrystalline cellulose, NF; sodium stearoyl glycolate, NF

© 2007. Distributed by  
Adams Respiratory Therapeutics, Fort Worth, TX 75155


**ADAMS RESPIRATORY THERAPEUTICS**  
US Pat. 6,372,262 B1  
US Pat. 6,955,821 B2

Bullets:  
5 pt. solid square  
Zapf Dingbats

Graphic leading  
to next panel

0.5 pt. hairline

DATA MATRIX POSITION



## FILE INFORMATION

**Job Description:** Max Str Mucinex D 1200/120mg 6ct Blister Pack

**Drawing #:** 8253.10

Title:  
14 pt. Helvetica Bold  
Condensed Oblique,  
left justified

Headings:  
8 pt. Helvetica Bold  
Condensed Oblique,  
left justified

Title for continued panel:  
8 pt. Helvetica Bold  
Condensed Oblique,  
left justified

Right justified

**maximum strength**  
**Mucinex® DM**  
1200 mg guaifenesin and 60 mg dextromethorphan HBr  
extended-release bi-layer tablets  
EXPECTORANT • COUGH SUPPRESSANT

**14** EXTENDED-RELEASE BI-LAYER TABLETS

NDC 63824-072-14

**NEW!**  
**maximum strength**  
**Mucinex® DM**  
1200 mg guaifenesin and 60 mg dextromethorphan HBr  
extended-release bi-layer tablets  
EXPECTORANT • COUGH SUPPRESSANT

**12 HOUR**

**14** EXTENDED-RELEASE BI-LAYER TABLETS

► Controls Cough  
► Thins and Loosens Mucus

**maximum strength**  
**Mucinex® DM**  
1200 mg guaifenesin and 60 mg dextromethorphan HBr  
extended-release bi-layer tablets  
EXPECTORANT • COUGH SUPPRESSANT

*Choose from the MUCINEX® line of products to treat your symptoms*

**MUCINEX®**  
Relieves Chest Congestion  
Thins and Loosens Mucus  
for 12 hours

**MUCINEX® DM**  
Controls Cough  
Thins and Loosens Mucus  
for 12 hours

**MUCINEX® D**  
Clears Nasal/Sinus Congestion  
Thins and Loosens Mucus  
for 12 hours

Subheadings:  
6 pt. Helvetica Bold  
Condensed,  
left justified

DO NOT VARNISH THIS AREA

3-63824-07214-2

**Drug Facts**

**Active ingredients (in each extended-release bi-layer tablet)** Dextromethorphan HBr 60 mg..... Cough suppressant  
Guaifenesin 1200 mg..... Expectorant

**Purpose** Cough suppressant

**Uses** ■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive  
■ temporarily relieves  
■ cough due to minor throat and bronchial irritation as may occur with the common cold or influenza  
■ the intensity of coughing  
■ the impulse to cough to help you get to sleep

**Warnings** ■ for children under 12 years of age  
■ if you are now taking a prescription medication or over-the-counter (OTC) drug (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the blood drug. If you do not know if your prescription drug contains a blood, ask a doctor or pharmacist before taking this product.  
■ Ask a doctor before use if you have  
■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema  
■ cough accompanied by too much phlegm (mucus)  
■ when using this product  
■ do not use more than directed

**Directions** ■ do not crush, chew, or break tablet  
■ take with a full glass of water  
■ this product can be administered without regard for timing of meals  
■ adults and children 12 years and older: 1 tablet every 12 hours, not more than 2 tablets in 24 hours  
■ children under 12 years of age: do not use

**Other information** ■ tamper evident; do not use if carbon is open or if seal on bottle printed "SEALED FOR YOUR PROTECTION" is broken or missing  
■ store at 20-25°C (68-77°F)

**Inactive ingredients** carbonate 934F, NF; D&C yellow #10 aluminum lake; hydroxyethylcellulose, USP; magnesium stearate, NF; microcrystalline cellulose, NF; sodium starch glycolate, NF

© 2007, Distributed by  
Adams Respiratory Therapeutics, Fort Worth, TX 76155  
ANAMS  
RESPIRATORY  
THERAPEUTICS  
04/2007  
10010016  
US Pat. 6,372,252 B1  
US Pat. 6,955,821 B2

Bullets:  
5 pt. solid square  
Zapf Dingbats  
Graphic leading  
to next panel

-0.5 pt. headline

DATA MATRIX POSITION

1 15/16"

3 1/2"

1 5/16"



Please visit our Web site:  
[www.mucinex.com](http://www.mucinex.com)  
or call 1-866-MUCINEX  
(1-866-682-4639)

Title:  
14 pt. Helvetica Bold  
Condensed Oblique,  
left justified

Headings:  
8 pt. Helvetica Bold  
Condensed Oblique,  
left justified

**maximum strength**  
**Mucinex<sup>®</sup> DM**  
1200 mg guaifenesin and 60 mg dextromethorphan HBr  
extended-release bi-layer tablets  
EXPECTORANT • COUGH SUPPRESSANT

**28** EXTENDED-RELEASE BI-LAYER TABLETS

**maximum strength**

**Mucinex<sup>®</sup> DM**

1200 mg guaifenesin and 60 mg dextromethorphan HBr  
extended-release bi-layer tablets  
EXPECTORANT  
COUGH SUPPRESSANT



Unique Bi-layer Tablet

Please visit our Web site:  
www.mucinex.com  
or call 1-866-MUCINEX  
(1-866-682-4639)

**NEW!**  
**maximum strength**

**Mucinex<sup>®</sup> DM**

1200 mg guaifenesin and 60 mg dextromethorphan HBr  
extended-release bi-layer tablets  
EXPECTORANT • COUGH SUPPRESSANT

- Controls Cough
- Thins and Loosens Mucus

**28** EXTENDED-RELEASE BI-LAYER TABLETS



3-63824-07228-9

Title for continued panel:  
8 pt. Helvetica Bold  
Condensed Oblique,  
left justified

Right justified

**Drug Facts**

**Active ingredients**  
(in each extended-release bi-layer tablet)  
Dextromethorphan HBr 60 mg..... Cough suppressant  
Guaifenesin 1200 mg.....Expectorant

**Uses** ■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive  
■ temporarily relieves:  
■ cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants  
■ the intensity of coughing  
■ the impulse to cough to help you get to sleep

**Warnings**  
■ Do not use ■ for children under 12 years of age  
■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains a MAOI, ask a doctor or pharmacist before taking this product.  
**Ask a doctor before use if you have**  
■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema  
■ cough accompanied by too much phlegm (mucus)  
**When using this product:**  
■ do not use more than directed

**Directions**  
■ Do not crush, chew or break tablet  
■ Take with a full glass of water  
■ this product can be administered without regard for timing of meals  
■ adults and children 12 years and older:  
1 tablet every 12 hours; not more than 2 tablets in 24 hours  
■ children under 12 years of age: do not use

**Other information**  
■ tamper evident: do not use if capton is open or if seal or bottle primer "SEALED FOR YOUR PROTECTION" is broken or missing  
■ store at 20-25°C (68-77°F)


**Inactive ingredients** acetone 934P, NF; D&C yellow #10 aluminum lake, hypromellose, USP; magnesium stearate, NF; microcrystalline cellulose, NF; sodium starch glycolate, NF

© 2007. Distributed by  
Amen Respiratory Therapeutics, Fort Worth, TX 76155  
**AMEN RESPIRATORY THERAPEUTICS**  
10010017  
US Pat. 6,572,252 B1  
US Pat. 6,955,821 B2

0.5 pt. hairline  
Bullets:  
5 pt. solid square  
Zapf Dingbats  
Graphic leading to next panel

DO NOT VARNISH THIS AREA

1 15/16" 3 1/2" 1 15/16" DATA MATRIX POSITION



Bullets:  
5 pt. solid square  
Zapf Dingbats

Headings:  
8 pt. Helvetica Bold  
Condensed Oblique,  
left justified

**Directions**

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 1 tablet every 12 hours; not more than 2 tablets in 24 hours
- children under 12 years of age: do not use

Please visit our Web site:  
[www.mucinex.com](http://www.mucinex.com)  
or call 1-866-MUCINEX  
(1-866-682-4639)

ADAMS  
RESPIRATORY  
THERAPEUTICS

US Pat. 6,372,282 B1  
US Pat. 6,953,821 B2

0411007  
10040028

© 2007. Distributed by Adams Respiratory Therapeutics, Fort Worth, TX 76155

5 5/8" NO VARNISH AREA

2.5 pt. box barline  
6 pt. Helvetica  
Condensed  
with 6.5 pt. leading,  
left justified

DATA MATRIX POSITION

Bullets:  
5 pt. solid square  
Zapf Dingbats


Headings:  
8 pt. Helvetica Bold  
Condensed Oblique,  
left justified

NO VARNISH  
AREA

2.5 pt. box barline

Body text:  
6 pt. Helvetica  
Condensed  
with 6.5 pt. leading,  
left justified

DATA MATRIX  
POSITION



**Directions**

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 1 tablet every 12 hours; not more than 2 tablets in 24 hours
- children under 12 years of age: do not use

Please visit our Web site:  
[www.mucinex.com](http://www.mucinex.com)  
or call 1-866-MUCINEX  
(1-866-682-4639)

ADAMS  
RESPIRATORY  
THERAPEUTICS

US Pat. 6,372,232 B1  
US Pat. 6,955,821 B2

© 2007, Distributed by Adams Respiratory Therapeutics, Fort Worth, TX 76155

041007 10040029

5 5/8"

1/2"

2"