

onfact occurs, inse with cold water hight away and contact a doctor, frop use and ask a door if initiation, centilation, or allergic saction occurs. These may be signs of a serious condition.

Antique Unive Nord 15pt Product name tq0S broM svilO supitnA. Fonts Descriptions

tqe nsmoR əvilO əupitnA..... txət tnot "ralugəR tqe bloB evilO eupitnA..."QtD", "Contents", "Ctb" (Single Swabstick...") Antique Olive Black 9pt ChloraPrep is a broad spectrum..." roduct Description Antique Olive Compact 10pt tq0S broM evilO eupitnA. Product name Fonts Descriptions

1qUf blod evilO eupitnA. quantity otni kessibbA 1q21 broM eville eupitnA. tq0S broM evilO eupitnA. Product name Fonts Descriptions

> Questions? (M-F 8 a.m.-5 p.m. CST) HSINFAV ON

> > 48 dty.

Applicators

Swabstick

Single

chloraPrep®

"Gj1Utn9

LOT NO: HSINAAV ON *+H98526010025*

▼ Tear Here ▼

xternal use only. Flammable, keep away from fire or . To reduce risk of fire:

Drug Facts Chloxapaga Single Swabstick Chloxapaga Gluconate 2% w/v and isoptopyl Alcohol 70% v/v Patient Preoperative Skin Preparation - Single Swabstick Applicator



Applicator

Chlorhexidine Gluconate 2% w/v

ChloraPrep® Single **Swabstick**

and Isopropyl Alcohol 70% v/v Patient Preoperative Skin Preparation

Artwork No. 6-824100 Rev. C Issue Date:02/07

Pantone 109 C yellow

Pantone 3248 C blue (blend color) Pantone 2746 C blue

HSINFAV ON

Indicates varnįsh cut-out area

Patient Preoperative Skin Preparation

Chlorhexidine Cluconate 2% w/v and Isopropyl Alcohol 70% v/v

Applicators Single Swabstick

Cat. No. 260100 NDC 024365-400-07

solution contains alcohol and gives off CHILLIO VISU GODDRI O Keep away from fire or farms. **AWARNING**

loog of nottulos wolls fon ob .

or may not dry completely. « seare yrish othi nothulos gnittag biove (nixle assinish no astunim &

completely dry (minimum of

(e.g.,cautery, laser) until solution is

• do not drape or use ignition source

"6J1UTN9

Single chloraPrep[®]

Enturia

48 dty.

Applicators

SWabstick

table to front panel. Remove "" symbol from next to NDC, change temperature of storage from "20-25" C" to "15-30"F" **Second to prevent all second to the contract of the contract **G8T** 70/20 ocument to be consistent with raw material specification title. 90/2/01 establing with the proof and the set bloom of the control of the c - Jogo - all revisions made for consistency with Sepp carton Advantage of the state of the s for consistency with back panel and other packaging components, move "Do not use with" down to next line (on back panel) so complete statement is on one line in Drug Facts box, revise treatment area, revise dry times from "at least" to "approximately" 2004-08-27 8 1/0/21/8 revise product name on top panel (add "Single") for consistency with other panels, delete "Antiseptic" from "Patient Preoperative..." statement on top and front panel What Was Changed Date Rev CAF#