



NO INK/NO VARNISH

3.1497
[80.00]

Drug Facts (continued)

- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- a sodium-restricted diet

Ask a doctor or pharmacist before use if you are taking

- warfarin (blood-thinning medicine)
- prescription antifungal or anti-yeast medicines
- diazepam (anxiety medicine)
- digoxin (heart medicine)
- tacrolimus (immune system medicine)
- prescription antiretrovirals (medicines for HIV infection)
- any other prescription drugs. Sodium bicarbonate may interact with certain prescription drugs

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect, although some people get complete relief of symptoms within 24 hours

14-Day Course of Treatment

- swallow 1 capsule with a glass of water at least 1 hour before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- do not chew or crush the capsule
- do not open capsule and sprinkle on food
- do not use for more than 14 days unless directed by your doctor

Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

Drug Facts (continued)

Other information

- each capsule contains: sodium 303 mg
- read the directions, warnings and accompanying label information before use
- store at 20°-25°C (68°-77°F)
- tamper-evident: do not use if the blue band around the capsule is missing or broken. Do not use if foil inner seal imprinted with "Sealed for your protection" is missing, open or broken.
- keep product out of high heat and humidity
- protect product from moisture

Inactive ingredients

croscarmellose sodium, FD&C blue No. 1, gelatin, magnesium stearate, pharmaceutical ink, polysorbate 80, titanium dioxide

Questions or comments?

Call 1-888-4ZEGOTC (1-888-493-4682) between 8:00 AM and 5:00 PM Eastern Standard Time, Monday through Friday or visit www.ZegeridOTC.com

© Copyright & Distributed by Schering-Plough HealthCare Products, Inc., Kenilworth, NJ 07033 USA. Product of Spain
All rights reserved. US Patent Nos. 6,469,346, 6,699,885, 6,780,882, 6,645,988 36589-00



New

Treats Frequent Heartburn
Zegerid
OTC™



14
CAPSULES

NDC 06090-0000 0

Treats Frequent Heartburn

Zegerid
OTC™

- Omeprazole 20 mg/Acid Reducer
- Sodium Bicarbonate 1100 mg/
Allows Absorption of this Omeprazole Product



14
CAPSULES
One 14-Day Course of Treatment

Drug Facts

Active ingredients (in each capsule)

Omeprazole 20 mg..... Acid reducer
Sodium Bicarbonate 1100 mg.....
.....Allows absorption of this omeprazole product

Purpose

Use

- treats frequent heartburn (occurs 2 or more days a week)
- not intended for immediate relief of heartburn. This drug may take 1 to 4 days for full effect.

Warnings

Allergy alert: Do not use if you are allergic to omeprazole

Do not use if you have:

- trouble or pain swallowing food
 - vomiting with blood
 - bloody or black stools
- These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness

NO INK
NO VARNISH



LOT/EXP
Area
No Ink
No Varnish

PRINTSIDE GLUE

PRINTSIDE GLUE

ATTACH LEGEND ON ALL DIGITAL MECHANICALS

STANDARD FORMAT

Helvetica Condensed
Variable horizontal scale adheres to 39 characters per inch

Drug Facts - 9 pt Helvetica Cnd. Bold Italic

Drug Facts (continued)

Drug Facts - 8 pt Helvetica Cnd. Bold Italic (continued) - 8 pt Helvetica Cnd.

Headings - 8 pt Helvetica Cnd. Bold Italic

Sub Heads - 6 pt Helvetica Cnd. Bold

Text - 6 pt Helvetica Cnd, minimum leading 6.5

Square Bullets - 3.5 pt Zaph Dingbats no compression

Border - 1 pt rule, 3/64" gap all around

Barline - 1 pt rule _____

Hairline - .5 pt rule _____

Certified by: eb

APO: P0834-09

10.20.09

03658700



NO INK
NO VARNISH

Drug Facts

Active ingredients (in each capsule)	Purpose
Omeprazole 20 mg	Acid reducer
Sodium Bicarbonate 1100 mg	Allows absorption of this omeprazole product

Use

- treats frequent heartburn (occurs 2 or more days a week)
- not intended for immediate relief of heartburn. This drug may take 1 to 4 days for full effect.

Warnings

Allergy alert: Do not use if you are allergic to omeprazole

Do not use if you have:

- trouble or pain swallowing food
- vomiting with blood
- bloody or black stools

These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath, sweating, pain spreading to arms, neck or shoulders, or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- a sodium-restricted diet

Ask a doctor or pharmacist before use if you are taking

- warfarin (blood-thinning medicine)
- prescription antifungal or anti-yeast medicines

Drug Facts (continued)

- diazepam (anxiety medicine)
- digoxin (heart medicine)
- lactulose (immune system medicine)
- prescription antiretrovirals (medicines for HIV infection)
- any other prescription drugs. Sodium bicarbonate may interact with certain prescription drugs

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect, although some people get complete relief of symptoms within 24 hours

14-Day Course of Treatment

- swallow 1 capsule with a glass of water at least 1 hour before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- do not chew or crush the capsule
- do not open capsule and sprinkle on food
- do not use for more than 14 days unless directed by your doctor

Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor

Drug Facts (continued)

- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

Other information

- each capsule contains: sodium 303 mg
- read the directions, warnings and accompanying label information before use
- store at 20°-25°C (68°-77°F)
- tamper-evident: do not use if the blue band around the capsule is missing or broken. Do not use if foil inner seal imprinted with "Sealed for your protection" is missing, open or broken.
- keep product out of high heat and humidity
- protect product from moisture

Inactive ingredients

croscarmellose sodium, FD&C blue No. 1, gelatin, magnesium stearate, pharmaceutical ink, polysorbate 80, titanium dioxide

Questions or comments?

Call 1-888-4ZEGOTC (1-888-493-4682) between 8:00 AM and 5:00 PM Eastern Standard Time, Monday through Friday or visit www.ZegeridOTC.com

© Copyright & Distributed by Schering-Plough HealthCare Products, Inc., Kenilworth, NJ 07033 USA. Product of Spain. All rights reserved. US Patent Nos. 6,489,346; 6,699,885; 6,789,882; 6,645,988 36587-00

recyclable carton

Treats Frequent Heartburn
Zegerid
OTC™



28
CAPSULES

New

Treats Frequent Heartburn

Zegerid
OTC™

- Omeprazole 20 mg/Acid Reducer
- Sodium Bicarbonate 1100 mg/ Allows Absorption of this Omeprazole Product



28
CAPSULES

Two 14-Day Courses of Treatment

NUC 00000-0000-0

Treats Frequent Heartburn
Zegerid
OTC™
28
CAPSULES

NO INK
NO VARNISH



LOT
EXP
Area
NO INK
NO VARNISH

FACH LEGEND ON ALL
ITAL MECHANICALS
ANDARD FORMAT
Ivetica Condensed
riable horizontal scale adheres to 39 characters

0058590



NO INK
NO VARNISH

03658500



Drug Facts

Active ingredients (in each capsule)

Omeprazole 20 mg
Sodium Bicarbonate 1100 mg

Purpose

Acid reducer
Allows absorption of this omeprazole product

Use

- treats frequent heartburn (occurs 2 or more days a week)
- not intended for immediate relief of heartburn. This drug may take 1 to 4 days for full effect.

Warnings

Allergy alert: Do not use if you are allergic to omeprazole

Do not use if you have:

- trouble or pain swallowing food
 - vomiting with blood
 - bloody or black stools
- These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- a sodium-restricted diet

Ask a doctor or pharmacist before use if you are taking

- warfarin (blood-thinning medicine)
- prescription antifungal or anti-yeast medicines

Drug Facts (continued)

- diazepam (anxiety medicine)
- digoxin (heart medicine)
- tacrolimus (immune system medicine)
- prescription antiretrovirals (medicines for HIV infection)
- any other prescription drugs. Sodium bicarbonate may interact with certain prescription drugs

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect, although some people get complete relief of symptoms within 24 hours

14-Day Course of Treatment

- swallow 1 capsule with a glass of water at least 1 hour before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- do not chew or crush the capsule
- do not open capsule and sprinkle on food
- do not use for more than 14 days unless directed by your doctor

Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor

Drug Facts (continued)

- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

Other information

- each capsule contains: sodium 303 mg
- read the directions, warnings and accompanying label information before use
- store at 20°-25°C (68°-77°F)
- tamper-evident: do not use if the blue band around the capsule is missing or broken. Do not use if foil inner seal imprinted with "Sealed for your protection" is missing, open or broken.
- keep product out of high heat and humidity
- protect product from moisture

Inactive ingredients

croscarmellose sodium, FD&C blue No. 1, gelatin, magnesium stearate, pharmaceutical ink, polysorbate 80, titanium dioxide

Questions or comments?

Call 1-888-4ZEGOTC (1-888-493-4682) between 8:00 AM and 5:00 PM Eastern Standard Time, Monday through Friday or visit www.ZegeridOTC.com

© Copyright & Distributed by Schering-Plough HealthCare Products, Inc., Kenilworth, NJ 07033 USA. Product of Spain. All rights reserved. US Patent Nos. 6,469,346, 6,699,885, 6,780,882, 6,645,988 36585-00



Treats Frequent Heartburn

Zegerid
OTC™



42
CAPSULES

New

Treats Frequent Heartburn

Zegerid
OTC™

- Omeprazole 20 mg/Acid Reducer
- Sodium Bicarbonate 1100 mg/
Allows Absorption of this Omeprazole Product



42
CAPSULES

Three 14-Day Courses of Treatment



0 41100 80677 2

LOT
EXP
Area

NO INK
NO VARNISH

NO INK
NO VARNISH

Treats Frequent Heartburn
Zegerid
OTC™
42
CAPSULES

NDC 0099 8000 0

ON ALL
ICALS

adheres to 39 characters

ica Cnd. Bold Italic

vetica Cnd. Bold Italic
helvetica Cnd.

sa Cnd. Bold Italic

ica Cnd. Bold

d, minimum leading 6.5

aph Dingbats no compression

gap all around