

(b) (4)

2 1/2

1 3/8

1 3/8

For Intravenous Use Only
Sterile, Nonpyrogenic,
Preservative Free.
Store at 20° to 25°C
(68° to 77°F). [See USP.]

NDC 55390-357-03

**CAFCIT®
(caffeine citrate)
Injection**

**60 mg/3 mL
(20 mg/mL)**

For Intravenous Use Only

**For Single Use Only.
Discard Unused Portion.**

Rx only



LOT
EXP

CFCI-C01

Usual Dosage:
See Package Insert.

Each mL of CAFCIT®
(caffeine citrate) Injection
contains 20 mg of
caffeine citrate prepared
in solution by the addition
of 10 mg caffeine
anhydrous to 5.0 mg of
citric acid monohydrate,
8.3 mg sodium citrate
dihydrate and Water for
Injection.

**60 mg/3 mL
(20 mg/mL)**

**CAFCIT®
(caffeine citrate)
Injection**

**60 mg/3 mL
(20 mg/mL)**

For Intravenous Use Only

**For Single Use Only.
Discard Unused Portion.**

Rx only



NO PRINT



052590

(b) (4)

Note (b) (4)

CAFCIT[®]
(caffeine citrate)
INJECTION

60 mg/3 mL
(20 mg/mL)

For Intravenous Use Only

For single use only;
discard unused portion.

NDC 55390 357 03

Each mL of CAFKIT[®] Injection contains
20 mg caffeine citrate. Sterile, nonpyrogenic,
preservative free.

Rx only

Store at 20 to 25 C (68 to 77 F). [See USP.]


Mig for Bedford Labs[™]
Bedford, OH 44146

CFCI V01

(b) (4)

(b) (4)

Note: (b) (4)



NOTE: (b) (4)

