	NDA 020189/S-027 FDA Approved Labeling Text dated 8/27/2012 Page 22		
877	Medication Guide		
878	FELBATOL (Fel-ba-taal)		
879	(felbamate)		
880	Tablets and Oral Suspension		
881	IS-00431-01 Rev. 7/11		
882 883 884 885	Read this Medication Guide before you start taking FELBATOL and each time you get a refill. There may be new information. This information does not take the place of talking to your healthcare provider about your medical condition or treatment.		
886	What is the most important information I should know about FELBATOL?		
887	. Do not stop taking FELBATOL without first talking to your healthcare provider.		
888 889	Stopping FELBATOL suddenly can cause serious problems.		
890	FELBATOL can cause serious side effects, including:		
891	1. FELBATOL may cause serious blood problems that may be life-threatening.		
892	Call your healthcare provider right away if you have any of the following symptoms:		
893	<ul> <li>Fever, sore throat or other infections that come and go or do not go away</li> </ul>		
894	<ul> <li>Frequent infections or an infection that does not go away</li> </ul>		
895	Easy bruising		
896	Red or purple spots on your body		
897	Bleeding gums or nose bleeds		
898	Severe fatigue or weakness		
899			
900 901	2. Liver problems that may be life-threatening. Call your healthcare provider right away if you have any of these symptoms:		
902	<ul> <li>yellowing of your skin or the whites of your eyes (jaundice)</li> </ul>		
903	dark urine		
904	nausea or vomiting		
905	<ul> <li>loss of appetite</li> </ul>		
906	<ul> <li>pain on the right side of your stomach (abdomen)</li> </ul>		

NDA 020189/S-027	
FDA Approved Labeling Text dated 8/27/2012	
Page 23	

9	0	7

908	3. Like other antiepileptic drugs, FELBATOL may cause suicidal thoughts or actions
909	in a very small number of people, about 1 in 500.

- 910 Call your healthcare provider right away if you have any of these symptoms, 911 especially if they are new, worse, or worry you:
- 912 thoughts about suicide or dying
- 913 attempts to commit suicide
- 914 new or worse depression
- 915 new or worse anxiety
- 916 feeling agitated or restless
- 917 panic attacks
- 918 trouble sleeping (insomnia)
- 919 new or worse irritability
- 920 acting aggressive, being angry, or violent
- 921 acting on dangerous impulses
- 922 an extreme increase in activity and talking (mania)
- 923 other unusual changes in behavior or mood

## 924 How can I watch for early symptoms of suicidal thoughts and actions?

- Pay attention to any changes, especially sudden changes, in mood, behaviors, thoughts, or feelings.
- 927 Keep all follow-up visits with your healthcare provider as scheduled.
- 928 Call your healthcare provider between visits as needed, especially if you are worried about 929 symptoms.
- 930 Do not stop FELBATOL without first talking to a healthcare provider.
- 931 Stopping FELBATOL suddenly can cause serious problems. You should talk to your healthcare 932 provider before stopping. Stopping a seizure medicine suddenly in a patient who has epilepsy
- 933 can cause seizures.
- 934 Suicidal thoughts or actions can be caused by things other than medicines. If you have suicidal thoughts or actions, your healthcare provider may check for other causes. 935

936

937

925

926

## What is FELBATOL?

- 938 FELBATOL is a prescription medicine used when other treatments have failed in:
- 939 adults alone or with other medicines to treat:

NDA 020189/S-027 FDA Approved Labeling Text dated 8/27/2012 Page 24 partial seizures with and without generalization children with other medicines to treat: 942 seizures associated with Lennox-Gastaut syndrome 944 Who should not take FELBATOL? Do not take FELBATOL if you: 946 are allergic to felbamate, carbamates or any of the ingredients in FELBATOL. See the end of this Medication Guide for a complete list of ingredients in FELBATOL. 948 have or have had blood problems have or have had liver problems What should I tell my healthcare provider before taking FELBATOL? Before you take FELBATOL, tell your healthcare provider if you: 952 have kidney problems 953 have or have had depression, mood problems, or suicidal thoughts or behavior 954 have any other medical conditions are pregnant or plan to become pregnant. It is not known if FELBATOL can harm your unborn baby. Tell your healthcare provider right away if you become pregnant while taking FELBATOL. You and your healthcare provider will decide if you should take FELBATOL while you are pregnant. If you become pregnant while taking FELBATOL, talk to your healthcare provider about registering with the North American Antiepileptic Drug (NAAED) Pregnancy Registry. The purpose of this registry is to collect information about the safety of 962 antiepileptic medicine during pregnancy. You can enroll in this registry by calling 1-888-233-2334. are breastfeeding or plan to breastfeed. FELBATOL may pass into your breast milk. You and your healthcare provider should decide if you should take FELBATOL while you breastfeed.

968 Tell your healthcare provider about all the medicines you take, including prescription 969 and non-prescription medicines, vitamins, and herbal supplements.

970 Taking FELBATOL with certain other medicines can cause side effects or affect how well they 971 work. Do not start or stop other medicines without talking to your healthcare provider.

972 Know the medicines you take. Keep a list of them and show it to your healthcare provider and 973 pharmacist when you get a new medicine.

940

941

943

945

947

949

950

951

955

956

957

958

959

960

961

963

964

965

966

967

974975

976

977

978

979

980

## How should I take FELBATOL?

- Take FELBATOL exactly as your healthcare provider tells you. Your healthcare provider will tell you how much FELBATOL to take and when to take it.
- Your healthcare provider may change your dose of FELBATOL. Do not change your dose of FELBATOL without talking to your healthcare provider.
- Because of the risk of serious blood and liver problems, your healthcare provider may do blood tests before you start and while you take FELBATOL.

981 982

983

• If you take too much FELBATOL, call your healthcare provider or local Poison Control Center right away.

984 985

986

988

989

990

991

- Do not stop FELBATOL without first talking to your healthcare provider.
- 987 What should I avoid while taking FELBATOL?
  - FELBATOL can cause drowsiness and dizziness. Do not drink alcohol or take
    other medicines that make you sleepy or dizzy while taking FELBATOL, until you
    talk with your doctor. Taking FELBATOL with alcohol or drugs that cause
    sleepiness or dizziness may make your sleepiness or dizziness worse.
- 992 What are the possible side effects of FELBATOL?
- 993 See "What is the most important information I should know about FELBATOL?"
- 994 FELBATOL may cause serious side effects including:
- 995 The most common side effects of FELBATOL include:
- 996 weight loss
- 997 vomiting
- 998 trouble sleeping
- 999 nausea
- 1000 dizziness
- sleepiness
- 1002 headache
- 1003 double-vision
- changes in the way that food tastes
- These are not all the possible side effects of FELBATOL. For more information, ask your healthcare provider or pharmacist.

1007

	NDA 020189/S-027 FDA Approved Labeling Text dated 8/27/20 Page 26	2	
1008 1009	Tell your healthcare provider if you have any side effect that bothers you or that does not go		
1010			
1011 1012	Call your doctor for medical advice about side effects. You may report side effects t FDA at 1-800-FDA-1088.		
1013			
1014	How should I store FELBATOL?		
1015	<ul> <li>Store FELBATOL at room tem</li> </ul>	perature between 68°F to 77°F (20°C to 25°C).	
1016	Keep FELBATOL and all medicines out of the reach of children.		
1017	General information about FELBATOL.		
1018 1019 1020	Medicines are sometimes prescribed for purposes other than those listed in a Medication Guide. Do not use FELBATOL for a condition for which it was not prescribed. Do not give FELBATOL to other people, even if they have the same symptoms that you have. It may harm them.		
1021			
1022 1023 1024	This Medication Guide summarizes the most important information about FELBATOL. If you would like more information, talk with your healthcare provider. You can ask your pharmacist of healthcare provider for information about FELBATOL that is written for health professionals.		
1025	What are the ingredients in FELBATOL?		
1026	Active Ingredient: felbamate		
1027 1028 1029	<b>Tablet Inactive Ingredients:</b> starch, microcrystalline cellulose, croscarmellose sodium, lactose, magnesium stearate, FD&C Yellow No. 6, D&C Yellow No. 10, and FD&C Red No. 40 (600 mg tablets only).		
1030 1031 1032	Suspension Inactive Ingredients: sorbitol, glycerin, microcrystalline cellulose, carboxymethylcellulose sodium, simethicone, polysorbate 80, methylparaben, saccharin sodium, propylparaben, FD&C Yellow No. 6, FD&C Red No. 40, flavorings, and purified water.		
1033	For more information, go to www. FELBATOL.com or call 1-800-526-3840.		
1034			
1035			
1036	This Medication Guide has been approved by the U.S. Food and Drug Administration.		
1037			
1038	MEDA Pharmaceuticals	Issued 7/11	
1039	MEDA Pharmaceuticals Inc., Somerset, NJ 08873-4120		
1040	FELBATOL is a registered trademark of Meda Pharmaceuticals Inc.		
1041 1042	IS-00431-01 <b>Rx Onl</b>	<b>y</b> Rev. 7/11	