

Title for Continued Panel:
8 point Helvetica Bold Italic

8 point Helvetica Regular

Headings:
8 point Helvetica Bold
italic, left justified

Bullet:
5 point
solid square

Subheadings:
6 point Helvetica Bold
left justified

0.5 point hairline

2.5 point barline

table format for
3 or more doses

Body Text:
6 point Helvetica Regular
left justified, 6.5 leading

Allegra-D
12 Hour Allergy
& Congestion

NON-DROWSY
Original Prescription Strength

12 Hour

Drug Facts (continued)

Warnings
Do not use

- if you have ever had an allergic reaction to this product or any of its ingredients
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have difficulty swallowing

Ask a doctor before use if you have

- heart disease
- thyroid disease
- glaucoma
- high blood pressure
- diabetes
- trouble urinating due to an enlarged prostate gland
- kidney disease. Your doctor should determine if you need a different dose.

When using this product

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)
- the tablet coating may be seen in the stool (this is normal). Continue to take as directed (see Directions).

Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away.
- symptoms do not improve within 7 days or are accompanied by a fever
- you get nervous, dizzy, or sleepless

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not divide, crush, chew or dissolve the tablet; swallow tablet whole

adults and children 12 years of age and over	take 1 tablet with a glass of water every 12 hours on an empty stomach; do not take more than 2 tablets in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

Other information

- safety sealed: do not use if carton is opened or if individual blister units are torn or opened
- store between 20° and 25°C (68° and 77°F)

Inactive ingredients
carnauba wax, colloidal silicon dioxide, croscarmellose sodium, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, pregelatinized starch, stearic acid

Questions or comments?
call toll-free 1-800-633-1610 or www.allegra.com

Allegra-D
12 Hour Allergy & Congestion

10 Tablets

Indoor and Outdoor Allergies

Extended Release Tablets

pseudoephedrine HCl 120 mg/nasal decongestant

fenexfenadine HCl 60 mg/antihistamine

Allegra-D
12 Hour Allergy & Congestion

NON-DROWSY
Original Prescription Strength

NDC 41167 4310 2

50094535

50094535

Relief of:

- ✓ Nasal Congestion
- ✓ Sinus Congestion & Pressure
- ✓ Runny Nose
- ✓ Sneezing
- ✓ Itchy, Watery Eyes
- ✓ Itchy Nose or Throat

Drug Facts

Active ingredients (in each tablet)	Purpose
Fexofenadine HCl 60 mg.....	Antihistamine
Pseudoephedrine HCl 120 mg.....	Nasal decongestant

Drug Facts (continued)

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ sneezing ■ nasal congestion
- itchy, watery eyes ■ itching of the nose or throat
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

3 41167 4310 2

50095PA-01

Chattanooga, TN 37409-0219 ©2012
Dist. By: Chatham, Inc. (part of the sanofi-aventis group).
The trade dress of this Allegra-D package is subject to trademark protection.
The makers of Allegra-D do not make store brand products.

Title:
14 point Helvetica Bold
italic, left justified

Right Justified

Graphic leading
to next panel