

**Title:**  
14 point Helvetica Bold  
italic, left justified

**Headings:**  
8 point Helvetica Bold  
italic, left justified

**Bullet:**  
5 point  
solid square

**Subheadings:**  
6 point Helvetica Bold  
left justified

**Title for Continued Panel:**  
8 point Helvetica Bold Italic

Right Justified

8 point Helvetica Regular

0.5 point hairline

table format for  
3 or more doses

2.5 point barline

**Body Text:**  
6 point Helvetica Regular  
left justified, 6.5 leading

**Drug Facts**

Active ingredient (in each tablet)	Purpose
Fexofenadine HCl 60 mg	Antihistamine

**Uses**  
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
■ runny nose ■ itchy, watery eyes  
■ sneezing ■ itching of the nose or throat

**Warnings**  
**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients.  
**Ask a doctor before use if you have** kidney disease. Your doctor should determine if you need a different dose.

**When using this product**  
■ do not take more than directed  
■ do not take at the same time as aluminum or magnesium antacids  
■ do not take with fruit juices (see Directions)

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.  
**If pregnant or breast-feeding**, ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Drug Facts (continued)**

**Directions**

adults and children 12 years of age and over	take one 60 mg tablet with water every 12 hours; do not take more than 2 tablets in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

**Other information**  
■ safety sealed: do not use if carton is opened or if individual blister units are torn or opened  
■ store between 20° and 25°C (68° and 77°F)  
■ protect from excessive moisture

**Inactive ingredients**  
colloidal silicone dioxide, croscarmellose sodium, hypromellose, iron oxide blends, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, titanium dioxide

**Questions or comments?**  
call toll-free 1-800-633-1610 or www.allegra.com

Dist. By: Chatterm, Inc. (part of the sanofi-aventis Group), Chattanooga, TN 37409-0219 ©2012 Origin United Kingdom 5009SPA-03

LOT EXP

500974533

4116741312

500974533

500974533

Title for Continued Panel:  
8 point Helvetica Bold Italic

Right Justified

8 point Helvetica Regular

Title:  
14 point Helvetica Bold  
italic, left justified

**Allegra**  
Allergy

24 Hour

NON-DROWSY  
Original Prescription Strength

### Drug Facts

**Active ingredient (in each tablet)** Purpose  
Fexofenadine HCl 180 mg..... Antihistamine

#### Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
■ runny nose ■ itchy, watery eyes  
■ sneezing ■ itching of the nose or throat

#### Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.

#### When using this product

■ do not take more than directed  
■ do not take at the same time as aluminum or magnesium antacids  
■ do not take with fruit juices (see Directions)

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

### Drug Facts (continued)

#### Directions

adults and children 12 years of age and over	take one 180 mg tablet with water once a day, do not take more than 1 tablet in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

#### Other information

■ safety sealed; do not use if carton is opened or if individual blister units are torn or opened  
■ store between 20° and 25°C (68° and 77°F)  
■ protect from excessive moisture

#### Inactive ingredients

colloidal silicone dioxide, croscarmellose sodium, hypromellose, iron oxide blends, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, titanium dioxide

#### Questions or comments?

call toll-free 1-800-633-1610 or www.allegra.com

Dist. By: Chatterm, Inc. (part of the sanofi-aventis Group), Chattanooga, TN 37409-0219 ©2012 Origin United Kingdom 5009SPA-04

LOT  
EXP

0.5 point hairline

table format for  
3 or more doses


2.5 point barline

Headings:  
8 point Helvetica Bold  
italic, left justified

Bullet:  
5 point  
solid square

Subheadings:  
6 point Helvetica Bold  
left justified

Body Text:  
6 point Helvetica Regular  
left justified, 6.5 leading



**Allegra**  
Allergy

The makers of Allegra® do not make store brand products.  
The trade dress of this Allegra® package is subject to trademark protection.

15 Tablets

Indoor and Outdoor Allergies

fexofenadine HCl tablet 180 mg/antihistamine

**Allegra**  
Allergy

Relief of:  
**24 Hour**

NON-DROWSY  
Original Prescription Strength

NDC 41167-4120-2

**24 Hour**

NON-DROWSY  
Original Prescription Strength

# Allegra<sup>®</sup> Allergy

NON-DROWSY  
Original Prescription Strength



**1 BOTTLE  
INSIDE**  
**24 Hour**

NDC 41167-4120-3

NON-DROWSY  
Original Prescription Strength

# Allegra<sup>®</sup> Allergy

# Allegra<sup>®</sup> Allergy

**24 Hour**  
Relief of:

- ✓ Runny Nose
- ✓ Sneezing
- ✓ Itchy, Watery Eyes
- ✓ Itchy Nose or Throat

fexofenadine HCl tablet **180 mg**/antihistamine

Indoor and Outdoor Allergies

**30** Tablets

LOT

EXP



**Title:**  
14 point Helvetica Bold  
italic, left justified

**Headings:**  
8 point Helvetica Bold  
italic, left justified

**Subheadings:**  
6 point Helvetica Bold  
left justified

## Drug Facts

**Active ingredient (in each tablet) Purpose**  
Fexofenadine HCl 180 mg.....Antihistamine

### Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
■ runny nose ■ itchy, watery eyes  
■ sneezing ■ itching of the nose or throat

### Warnings

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients.  
**Ask a doctor before use if you have kidney disease.** Your doctor should determine if you need a different dose.

### When using this product

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. ▶

The makers of Allegra<sup>®</sup> do not make store brand products. The trade dress of this Allegra<sup>®</sup> package is subject to trademark protection. Dist. By: Chattem, Inc. (part of the sanofi-aventis Group), Chattanooga, TN 37409-0219 ©2012 Origin United Kingdom 5009SPA-05

Right Justified

**Title for Continued Panel:**  
8 point Helvetica Bold Italic

8 point Helvetica Regular

## Drug Facts (continued)

### Directions

adults and children 12 years of age and over	take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

### Other information

- safety sealed: do not use if carton is opened or if printed foil inner seal on bottle is torn or missing
- store between 20° and 25°C (68° and 77°F)
- protect from excessive moisture

### Inactive ingredients

colloidal silicone dioxide, croscarmellose sodium, hypromellose, iron oxide blends, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, titanium dioxide

### Questions or comments?

call toll-free 1-800-633-1610 or www.allegra.com

0.5 point hairline

table format for  
3 or more doses

2.5 point barline

**Body Text:**  
6 point Helvetica Regular  
left justified, 6.5 leading

**Bullet:**  
5 point  
solid square

**Headings:**  
6 point Helvetica Bold  
italic, left justified

Right Justified

**Bullet:**  
6 point solid square

1 point barline

**Body Text:**  
6 point Helvetica Bold  
left justified

**Subheadings:**  
6 point Helvetica Bold

Graphic leading  
to next panel

0.5 point hairline

The diagram shows a rectangular box representing the Allegra Allergy packaging. The box is divided into several sections:

- Top Left:** "NON-DROWSY Original Prescription Strength" in a small orange box.
- Top Center:** "NDC 41167-4120-3" in small text.
- Center Left:** "Allegra Allergy" in large, bold, italicized font. Below it, "fexofenadine HCl tablet 180 mg / antihistamine" and "Indoor and Outdoor Allergies".
- Center Right:** "24 Hour" in large, bold, italicized font.
- Bottom Left:** "30 Tablets" in large, bold, italicized font.
- Right Side:** "LOT" and "EXP" labels, and a vertical barcode "06-14368005".
- Bottom Right:** A small box containing "Purpose", "Directions", "Warnings", "Other information", and "Questions or comments?".

Dashed lines connect these elements to the following specifications:

- Headings:** Points to the "Allegra Allergy" and "24 Hour" text.
- Subheadings:** Points to the "30 Tablets" text.
- Right Justified:** Points to the "Directions" text.
- Bullet:** Points to a square bullet point in the "Directions" text.
- 1 point barline:** Points to the horizontal line separating the "Directions" section from the "Warnings" section.
- Body Text:** Points to the "Warnings" text.
- Graphic leading to next panel:** Points to the vertical line between the "Warnings" and "Other information" sections.
- 0.5 point hairline:** Points to the thin horizontal line at the bottom of the box.

-----  
**This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.**  
-----

/s/  
-----

ANDREA LEONARD SEGAL  
08/23/2012