


Expiration Date

Lot #



Drug Facts (continued)

Directions

adults and children 6 years and over	one 10 mg capsule once daily; do not take more than one 10 mg capsule in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
adults 65 years and over	ask a doctor
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- store at 20-25°C (68-77°F)
- avoid high humidity and excessive heat above 40°C (104°F)
- protect from light
- do not use if Tamper-Evident seal under bottle cap imprinted with "Sealed for Your Protection" is broken or missing

Inactive ingredients FD&C Blue #1, FD&C Red #40, FD&C Yellow #6, gelatin, glycerin, mannitol, pharmaceutical ink, polyethylene glycol 400, purified water, sodium hydroxide, sorbitan, sorbitol

Questions or comments? call 1-800-447-1140

* This product is not manufactured or distributed by McNeil Consumer Healthcare Division of McNeil-PPC, Inc. owner of the registered trademark of Zyrtec®
Manufactured by: Banner Pharmacaps Inc.
4125 Premier Drive
High Point, NC 27265

NDC 010888-7127-12

Compare to the Active Ingredient of Zyrtec®*

Cetirizine HCl Capsules, 10 mg



Antihistamine

ALLERGY

Indoor & Outdoor Allergies

24 hour Relief of ■ Sneezing ■ Running Nose
■ Itchy, Watery eyes ■ Itchy Throat or Nose

200 Softgels**
Liquid-filled Capsules**

NDC 010888-7127-12

Compare to the Active Ingredient of Zyrtec®*

Cetirizine HCl Capsules, 10 mg


Antihistamine

ALLERGY

Indoor & Outdoor Allergies

24 hour Relief of ■ Sneezing ■ Running Nose
■ Itchy, Watery eyes ■ Itchy Throat or Nose

200 Softgels**
Liquid-filled Capsules**



Drug Facts

Active ingredient (in each capsule)	Purpose
Cetirizine HCl 10 mg	Antihistamine

Uses
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.


If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

DIE 0163C

11.625 x 12.5flat
2.75 x 2.75 x 5.5



Labeling Format Information:

Fonts: Helvetica Condensed, Bold, Bold Italic			
Drug Facts:	10 pt	Leading:	6.5 pt
Header:	8 pt	Bullets:	6.5 pt
Subheader:	6.2 pt	Barlines:	2.5 pt
Body Text:	6.2 pt	Hairlines:	.75 pt
Drug Facts (continued):	8 pt		
Horizontal Scale: 100%		Average Kerning: 0	

(b) (4)

NDC 010888-7127-11 Compare to the Active Ingredient of Zyrtec®*

Cetirizine HCl Capsules, 10 mg
Antihistamine
Allergy

READ AND KEEP CARTON FOR COMPLETE WARNINGS AND INFORMATION

10 Liquid-filled capsules **

Active Ingredient (in each capsule)
Cetirizine HCl 10 mg

Purpose
Antihistamine

Uses Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- itching of the nose or throat

Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should ask you if you are taking other medicines.

Ask a doctor before use if you are taking other medicines, especially if you are taking tranquilizers or sedatives.

When using this product:

- driveness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs.

Seek medical help if you experience:

- if persistent or breathless
- if breast-feeding; not recommended before use.

*This product is not manufactured or distributed by the same manufacturer as the registered trademark of Zyrtec®. Banner Pharmaceuticals Inc., 4125 Premier Drive, High Point, NC 27265

Lot #
Exp. Date

FOLD PROOF ALONG DOTTED LINE to simulate an actual printed label layout

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions Adults and children 6 years and over: one 10 mg capsule once daily; do not take more than one 10 mg capsule in 24 hours. A 5 mg strength is available for children with less severe symptoms.

Adults 65 years and over: ask a doctor.

Children under 6 years of age: ask a doctor.

Consumers with liver or kidney disease: ask a doctor.

Other information

- store at 20-25°C (68-77°F)
- avoid high humidity
- do not use if tamper-evident seal under bottle cap is broken or missing
- do not use if printed with "Sealed for Your Protection" is broken or missing

Inactive ingredients FDAC Blue #1, FDAC Red #40, FDAC Yellow #6, opatin, glycerin, mannitol, pharmaceutical ink, polyethylene glycol 400, printed text, sodium hydroxide, sorbitan, sorbitol

Labeling Format Information:

Fonts: Helvetica Condensed, Bold, Bold Italic

Drug Facts:	NA pt	Leading:	5.4 pt
Header:	5.4 pt	Bullets:	3.6 pt
Subheader:	5.4 pt	Barlines:	NA pt
Body Text:	5.4 pt	Hairlines:	NA pt
Drug Facts (continued):	NA pt		

Horizontal Scale: 100%

Average Kerning: 0

NDC 010888-7127-12

Compare to the Active Ingredient of Zyrtec®*

Cetirizine HCl Capsules, 10 mg

Antihistamine Allergy

READ AND KEEP CARTON FOR COMPLETE WARNINGS AND INFORMATION

200 Liquid-filled capsules **

Active ingredient (in each capsule) Cetirizine HCl 10 mg..... Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat

Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding: ■ if breast-feeding: not recommended ■ if pregnant: ask a health professional before use ■ **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Directions Adults and children 6 years and over: one 10 mg capsule once daily; do not take more than one 10 mg capsule in 24 hours. A 5 mg product may be appropriate for less severe symptoms. **Adults 65 years and over:** ask a doctor. **Children under 6 years of age:** ask a doctor. **Consumers with liver or kidney disease:** ask a doctor.

Other information ■ store at 20-25°C (68-77°F) ■ avoid high humidity and excessive heat above 40°C (104°F) ■ protect from light ■ do not use if Tamper-Evident seal under bottle cap imprinted with "Sealed for Your Protection" is broken or missing

Inactive ingredients FD&C Blue #1, FD&C Red #40, FD&C Yellow #6, gelatin, glycerin, mannitol, pharmaceutical ink, polyethylene glycol 400, purified water, sodium hydroxide, sorbitan, sorbitol

* This product is not manufactured or distributed by McNeil Consumer Healthcare Division of McNeil-PPC, Inc., owner of the registered trademark of Zyrtec®

Manufactured by:
Banner Pharmacia ps Inc.
4125 Premier Drive
High Point, NC 27285

Lot #
Expiration Date

(b) (4)


Labeling Format Information:

Fonts: Helvetica Condensed, Bold, Bold Italic

Drug Facts:	NA pt	Leading:	6.5 pt
Header:	8 pt	Bullets:	5 pt
Subheader:	6 pt	Barlines:	NA pt
Body Text:	6 pt	Hairlines:	NA pt
Drug Facts (continued):	NA pt		

Horizontal Scale: 88%

Average Kerning: 0



DIE 0625C
 159.2 x 9.5 x 2.55
 1.5 x 1.5 x 1.5

Manufactured by:
 Banner Pharmaceuticals Inc.
 4126 Premier Drive
 High Point, NC 27265

Expiration Date
 Lot #



Drug Facts (continued)

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product ■ drowsiness may occur ■ avoid alcoholic drinks
 ■ alcohol, sedatives, and tranquilizers may increase drowsiness
 ■ be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs.
 Seek medical help right away.

If pregnant or breast-feeding: ■ if breast-feeding: not recommended
 ■ if pregnant: ask a health professional before use

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Inactive ingredients FD&C Blue #1, FD&C Red #40, FD&C Yellow #6, gelatin, glycerin, mannitol, pharmaceutical ink, polyethylene glycol 400, purified water, sodium hydroxide, sorbitan, sorbitol

Questions or comments?
 call 1-800-447-1140

*This product is not manufactured or distributed by Medical Consumer Healthcare Division of Medial-PPC, Inc., owner of the registered trademark of Zyrtec®.



Labeling Format Information:

Fonts: Helvetica Condensed, Bold, Bold Italic	
Drug Facts: 10 pt	Leading: 6.5 pt
Header: 8 pt	Bullets: 5 pt
Subheader: 6 pt	Barlines: 2.5 pt
Body Text: 6 pt	Hairlines: .5 pt
Drug Facts (continued): 8 pt	
Horizontal Scale: 93%	
Average Kerning: 0	

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

JOEL SCHIFFENBAUER
02/06/2013