




Final Blister Card for Fexofenadine Hydrochloride Orally Disintegrating Tablets, 30 mg - 12 Hour (Allergy)
Label Size: 105 mm x 68 mm



Final Blister Card for Fexofenadine Hydrochloride Orally Disintegrating Tablets, 30 mg - 12 Hour (Hives)
Label Size: 105 mm x 68 mm



Final Blister Carton for
Flexofenadine Hydrochloride Orally Disintegrating Tablets, 30 mg- 60's Blister (Allergy)
 Actual Label Size: 110 mm x 74 mm x 86 mm



(b) (4)

(b) (4)

(b) (4)

Final Blister Carton for
Fexofenadine Hydrochloride Orally Disintegrating Tablets, 30 mg- 60's Blister (Hives)
 Actual Label Size: 110 mm x 74 mm x 86 mm

Drug Facts (continued)

Directions
 Take 1 tablet orally 12 hours after the last dose of the previous day. Take with or without food. Take 1 tablet every 12 hours on an empty stomach. Do not take more than 2 tablets in 24 hours.


Warnings
 Do not take more than 12 tablets in 24 hours. Do not take more than 2 tablets in 24 hours. Do not take more than 2 tablets in 24 hours. Do not take more than 2 tablets in 24 hours.

Other information
 Contains 60 orally disintegrating tablets. Keep out of reach of children. Store at room temperature (20°-25°C).

Questions or comments? Call 1-800-368-3724.

Lot

Exp



Do not use if carton is damaged or if individual blister units are torn or opened

Children's
Fexofenadine Hydrochloride
Orally Disintegrating Tablets, 30 mg
Hives
12 HOUR
Ages 6 Years and Older

ORIGINAL PRESCRIPTION STRENGTH
NON-DROWSY

NDC 55111-294-68

60 Orally Disintegrating Tablets

Children's
Fexofenadine Hydrochloride
Orally Disintegrating
Tablets, 30 mg
Hives
Antihistamine
 Orange Vanilla flavored

Ages 6 Years and Older

Relief of Itching due to Hives

Dissolves without water

12 HOUR

Manufactured by:
Dr. Reddy's Laboratories Limited
 Bachipally - 502 225 INDIA

(b) (4)

(b) (4)