

(b) (4)

1.625"

3.375"


.50" .53125" 1.3125" 1.03125"

S/N 123456789012
LOT NO VARN SH
EXP LOT/EXP

Usual Dosage: Read accompanying prescribing literature.
Swallow tablets whole. Do not cut, break, chew, crush, or dissolve.

Attention Dispenser: Accompanying Medication Guide must be provided to the patient upon dispensing.


NDC 59011-410-10

OxyContin 
(oxycodone hydrochloride extended-release tablets)


10 mg

100 Tablets Rx Only
Purdue Pharma L.P.

Dispense in a light, light-resistant container. Store at 20°C to 25°C (68°F to 77°F). Excursions permitted between 15°C to 30°C (59°F to 86°F). U.S. Patent Nos. 6,488,983; 7,129,248; 7,674,799; 7,674,800; 7,683,072; 7,776,314; 8,114,383; 8,309,090; and 8,337,888.


3 59011 410 10 1

Purdue Pharma L.P.
Stamford, CT 06901-3431
xxxxxx-xx




(b) (4)

1.625"

3.375"

.50" .53125" 1.3125" 1.03125"


S/N 123456789012
LOT NO VARN SH
EXP LOT/EXP



Usual Dosage: Read accompanying prescribing literature.
Swallow tablets whole. Do not cut, break, chew, crush, or dissolve.

Attention Dispenser: Accompanying Medication Guide must be provided to the patient upon dispensing.


NDC 59011-415-10

OxyContin[®] 
(oxycodone hydrochloride extended-release tablets)


15mg

100 Tablets **R_x Only**
Purdue Pharma L.P.

Dispense in a light, light-resistant container. Store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F).
U.S. Patent Nos. 6,489,953; 7,129,248; 7,674,799; 7,674,800; 7,683,072; 7,776,314; 8,114,383; 8,309,050; and 8,337,886.


3 59011-415-10 6

Purdue Pharma L.P.
Stamford, CT 06901-3431
xxxxxx-xx



(b) (4)

1.625"

3.375"


.50" .53125" 1.3125" 1.03125"

S/N 123456789012
LOT NO VARN SH
EXP LOT/EXP

Usual Dosage: Read accompanying prescribing literature.
Swallow tablets whole. Do not cut, break, chew, crush, or dissolve.

Attention Dispenser: Accompanying Medication Guide must be provided to the patient upon dispensing.


NDC 59011-420-10

OxyContin® 
(oxycodone hydrochloride extended-release tablets)


20mg

100 Tablets Rx Only
Purdue Pharma L.P.

Dispense in a light, light-resistant container. Store at 25°C (77°F); excursions permitted between 15°C (59°F) and 30°C (86°F). U.S. Patent Nos. 6,493,689; 7,139,246; 7,674,798; 7,674,800; 7,683,072; 7,776,314; 8,114,383; 8,309,050; and 8,337,886.


3 59011-420-10 0

Purdue Pharma L.P.
Stamford, CT 06901-3431
xxxxxx-xx



3.375"

.50" .53125" 1.3125" 1.03125"

1.625"

S/N 123456789012
 LOT NO VARN SH
 EXP LOT/EXP

Usual Dosage: Read accompanying
 prescribing literature.
**Swallow tablets whole. Do not cut,
 break, chew, crush, or dissolve.**

Attention Dispenser: Accompanying
 Medication Guide must be provided to
 the patient upon dispensing.

NDC 59011-430-10
OxyContin®
 (oxycodone hydrochloride
 extended-release tablets)


30mg

100 Tablets **R_x Only**
Purdue Pharma L.P.

Dispenses in a light, light-resistant container.
 Store at 20°-25°C (68°-77°F); excursions permitted
 to 15°-30°C (59°-86°F).
 U.S. Patent Nos. 6,498,963; 7,193,248; 7,677,709;
 7,674,800; 7,683,072; 7,776,314; 8,114,363;
 8,309,066; and 8,337,888.

3 59011-430-10 9

Purdue Pharma L.P.
 Stamford, CT 06901-3431
 xxxxxx-xx



(b) (4)

1.625"

3.375"


.50" .53125" 1.3125" 1.03125"

S/N 123456789012
 LOT NO VARN SH
 EXP LOT/EXP

Usual Dosage: Read accompanying prescribing literature. Swallow tablets whole. Do not cut, break, chew, crush, or dissolve.

Attention Dispenser: Accompanying Medication Guide must be provided to the patient upon dispensing.


NDC 59011-440-10

OxyContin® 
 (oxycodone hydrochloride extended-release tablets)


40 mg

100 Tablets **R_x Only**
 Purdue Pharma L.P.

Dispense in a light, light-resistant container. Store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F).
 U.S. Patent Nos. 6,486,963; 7,129,248; 7,674,799; 7,674,800; 7,683,072; 7,776,314; 8,114,383; 8,309,060; and 8,337,886.


 3 59011 440 10 8

Purdue Pharma L.P.
 Stamford, CT 06901-3431
 xxxxxx-xx



1.625"

3.375"


.50" .53125" 1.3125" 1.03125"

S/N 123456789012
 LOT NO VARN SH
 EXP LOT/EXP

Usual Dosage: Read accompanying prescribing literature.
 Swallow tablets whole. Do not cut, break, chew, crush, or dissolve.

Attention Dispenser: Accompanying Medication Guide must be provided to the patient upon dispensing.

NDC 59011-460-10

OxyContin® 
 (oxycodone hydrochloride extended-release tablets)


60mg

for use in opioid-tolerant patients only

Dispense in a light, light-resistant container. Store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F).
 U.S. Patent Nos. 7,674,799; 7,674,800; 7,658,022; 7,773,344; 6,114,363; 6,309,060; and 6,337,888.

Purdue Pharma L.P.
 Stamford, CT 06901-3431
 xxxxxx-xx

3 59011-460-10 6



(b) (4)

The diagram shows a rectangular box for OxyContin 80mg extended-release tablets. The overall dimensions are 1.625" in height and 3.375" in width. The width is divided into four segments: .50", .53125", 1.3125", and 1.03125".

Labeling:

- Top Left:** s/N 123456789012, LOT NO VARN SH, EXP LOT/EXP
- Top Right:** Attention Dispenser: Accompanying Medication Guide must be provided to the patient upon dispensing.
- Center:** NDC 59011-480-10, **OxyContin®** (oxycodone hydrochloride extended-release tablets), **80mg**
- Bottom Left:** 100 Tablets R_x Only
- Bottom Center:** Dispense in a light, light-resistant container. Store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F). U.S. Patent Nos. 6,488,983; 7,129,248; 7,674,799; 7,674,800; 7,683,072; 7,776,314; 8,114,383; 8,309,060; and 8,337,888.
- Bottom Right:** Purdue Pharma L.P., Stamford, CT 06901-3431, xxxxxx-xx
- Barcode:** 3 59011-480-10 4
- Triangle:** for use in opioid-tolerant patients only

Lot/Exp Box prints dark color with no varnish

2

Lot/Exp Area
No Varnish

Attention Dispenser:
The enclosed Medication Guide must be provided to the patient upon dispensing.

OxyContin® (oxycodone hydrochloride extended-release tablets)

10 mg
Rx Only

Store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F);
FOR HOSPITAL USE
Purdue Pharma L.P.

NDC 59011-410-20 20 Tablets Two 10-count Blister Cards

10 mg OxyContin® (oxycodone hydrochloride extended-release tablets)


NDC 59011-410-20 20 Tablets Two 10-count Blister Cards

OxyContin® (oxycodone hydrochloride extended-release tablets)

10 mg
Rx Only

Store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F).
FOR HOSPITAL USE

Usual Dosage: Read accompanying prescribing literature.
OxyContin Tablets must be swallowed whole and must not be cut, broken, chewed, crushed, or dissolved.
Caution: Keep out of reach of children. This package is not child resistant.



FPO Bar Code

FPO Bar Code


No Varnish Glue Flap

No Varnish Glue Flap

5³/₃₂

1.063

3³/₈



(b) (4)

PDDIE-180
HUD Carton

Lot/Exp Box prints dark color with no varnish

2

Lot/Exp Area
No Varnish

Purdue Pharma L.P., Stamford, CT 06901-3431
U.S. Patent Nos. 6,488,963; 7,129,248; 7,674,799; 7,674,800; 7,683,072; 7,776,314; 8,114,383;
8,309,060; and 8,337,888.
©2014, Purdue Pharma L.P. xxxxxx-xx

1.063

NDC 59011-415-20 20 Tablets Two 10-count Blister Cards
OxyContin® (oxycodone hydrochloride extended-release tablets)
15 mg
Rx Only
Store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F).
FOR HOSPITAL USE
Purdue Pharma L.P.

Attention Dispenser:
The enclosed Medication Guide must be provided to the patient upon dispensing.

15 mg OxyContin®
(oxycodone hydrochloride extended-release tablets)

3 3/8

15 mg OxyContin® (oxycodone hydrochloride extended-release tablets)

NDC 59011-415-20 20 Tablets Two 10-count Blister Cards

OxyContin® (oxycodone hydrochloride extended-release tablets)



15 mg

Rx Only

Store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F).

FOR HOSPITAL USE

Usual Dosage: Read accompanying prescribing literature.

OxyContin Tablets must be swallowed whole and must not be cut, broken, chewed, crushed, or dissolved.

Caution: Keep out of reach of children. This package is not child resistant.

FPO Bar Code


FPO Bar Code

No Varnish Glue Flap

5 3/32

No Varnish Glue Flap

PDDIE-180
HUD Carton



Lot/Exp Box prints dark color with no varnish

2

Lot/Exp Area
No Varnish

Attention Dispenser:
The enclosed Medication Guide must be provided to the patient upon dispensing.

OxyContin® (oxycodone hydrochloride extended-release tablets)

20 mg

Rx Only

Store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F);
FOR HOSPITAL USE
Purdue Pharma L.P.

NDC 59011-420-20 20 Tablets Two 10-count Blister Cards

20 mg OxyContin® (oxycodone hydrochloride extended-release tablets)

NDC 59011-420-20 20 Tablets Two 10-count Blister Cards

OxyContin® (oxycodone hydrochloride extended-release tablets)


20 mg

Rx Only

Store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F).

FOR HOSPITAL USE

Usual Dosage: Read accompanying prescribing literature.
OxyContin Tablets must be swallowed whole and must not be cut, broken, chewed, crushed, or dissolved.
Caution: Keep out of reach of children. This package is not child resistant.



FPO Bar Code

FPO Bar Code


No Varnish Glue Flap

5³/₃₂

No Varnish Glue Flap

1.063

3³/₈



PDDIE-180
HUD Carton

Lot/Exp Box prints dark color with no varnish

2

Lot/Exp Area
No Varnish

Purdue Pharma L.P., Stamford, CT 06901-3431
U.S. Patent Nos. 6,488,963; 7,129,248; 7,674,799; 7,674,800; 7,683,072; 7,776,314; 8,114,383;
8,309,060; and 8,337,888.
©2014, Purdue Pharma L.P. xxxxxx-xx

1.063

NDC 59011-430-20 20 Tablets Two 10-count Blister Cards
OxyContin® (oxycodone hydrochloride extended-release tablets)
30 mg
Rx Only
Store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F).
FOR HOSPITAL USE
Purdue Pharma L.P.

Attention Dispenser:
The enclosed Medication Guide must be provided to the patient upon dispensing.

30 mg OxyContin®
(oxycodone hydrochloride extended-release tablets)

3 3/8

30 mg OxyContin® (oxycodone hydrochloride extended-release tablets)

NDC 59011-430-20 20 Tablets Two 10-count Blister Cards

OxyContin® (oxycodone hydrochloride extended-release tablets)



30 mg

Rx Only

Store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F).

FOR HOSPITAL USE

Usual Dosage: Read accompanying prescribing literature.
OxyContin Tablets must be swallowed whole and must not be cut, broken, chewed, crushed, or dissolved.

Caution: Keep out of reach of children. This package is not child resistant.


FPO Bar Code

FPO Bar Code

No Varnish Glue Flap

No Varnish Glue Flap

5 3/32



PDDIE-180
HUD Carton

Lot/Exp Box prints dark color with no varnish

2

Lot/Exp Area
No Varnish

Purdue Pharma L.P., Stamford, CT 06901-3431
U.S. Patent Nos. 6,488,963; 7,129,248; 7,674,799; 7,674,800; 7,683,072; 7,776,314; 8,114,383;
8,309,060; and 8,337,888.
©2014, Purdue Pharma L.P. xxxxxx-xx

1.063

Purdue Pharma L.P.
FOR HOSPITAL USE
Store at 25°C (77°F); excursions permitted between
15°-30°C (59°-86°F);
Rx Only

40 mg

OxyContin®
(oxycodone hydrochloride
extended-release tablets)

Attention Dispenser:
The enclosed Medication Guide
must be provided to the patient
upon dispensing.

NDC 59011-440-20 20 Tablets Two 10-count Blister Cards

40 mg OxyContin®
(oxycodone hydrochloride extended-release tablets)

3 3/8

40 mg OxyContin® (oxycodone hydrochloride extended-release tablets)

NDC 59011-440-20 20 Tablets Two 10-count Blister Cards

OxyContin®
(oxycodone hydrochloride
extended-release tablets)



40 mg

Rx Only

Store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F).

FOR HOSPITAL USE

Usual Dosage: Read accompanying prescribing literature.

OxyContin Tablets must be swallowed whole and must not be cut, broken, chewed,
crushed, or dissolved.

Caution: Keep out of reach of children. This package is not child resistant.

FPO Bar Code


FPO Bar Code

No Varnish Glue Flap

5 3/32


No Varnish Glue Flap

PDDIE-180
HUD Carton



Lot/Exp Box prints dark color with no varnish

2



60mg OxyContin® (oxycodone hydrochloride extended-release tablets)

NDC 59011-460-20 20 Tablets Two 10-count Blister Cards

OxyContin® II
(oxycodone hydrochloride extended-release tablets)

60mg

Rx Only

Store at 25°C (77°F); excursions permitted between 15°–30°C (59°–86°F).

FOR HOSPITAL USE

Usual Dosage: Read accompanying prescribing literature.

OxyContin Tablets must be swallowed whole and must not be cut, broken, chewed, crushed, or dissolved.

Caution: Keep out of reach of children. This package is not child resistant.



FPO Bar Code

FPO Bar Code


for use in opioid-tolerant patients only

No Varnish Glue Flap

5 3/32

No Varnish Glue Flap

PDDIE-180
HUD Carton



(b) (4)

Lot/Exp Box prints dark color with no varnish

2

Purdue Pharma L.P., Stamford, CT 06901-3431
 U.S. Patent Nos. 6,488,963; 7,129,248; 7,674,799; 7,674,800; 7,683,072; 7,776,314; 8,114,383; 8,309,060; and 8,337,888.
 ©2014, Purdue Pharma L.P. xxxxxx-xx

80mg OxyContin® (oxycodone hydrochloride extended-release tablets)

Rx Only
FOR HOSPITAL USE
 Store at 25°C (77°F); excursions permitted between 15°–30°C (59°–86°F).

Attention Dispenser:
 The enclosed Medication Guide must be provided to the patient upon dispensing.

NDC 59011-480-20 20 Tablets Two 10-count Blister Cards

80mg OxyContin® (oxycodone hydrochloride extended-release tablets)

for use in opioid-tolerant patients only

1.063

3 3/8

80mg OxyContin® (oxycodone hydrochloride extended-release tablets)

NDC 59011-480-20 20 Tablets Two 10-count Blister Cards

OxyContin® **II**
(oxycodone hydrochloride extended-release tablets)

80mg

Rx Only

Store at 25°C (77°F); excursions permitted between 15°–30°C (59°–86°F).

FOR HOSPITAL USE

Usual Dosage: Read accompanying prescribing literature.

OxyContin Tablets must be swallowed whole and must not be cut, broken, chewed, crushed, or dissolved.

Caution: Keep out of reach of children. This package is not child resistant.



FPO Bar Code

FPO Bar Code


for use in opioid-tolerant patients only

No Varnish Glue Flap



5 3/32

No Varnish Glue Flap



PDDIE-180
HUD Carton





(b) (4)




Shaded Area = No Print Area





Shaded Area = No Print Area




Shaded Area = No Print Area




Shaded Area = No Print Area





Shaded Area = No Print Area



Shaded Area = No Print Area





Shaded Area = No Print Area